

CELLULAR SHADES

AUGUST 2023

Product Information Guide

Features

Fabric Styles and Information: Cellular Shades	3
Light Control and Privacy	3
Summary	4

Control Type and Size Considerations

Cord Lift	5
Bottom Up/Top Down Cord Lift	5
Sun Up/Sun Down Cord Lift	6
Combination Shade Cord Lift	6
Depth Requirements for Inside Mount: Cord Lift and Combination Shade Cord Lift	6
Cordless Lift	7
Bottom Up/Top Down Cordless Lift	7
Sun Up/Sun Down Cordless Lift	8
Combination Shade Cordless Lift	8
Depth Requirements for Inside Mount: Cordless Lift and Combination Shade Cordless Lift	8
Continuous-Loop Lift	9
Top Down Continuous-Loop Lift	10
Depth Requirements for Inside Mount: Continuous-Loop Lift	10
Motorized Lift	11
Multiple Shades on One Headrail	12
Multiple Shades On One Headrail: Continuous-Loop Lift	12
Combination Shade Cord Lift	13
Combination Shade Cordless Lift	14
VertiCell Shades	15
Depth Requirements for Inside Mount: VertiCell Shades	15

PLEASE NOTE:

Photos and illustrations are for inspiration only.

Window blind cords are a strangulation hazard for young children.

Options

Enhanced Light Control Features	16
Corner Windows	17
Bay Windows	18
Cut-Out Shades	19
SkyTrack™ Skylight	19
Specialty Shapes: Arch Shades	20
Specialty Shapes: Arch Over Standard Cord Lift Shade	21
Specialty Shapes: Octagon and Hexagon	21
Specialty Shapes: Trapezoids	22
Specialty Shapes: Angle Top/Angle Bottom	22
Making a Template for Specialty Windows	23
Using a Template Service	23

General Information

Energy Performance	24
Energy Efficiency Ratings	24
Stack Height Chart Cord Lift	25
Stack Height Chart: Combination Shade	26
Stack Width Chart VertiCell	27
Standard Handle Location VertiCell	27
Cellular Shade Color Coordination Chart	28-30
Cord Lift Product Detail	31
Cordless Lift Product Detail	32
Continuous-Loop Lift Product Detail	33
Bottom Up/Top Down Cord Lift Product Detail	34
Bottom Up/Top Down Cordless Lift Product Detail	35
Cord Lift Product Detail Combination Shade	36
Cordless Lift Product Detail Combination Shade	37
Arch Over Standard Cord Lift Product Detail	38
VertiCell Product Detail	39

Features

Bali® Cellular Shades are made from a variety of luxurious spunlace and woven fabrics. These shades are highly insulating due to the pockets of air formed by the cellular design. Cellular shades are the perfect combination of function and fashion, providing energy efficiency while stylishly covering your windows.

- Highly insulating
- Solutions for numerous privacy and light control needs
- Offered in four cell sizes to match diverse decor styles
- Broad spectrum of on-trend colors, patterns, and textures to enhance every room
- All shade components are color coordinated

Fabric Styles and Information: Cellular Shades

Fabric Styles	Shade Type	Level of Light Control/ Privacy	Fabric Content	Greenguard Certified	Anti- microbial
Cosmopolitan	¾" single cell	Light filtering	100% polyester woven		
	1¼" single cell	Blackout	100% polyester woven paired with a concealed blackout liner		
Halo	½" double cell				
	¾" single cell	Light filtering	100% polyester spunlace	•	
	1¼" single cell				
Heirloom	¾" single cell	Light filtering	100% polyester spunlace		
		Blackout	100% polyester spunlace with metallic blackout liner		
Hideaway	½" double cell				
	¾" single cell	Blackout	100% polyester spunlace with concealed blackout liner	•	
	1¼" single cell				
Impresario	¾" single cell	Light filtering	100% polyester spunlace		
		Blackout	100% polyester spunlace with metallic blackout liner		
Luminesce	¾" single cell				
	1¼" single cell	Sheer	100% polyester woven		
Luxe	¾" single cell	Light filtering	100% polyester woven paired with 100% polyester spunlace		
		Blackout	100% polyester woven paired with concealed blackout liner		
Restore	¾" single cell	Light filtering	100% polyester spunlace		
		Blackout	100% polyester spunlace with metallic blackout liner		•
Serenade	¾" single cell	Light filtering	100% polyester woven paired with 100% polyester spunlace		
		Blackout	100% polyester woven paired with concealed blackout liner		
Sheer Bliss	¾" single cell	Sheer	100% polyester woven		
Spellbound	⅝" single cell				
	¾" single cell	Blackout	100% polyester spunlace with metallic blackout liner		
Sunrise	⅝" single cell				
	¾" single cell	Light filtering	100% polyester spunlace		

Light Control and Privacy

Sheer: Allows the most sunlight and the least privacy.

Light Filtering (LF)*: Blocks some sunlight and offers some privacy.

Blackout (BO): Blocks all sunlight and offers complete privacy.

*These fabrics allow some light to come through, so their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully lowered.

Fabric Certifications

GREENGUARD Indoor Air Quality Certified® Fabrics: Many Graber® fabrics have been certified by GREENGUARD Environment Institute (GEI) to be low chemical- and particle-emitting fabrics, which provides a healthier indoor air quality. The process used for certification complied with established indoor air quality standards and is performed by a third party lab.



Features

Summary (for surcharges and pricing refer to price charts)

The following is a list of options for cellular shades.

Control Type Options (see price charts for pricing and/or surcharges)

- Cord lift (US only)
- Cordless lift
- Continuous-loop lift (US only)
- Motorized lift (see motorization product information guide)
- VertiCell (US only)

Shade Options—No Charge

- Cord placement on right or left
- Corner or bay window
- Cut-outs (US only)
- Hold down brackets
- Projection brackets:
 - For all cord lift, cordless lift, continuous-loop lift, and motorized lift shades:
 - Long (adds up to 2 $\frac{3}{8}$ " extension from wall)
 - Medium (adds up to 1 $\frac{1}{2}$ " extension from wall)
 - Short (adds up to $\frac{7}{8}$ " extension from wall)
 - For VertiCell (US only):
 - Long (adds up to 2 $\frac{1}{4}$ " extension from wall)
 - Medium (adds up to 1 $\frac{1}{4}$ " extension from wall)
 - Short (adds up to $\frac{3}{4}$ " extension from wall)
- Rail color can be specified at the time of order
- Shims
- Side-mount brackets: inside mount only
- Standard cord cleats (US only): clear
- Fabric can be reversed at the time of order
- Custom cord length is available upon request at time of order (US only)

Specialty Shape Shade Options (see price charts for pricing and/or surcharges)

- Angled top/angled bottom (US only)
- Arch over standard cord lift (US only)
- Non-Perfect Arches
- Octagon, hexagon, or trapezoid (US only)
- Perfect Arches

Shade Options—Surcharge (see price charts for pricing and/or surcharges)


- Room-darkening side channels ($\frac{3}{4}$ " single cell and $\frac{1}{2}$ " double cell with cord lift, cordless lift, and motorized controls)
- Bottom up/top down: cord lift (US only)
- Bottom up/top down: cordless lift (US only)
- Cord winder (US only)
- Decorative cord cleats (US only): solid brass, antique brass
- Fabric Wrapped Rails (cordless lift, continuous-loop lift, and motorized lift)
- Multiple shades on one headrail
- Combination shade: cord lift (US only)
- Combination shade: cordless lift (US only)
- Sky pole
- Skylight shades (US only)
- Sun up/sun down: cord lift (US only)
- Sun up/sun down: cordless lift
- Top down only: continuous-loop lift (US only)
- Wood cornice (see cornices and valances product information guide)

Control Type

Cell Size	Cord Lift	Cordless Lift	Continuous-Loop Lift	Motorized Lift	VertiCell	Bottom Up/Top Down	Top Down	Sun Up/Sun Down	Combination Shade	Specialty Shapes	Skylights	Side Channels
$\frac{9}{16}$ " Single Cell	•	•	•	•		•	•	•	•	•		
$\frac{3}{4}$ " Single Cell	•	•	•	•	•	•	•	•	•	•	•	•
$\frac{1}{2}$ " Double Cell	•	•	•	•	•	•	•	•	•	•	•	•
1 $\frac{1}{4}$ " Single Cell		•		•	•	•						

Control Type and Size Considerations

Cord Lift



- **No charge**
- Controls can be placed on the right (standard) or left side; side mounts available up to 60" wide by 96" high
- Room-darkening side channels are available:
 - Surcharge (see price charts)
 - 3/4" single cell and 1/2" double cell only
 - Available in cord lift, cordless lift and motorized
 - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, Smokey Gray 026, or White Satin 205
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is 1/3 of the shade height
- Not available with 1 1/4" single cell fabrics
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width** (inches)	Minimum Height (inches)	Maximum Height** (inches)
Cord Lift	9	144	12	144
Bottom Up/Top Down Cord Lift	9	96	12	96
Sun Up/Sun Down Cord Lift	12	74	12	96
Combination Shade Cord Lift†	12	78	12	96


*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

**See cord control area limit chart for SIZE RESTRICTIONS by fabric type.

†Minimums and maximums vary slightly by cell size. Maximum shade width is based on fabric width. See combination shade size considerations for detail.

Cord Control Area Limit Chart		
Cell Size	Collection Name	Maximum Shade Size (square inches)
1/2" Double Cell	Hideaway	7,400
1/2" Double Cell	Halo	12,000
3/4" Single Cell	Cosmopolitan BO	9,000
	Heirloom BO	
	Hideaway	
	Impressario BO	
	Luxe LF	
	Luxe BO	
	Restore BO	
	Serenade LF	
3/4" Single Cell	Serenade BO	12,000
	Cosmopolitan LF	
3/4" Single Cell	Restore LF	14,000
	Halo	
	Heirloom LF	
	Impresario LF	
	Luminesce	
	Sheer Bliss	
9/16" Single Cell	Spellbound	9,000
9/16" Single Cell	Sunrise	14,000

Bottom Up/Top Down Cord Lift



- Standard control is right control operates bottom up, while left control operates shade from the top down; this can be reversed
- Option allows for privacy, yet lets natural light shine in
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards


Control Type and Size Considerations

Sun Up/Sun Down Cord Lift




- Perfect for combining light controls of sheer or light-filtering and blackout fabrics
- $\frac{3}{16}$ " single cell fabrics can only be combined with $\frac{3}{16}$ " single cell fabrics
- $\frac{3}{4}$ " single cell fabrics can only be combined with $\frac{1}{2}$ " double cell or $\frac{3}{4}$ " single cell fabrics
- $\frac{1}{2}$ " double cell can only be a bottom fabric; two $\frac{1}{2}$ " double cell fabrics cannot be combined
- Headrail, midrail, and bottomrail are color coordinated; headrail and midrail match top fabric and bottomrail matches bottom fabric
- Standard control is right control operates bottomrail, while left control operates intermediate rail (can be reversed)
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Combination Shade Cord Lift




- Perfect for combining light controls of sheer and light-filtering pleated fabric with blackout cellular fabrics
- Standard control is right control operates bottomrail, while left control operates intermediate rail (can be reversed)
- 1" pleated can be combined with $\frac{3}{16}$ " single cell cellular fabrics only
- 2" pleated can be combined with $\frac{3}{4}$ " single cell and $\frac{1}{2}$ " double cell cellular fabric only
- Headrail, midrail, and bottomrail are color coordinated; headrail and midrail match top fabric and bottomrail matches bottom fabric
- Not available with cut-outs, overlaps, or liners
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Depth Requirements for Inside Mount: Cord Lift and Combination Shade Cord Lift

Shade Type	Cell Size	Cord Lift Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding.	
			Minimum Depth Mount (inches)	Flush with Casing (inches)
Cord Lift	$\frac{3}{4}$ " single cell $\frac{1}{2}$ " double cell	$\frac{7}{8} \times 2\frac{1}{16}$	$1\frac{1}{16}$	$2\frac{1}{4}$
	$\frac{3}{16}$ " single cell	$\frac{7}{8} \times 1\frac{3}{4}$	$1\frac{1}{16}$	$1\frac{15}{16}$
Combination Shade Cord Lift	1" pleat	$\frac{7}{8} \times 1\frac{3}{4}$	$1\frac{1}{16}$	$1\frac{15}{16}$
	2" pleat	$\frac{7}{8} \times 2\frac{1}{16}$	$1\frac{1}{16}$	$2\frac{1}{4}$

Control Type and Size Considerations

Cordless Lift



- Available on all cordless lift options
- Safest window shade; ideal for homes with children or pets
- Side mounts available up to 60" wide
- An optional sky pole is available for hard to reach shades 24" or less in width; if a skypole is required for shades over 24" width, two skypoles are recommended to ensure even operation
- Room-darkening side channels are available:
 - Surcharge (see price charts)
 - ¾" single cell and ½" double cell only
- Available in cord lift, cordless lift and motorized
- Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, Smokey Gray 026, or White Satin 205

NOTE: All cordless lift shades should be used on windows where the consumer can comfortably raise and lower the shade with their hand and have easy access. Very high windows should use cord lift shades rather than cordless lift.


Size Considerations	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
Cordless Lift	9	120	9	86
Bottom Up/Top Down Cordless Lift	15	120	9	86
Sun Up/Sun Down Cordless Lift	15	96	12	86
Combination Shade Cordless Lift†	15	94	12	86

*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

†Minimums and maximums vary slightly by cell size. Maximum shade width is based on fabric width. See combination shade size considerations for details.

NOTE: Maximum area for Hideaway ½" double cell is 7,200 square inches, 6,400 square inches with combination shades.

Bottom Up/Top Down Cordless Lift




- Option allows for privacy, yet lets natural light shine in

Bottom Up/Top Down Cordless Lift Size Limits (inches)					
Cell Size	Collection Name	Minimum Width (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
½" Double Cell	Hideaway	15	96	9	86
½" Double Cell	Halo	15	120	9	86
¾" Single Cell	Cosmopolitan BO	15	108	9	86
	Heirloom BO				
	Hideaway				
	Impresario BO				
	Luminesce				
	Luxe LF				
	Luxe BO				
	Restore BO				
¾" Single Cell	Serenade LF	15	120	9	86
	Serenade BO				
	Cosmopolitan LF				
	Halo				
	Heirloom LF				
	Impresario LF				
	Restore LF				
	Sheer Bliss				
⅝" Single Cell	Spellbound	15	108	9	86
⅝" Single Cell	Sunrise	15	120	9	86
1¼" Single Cell	Cosmopolitan LF	15	108	9	86
	Cosmopolitan BO				
	Hideaway				
1¼" Single Cell	Luminesce	15	120	9	86
1¼" Single Cell	Halo				


Control Type and Size Considerations

Sun Up/Sun Down Cordless Lift





- Perfect for combining light controls of sheer or light filtering and blackout
- $\frac{9}{16}$ " single cell fabrics can only be combined with $\frac{9}{16}$ " single cell fabrics
- $\frac{3}{4}$ " single cell fabrics can only be combined with $\frac{1}{2}$ " double cell or $\frac{3}{4}$ " single cell fabrics
- $\frac{1}{2}$ " double cell can only be a bottom fabric; two $\frac{1}{2}$ " double cell fabrics cannot be combined
- Headrail, midrail, and bottomrail are color coordinated; headrail and midrail match top fabric and bottomrail matches bottom fabric
- $1\frac{1}{4}$ " single cell is not available in sun up/sun down

Combination Shade Cordless Lift



- Perfect for combining light controls of sheer and light-filtering pleated fabric with blackout cellular fabrics
- 1" pleated can be combined with $\frac{9}{16}$ " single cell cellular fabrics only
- 2" pleated can be combined with $\frac{3}{4}$ " single cell and $\frac{1}{2}$ " double cell cellular fabric only
- Headrail, midrail, and bottomrail are color coordinated; headrail and midrail match top fabric and bottomrail matches bottom fabric
- $1\frac{1}{4}$ " single cell is not available in combination shade


Depth Requirements for Inside Mount: Cordless Lift and Combination Shade Cordless Lift

Shade Type	Cell Size (inches)	Cordless Lift Headrail Dimensions (inches)	 Partially recessed headrail in window casing/ molding. Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/ molding. Flush with Casing (inches)
Cordless Lift*	$1\frac{1}{4}$ " single cell	$1\frac{5}{8} \times 3\frac{3}{16}$	$1\frac{5}{8}$	$3\frac{3}{16}$
	$\frac{1}{2}$ " double cell	$1\frac{5}{16} \times 2\frac{3}{8}$	$\frac{5}{8}$	$2\frac{3}{8}$
	$\frac{3}{4}$ " single cell	$1\frac{5}{16} \times 2\frac{3}{8}$	$\frac{5}{8}$	$2\frac{3}{8}$
Combination Shade Cordless Lift	$\frac{9}{16}$ " single cell	$1\frac{5}{16} \times 2\frac{3}{8}$	$\frac{5}{8}$	$2\frac{3}{8}$
	1" pleat	$1\frac{5}{16} \times 2\frac{3}{8}$	$\frac{5}{8}$	$2\frac{3}{8}$
	2" pleat	$1\frac{5}{16} \times 2\frac{3}{8}$	$\frac{5}{8}$	$2\frac{3}{8}$

*The depth requirements for cordless lift shades also apply to motorized and continuous-loop lift shades.

Control Type and Size Considerations

Continuous-Loop Lift



- **For surcharges, see price charts**
- Recommended for larger, heavier shades
- A single continuous-loop cord raises and lowers the shade and keeps the cord the same length
- 1¼" single cell fabrics not available with continuous-loop lift
- Four colors of continuous-loop cord available
- Continuous-loop lift stacks the fully raised shade more compactly than cord lift and holds it more securely
- A cord hold down device is included with all continuous loop lift systems; the device must be properly installed to safely control the cord loop
- For inside mount, install the shade in the back of the window frame so the cord tensioner can be mounted in front of the shade and not interfere with shade operation
- Larger shades use a larger clutch ratio for easier lifting, but additional pulls are required to raise the shade

Size Considerations	Minimum Width* (inches)	Maximum Width*** (inches)	Minimum Height (inches)	Maximum Height***† (inches)
Continuous-Loop Lift	18½	144	9	144
Top Down Only Continuous-Loop Lift	18½	72	12	96

*For all inside mount applications, ⅝" deduction is taken by manufacturer on overall width.

**See continuous-loop lift control area limit chart for SIZE RESTRICTIONS by fabric type.

† Maximum shade size of 144" x 144" achievable by ordering multiple shades on one headrail.

Finished Shade Height (inches)	Continuous-Loop Cord Length (inches)
12 to 26	18
26⅞ to 38	24
38⅞ to 50	36
50⅞ to 62	48
62⅞ to 74	60
74⅞ to 96	72
96⅞ to 120	84
120⅞ to 130	96
130⅞ to 144	108

Control length for continuous-loop lift shades varies based on finished shade height (above). Optional cord loop length can be specified at the time of order.


Loop Cord and Tensioner Device Colors:	
Smokey Gray	026
Tender Taupe	103
Vanilla	100
White	00

Continuous-Loop Lift Control Area Limit Chart		
Cell Size	Collection Name	Maximum Shade Size (square inches)
½" Double Cell	Hideaway	9,000
½" Double Cell	Halo	13,000
¾" Single Cell	Cosmopolitan BO	11,000
	Heirloom BO	
	Hideaway	
	Impresario BO	
	Luminesce	
	Luxe LF	
	Luxe BO	
	Restore BO	
	Serenade LF	
¾" Single Cell	Serenade BO	13,000
	Cosmopolitan LF	
¾" Single Cell	Restore LF	17,000
	Heirloom LF	
	Impresario LF	
¾" Single Cell	Halo	20,800*
	Sheer Bliss	
	Spellbound	
	Sunrise	
	Spellbound	
⅝" Single Cell	Spellbound	11,000
⅝" Single Cell	Sunrise	17,000

*Available up to 144" width x 144" height

Control Type and Size Considerations


Top Down Continuous-Loop Lift



- Top down only operates with the continuous-loop lift
- Bottomrail must be mounted


NOTE: Top down only shades that exceed the maximum width may be made as multiple shades on one headrail. However, an additional surcharge will be added if the total ordered width is less than or equal to the maximum fabric width.

Depth Requirements for Inside Mount: Continuous-Loop Lift

Shade Type	Cell Size	Continuous-Loop Lift Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding.	
			Minimum Depth Mount (inches)	Flush with Casing (inches)
Continuous-Loop Lift	¾" single cell ½" double cell	1 ⅞" x 2 ⅞"	⅝"	2 ⅞"
	⅝" single cell	1 ⅞" x 2 ⅞"	⅝"	2 ⅞"

Control Type and Size Considerations

Motorized Lift




- **Refer to motorization product guide for additional options, sizing, and pricing**
- Window treatments can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- A safer alternative to corded lift options; ideal for homes with children and pets
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Multiple control and power options available, see motorization product information guide for options

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

Control Type and Size Considerations

Multiple Shades on One Headrail




- Cord lift available as two-on-one headrail
- Cordless lift and continuous-loop lift available as two or three shades on one headrail
- Side mount brackets available on shades 60" or smaller
- Shade widths exceeding 144" wide made as two shades on one headrail: no charge

Size Considerations	Maximum Overall Size For Multiple Shades* (inches)	Maximum Size with Side Mount (inches)	Control Locations	Gap (inches)
Cordless Lift	144 x 86	60 x 86	Not applicable	$\frac{3}{8}$
Cord Lift	192 x 144	60 x 96	Two-on-one: Left shade, left control Right shade, right control	$\frac{1}{2}$

*See size considerations section for the minimum and maximum panel widths.

Multiple Shades On One Headrail: Continuous-Loop Lift




- Available as two or three shades on one headrail
- Side mount brackets available on shades 60" or smaller
- With multiple shades on one headrail, area limits are based on the sum of all shade panels on a control
- See continuous-loop area limit chart for maximum area limits

Size Considerations	Maximum Overall Size For Multiple Shades* (inches)	Maximum Size with Side Mount (inches)	Control Locations	Gap (inches)
Continuous-Loop Lift Single Control Shade	120 x 144	60 x 96	Two-on-one: Common lift cord can be on right or left to operate both shades at the same time Three-on-one: Common lift cord can be on right or left to operate all shades at the same time	$\frac{1}{2}$
Continuous-Loop Lift Multi Control Shade	144 x 144	60 x 96	Two-on-one: Left shade, left control Right shade, right control Three-on-one: Left shade, left control Right shade, right control Middle shade, common lift cord to right or left blind Continuous-loop lift cannot be used in the middle of the headrail on multiple shades	$\frac{1}{2}$
Continuous-Loop Lift Top Down Only— Single Control Shade	120 x 96	NA	Two-on-one: Common lift cord can be on right or left to operate both shades at the same time Three-on-one: Common lift cord can be on right or left to operate all shades at the same time	$\frac{1}{2}$
Continuous-Loop Lift Top Down Only— Multi Control Shade	144 x 96	NA	Two-on-one: Left shade, left control Right shade, right control Three-on-one: Left shade, left control Right shade, right control Middle shade, common lift cord to right or left blind Continuous-loop lift cannot be used in the middle of the headrail on multiple shades	$\frac{1}{2}$

*See size considerations section for the minimum and maximum panel widths.


Control Type and Size Considerations

Combination Shade Cord Lift				
Fabric Styles				
	Cord Lift All Cellular Fabric Styles			
	Width		Height	
	Minimum† (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
1" Standard Pleat				
Dunes	12	72	12	96
Luminance	12	72	12	96
Westport	12	72	12	96
1" Neat Pleat®				
Domain	12	78	12	96
Dundee	12	78	12	96
Dunes	12	78	12	96
Fractured	12	78	12	96
Gabardine	12	78	12	96
Intuition	12	78	12	96
Luminance	12	72	12	96
Springleaf	12	78	12	96
Westport	12	72	12	96
2" Neat Pleat				
Dundee	18	78	12	96
Domain	18	78	12	96
Dunes	18	78	12	96
Footpath	18	78	12	96
Gabardine	18	78	12	96
Gauze	18	78	12	96
Intuition	18	78	12	96
Mountainside	18	78	12	96
Ornamental	18	78	12	96
Shoreline	18	72	12	96
Westport	18	72	12	96

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Control Type and Size Considerations

Combination Shade Cordless Lift



Cordless Lift All Cellular Fabric Styles


Fabric Styles (inches)	Width		Height	
	Minimum† (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
1" Standard Pleat				
Dunes	15	94	12	86
Luminance	15	72	12	86
Westport	15	72	12	86
1" Neat Pleat®				
Domain	15	94	12	86
Dundee	15	92	12	86
Dunes	15	94	12	86
Fractured	15	92	12	86
Gabardine	15	94	12	86
Intuition	15	92	12	86
Luminance	15	72	12	86
Springleaf	15	92	12	86
Westport	15	72	12	86
2" Neat Pleat				
Domain	15	94	12	86
Dundee	15	92	12	86
Dunes	15	94	12	86
Footpath	15	94	12	86
Gabardine	15	94	12	86
Gauze	15	94	12	86
Intuition	15	92	12	86
Mountain Side	15	92	12	86
Ornamental	15	94	12	86
Shoreline	15	72	12	86
Westport	15	72	12	86

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.



Maximum area for Hideaway 1/2" double cell is 6,400 square inches.

Maximum area for 1" Domain, Dundee, and Gabardine is 6400 square inches; 2" Footpath and Gabardine is 5800 square inches, 2" Ornamental is 7000 square inches, 2" Domain, Dundee, and Gauze is 7600 square inches.

Control Type and Size Considerations


VertiCell Shades				
Fabric Styles				
	VertiCell All Fabric Styles			
	Width		Height	
	Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
All Fabric Styles	12	192	24	120

NOTE: Not available for $\frac{1}{16}$ " single cell

Depth Requirements for Inside Mount: VertiCell Shades				
	Cell Size	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/ molding	 Fully recessed headrail in window casing/ molding
			Minimum Depth Mount (inches)	Flush with Casing (inches)
VertiCell Shades	1½" single cell	2 $\frac{7}{16}$ x 3 $\frac{7}{16}$	1 $\frac{1}{8}$	3 $\frac{1}{16}$
	½" double cell	2 $\frac{7}{16}$ x 3	1 $\frac{1}{8}$	3 $\frac{5}{16}$
	¾" single cell			

Options

Enhanced Light Control Features



Room-Darkening
Side Channel


Sill Channel

Room-Darkening Side Channels

- **For surcharge, see price charts**
- Boost room darkening performance by reducing light leakage at sides of shades between the fabric and window frame
- Sill channel boosts room darkening performance by reducing light leakage between the bottomrail and sill
- Maximizes privacy
- Aluminum side channel now comes with a black PVC insert to absorb light and reflect light back outside
- Ideal option for bedrooms, nurseries, and those who prefer enhanced light control
- Available for $\frac{3}{4}$ " single cell and $\frac{1}{2}$ " double cell cellular shades with cord lift and cordless lift controls
- Rail colors are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, Smokey Gray 026, or White Satin 205, for coordination options refer to the "Cellular Shade Color Coordination Chart"
- Maximum width and height is 120" x 120"
- Room-darkening side channels can increase energy efficiency. Shades with room-darkening side channels can reduce heat transfer by up to 33% during the winter and up to 74% during the summer

Window and window covering										
			Without Side Channels				With Side Channels			
			R-Value		SHGC		R-Value		SHGC	
	Cell Size	Style	R Value	% Reduction of heat transfer	SHGC	% Reduction of heat transfer	R Value	% Reduction of heat transfer	SHGC	% Reduction of heat transfer
dbl pane low e	$\frac{3}{4}$ " Single Cell	Hideaway	4.55	18%	0.10	64%	5.00	23.23%	0.11	62.0%
dbl pane low e	$\frac{1}{2}$ " Double Cell	Halo	4.55	20%	0.11	62%	5.00	24.25%	0.12	60.0%
dbl pane low e	$\frac{1}{2}$ " Double Cell	Hideaway	4.76	22%	0.12	60%	5.00	25.77%	0.10	64.0%
dbl pane low e	$\frac{3}{4}$ " Single Cell	Halo	4.55	19%	0.13	54%	4.76	22.20%	0.13	55.0%
dbl pane clear	$\frac{3}{4}$ " Single Cell	Hideaway	2.78	24%	0.21	69%	3.13	31.72%	0.19	72%
dbl pane clear	$\frac{1}{2}$ " Double Cell	Halo	2.86	25%	0.24	65%	3.13	31.87%	0.23	67%
dbl pane clear	$\frac{3}{4}$ " Single Cell	Halo	2.78	23%	0.29	57%	2.94	29.04%	0.28	59%
dbl pane clear	$\frac{1}{2}$ " Double Cell	Hideaway	2.86	26%	0.2	70%	3.13	32.78%	0.18	74%


Fabric Wrapped Rails




- Perfect coordinate rails and fabric for a seamless, designer look
- Available in Halo, Hideaway, and Luminesce styles
- Available in cordless, continuous cord loop, and motorized control types
- Minimum width is 12"

Options

Corner Windows




- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether left or right and butt or bypass
- Bypass shade is mounted into the corner; butt shade is abutted to the other shade
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions
- **Cornices are not available on corner windows**
- For bottom up/top down and sun up/sun down cord lift shades, the corner controls will be hard to reach
- For VertiCell shades, the handles between the bypass and butt shades will be offset 3¼" from each other for ease of operation



Measuring Information

Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.



Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.


General Information

Energy Performance

Bali® Cellular Shades are the smart choice for every window in your home. For year-round comfort, cellular shades effectively insulate your windows from the heat and cold. Regardless of climate, they are our most versatile and energy-saving window treatment available.

Hideaway fabric is constructed with three layers made up of a 100% metalized polyester film sealed between two layers of soft, high-quality, 100% spunlace fabric. This unique design forms a soft, thick barrier of insulation. Independent tests prove Hideaway ½" double cell fabric is one of our most insulating fabrics on the market.*


Add room-darkening side channels for added protection. By adding room-darkening side channels, reduce heat transfer by up to 33% during the winter and up to 74% during the summer.



Block the Cold

Homes in colder climates benefit from cellular shades' insulating properties to block out the cold and regulate inside temperatures.

Reduces heat transfer by up to 26% during the winter.*



Block the Sun

Homes in warmer climates benefit from cellular shades' lightblocking properties to keep the heat from transferring to the inside.

Reduces heat transfer by up to 70% during the summer.*

*Values listed are for Hideaway ½" double cell. Based on third-party testing, Architectural Testing Incorporated (ATI).

Energy Efficiency Ratings

Double Pane Low-E (double glazing) Window and Window Covering					
Cell Size	Fabric	R-Value (higher is better)	% Reduction of Heat Transfer	SHGC (lower is better)	% Reduction of Heat Transfer
½" Double Cell	Hideaway	4.76	22%	0.12	60%
½" Double Cell	Halo	4.55	20%	0.11	62%
¾" Single Cell	Spellbound	4.55	21%	0.12	58%
¾" Single Cell	Heirloom BO	4.55	18%	0.10	64%
	Hideaway				
	Impresario BO				
	Restore BO				
¾" Single Cell	Cosmopolitan LF	4.55	19%	0.13	54%
	Halo				
	Heirloom LF				
	Impresario LF				
¾" Single Cell	Restore LF	4.17	13%	0.15	47%
	Luxe BO				
	Luxe LF				
	Serenade BO				
¾" Single Cell	Serenade LF	4.00	10%	0.19	30%
	Sunrise				
¾" Single Cell	Luminesce	4.55	21%	0.12	58%
¾" Single Cell	Spellbound	4.17	13%	0.15	47%
¾" Single Cell	Sunrise	4.00	10%	0.19	30%
¾" Single Cell	Luminesce	4.35	17%	0.12	58%
¾" Single Cell	Halo	4.35	17%	0.14	52%
¾" Single Cell	Cosmopolitan LF	4.55	20%	0.10	65%

Double Pane Clear Window and Window Covering					
		R Value	% Reduction of heat transfer	SHGC	% Reduction of heat transfer
¾" Single Cell	Hideaway	2.78	23.64%	0.21	69%
1/2" Double Cell	Halo	2.86	25.48%	0.24	65%
¾" Single Cell	Halo	2.78	23.36%	0.29	57%
1/2" Double Cell	Hideaway	2.86	25.87%	0.2	70%

NFRC 102 2010 performed by Architectural Testing Inc.

R-Value

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside. The higher the R-Value, the greater the insulating effectiveness.

Solar Heat Gain Coefficient (SHGC)

SHGC measures how well window covering blocks heat from the sun from flowing to the interior. SHGC is expressed as a number between 0 and 1. The lower the SHGC, the better a product is at blocking unwanted heat gain.

General Information

Stack Height Chart Cord Lift

Height of Shade (inches)	Total Thickness			
	1 ¼" Single Cell Cosmopolitan BO, Hideaway ¾" Single Cell Hideaway, Sheer Bliss (inches)	1 ¼" Single Cell Cosmopolitan LF, Halo ¾" Single Cell Cosmopolitan BO, Heirloom LF, Heirloom BO, Impresario BO, Restore BO, Serenade BO, Sunrise ⅝" Single Cell Sunrise (inches)	1 ¼" Single Cell Luminesce ½" Double Cell Halo ¾" Single Cell Cosmopolitan LF, Halo, Impresario LF, Luminesce, Luxe LF, Luxe BO, Restore LF, Serenade LF, Spellbound ⅝" Single Cell Spellbound (inches)	½" Double Cell Hideaway (inches)
18	2½	2⅝	2⅞	3
30	2⅝	2¾	3¼	3½
42	2¾	3	3½	3⅞
54	2⅞	3⅞	3⅞	4⅞
66	3	3⅞	4¼	4¾
78	3⅞	3½	4½	5⅞
90	3⅞	3¾	4⅞	5⅞
96	3⅞	3⅞	5	5⅞
108	3½	4	5⅞	6¼
120	3⅝	4¼	5¾	6⅝
132	3⅞	4⅞	6	7⅞
144	4	4⅝	6⅞	7½

NOTE: Stack height includes headrail and bottomrail.
Sizes are approximate.

⅝" Single Cell, ½" Double Cell, and ¾" Single Cell

All stack calculations are with standard control. For cordless, continuous-loop, and motorized lift controls, add ¾".

For bottom up/top down with standard control, add ¼"; with cordless lift control, add 1½".

For sun up/sun down with standard control, add the two fabric stacks together and subtract ⅞" for the total stack height.

For sun up/sun down with cordless lift control, add the two fabric stacks together.

1¼" Single Cell

All stack calculations are with cordless lift control. No changes are required for continuous-loop lift or motorized lift controls.

For bottom up/top down with cordless lift control add ⅝".

General Information

Stack Height Chart: Combination Shade

Height of Shade (inches)	Total Thickness			
	$\frac{3}{4}$ " Single Cell Hideaway, Sheer Bliss (inches)	$\frac{3}{4}$ " Single Cell Cosmopolitan BO, Heirloom LF, Heirloom BO, Impresario BO, Restore BO, Serenade BO, Sunrise $\frac{9}{16}$ " Single Cell Halo (inches)	$\frac{1}{2}$ " Single Cell Halo $\frac{3}{4}$ " Single Cell Cosmopolitan LF, Halo, Impresario LF, Luminesce, Luxe LF, Luxe BO, Restore LF, Serenade LF, Spellbound $\frac{9}{16}$ " Single Cell Spellbound (inches)	$\frac{1}{2}$ " Double Cell Hideaway (inches)
18	2 $\frac{5}{8}$	2 $\frac{3}{4}$	2 $\frac{3}{4}$	3
30	2 $\frac{7}{8}$	3 $\frac{1}{4}$	3 $\frac{1}{4}$	3 $\frac{1}{2}$
42	3 $\frac{1}{4}$	3 $\frac{3}{4}$	3 $\frac{7}{8}$	4
54	3 $\frac{5}{8}$	4 $\frac{1}{8}$	4 $\frac{3}{8}$	4 $\frac{5}{8}$
66	4	4 $\frac{5}{8}$	4 $\frac{7}{8}$	5 $\frac{1}{8}$
78	4 $\frac{3}{8}$	5 $\frac{1}{8}$	5 $\frac{3}{8}$	5 $\frac{5}{8}$
90	4 $\frac{3}{4}$	5 $\frac{1}{2}$	5 $\frac{7}{8}$	6 $\frac{1}{4}$
96	4 $\frac{7}{8}$	5 $\frac{3}{4}$	6 $\frac{1}{8}$	6 $\frac{1}{2}$

NOTE: Sizes are approximate.

All stack calculations are with cord lift, for cordless lift add $\frac{3}{4}$ ".

Stack height includes all rails and both pleated and cellular fabrics together, but is based on the cellular fabric chosen.

Sheer pleated fabric was used for calculation.

General Information

Stack Width Chart VertiCell

Height of shade is indicated across the top and width of shade is indicated on the left side of chart.

Shade Stack Width Includes Side Rails									
Width of Shade (inches)		1 ¼" Single Cell Cosmopolitan LF, Cosmopolitan BO, Halo, Hideaway, Luminesce ¾" Single Cell Hideaway, Sheer Bliss, Sunrise (inches)		¾" Single Cell Cosmopolitan LF, Cosmopolitan BO, Halo, Heirloom LF, Heirloom BO, Impresario LF, Impresario BO, Luminesce, Luxe LF, Luxe BO, Restore LF, Restore BO, Spellbound, Serenade BO (inches)		½" Double Cell Halo (inches)		½" Double Cell Hideaway (inches)	
Height of Shade → (inches)		< 72	120*	< 72	120*	< 72	120*	< 72	120
Width of Shade	72	9%	13	9%	13	9%	13	9%	13
	84	9%	13	9%	13	9%	13	9%	13
	96	9%	13	9%	13	9%	13	9%	13
	108	9%	13	9%	13	9%	13	9%	13
	120	9%	13	9%	13	9%	13	9%	13
	132	9%	13	9%	13	9%	13	10¼	13
	144	9%	13	9%	13	9%	13	10¼	13
	156	9%	13	9%	13	9¼	13	11%	3
	168	9%	13	9½	13	10%	13	12	13¼
	180	9½	13	9%	13	10¼	13	12½	14½
	192	9%	13	10¾	13	11%	13¾	13%	15

NOTE: For a clear opening, stack width must be doubled.

Standard Handle Location VertiCell

Standard Handle Location

- Up to 98" finished shade height the handle is centered on side rails
- 98½" to 120" finished shade height: the handle will be 48" from the bottom of the side rails

Special Handle Height Location

- For specifications see chart

VertiCell Shade Special Handle Location Chart		
Shade Height Less Than or Equal to (inches)	Minimum Handle Distance from Bottom of Shade (inches)	Maximum Handle Distance from Bottom of Shade (inches)
24 to 36	11	16
36½ to 46	11	28
46½ to 62	13	38
62½ to 74	15	30
74½ to 86	15	36
86½ to 98	15	42
98½ to 108	34	49
108½ to 120	46	50

NOTE: Handle height is to center of handle.

General Information

Cellular Shade Color Coordination Chart

Color Name	Default Rail Color Coordination	Color Number	Default VertiCell and Side Channel Color Name	Color Number
Cosmopolitan Light Filtering / Cosmopolitan Blackout				
Bronco	Iron Gate	185	Canyon Gray	053
Cadet Blue	Plebian Blue	221	White Satin	205
Cool Moss	Gray Moss	199	White Satin	205
Creamery	Cream	715	Cream	715
Ginger Brown	Praline	108	Sable	565
Palm Tree	Twine	439	Creamy Pearl	356
Seagull	Canyon Gray	053	Canyon Gray	053
White Lace	White Satin	205	White Satin	205
Halo				
Antique White	Cream	715	Cream	715
Arctic Bird	Revere Pewter	190	Revere Pewter	190
Atlantic Blue	Plebian Blue	221	White Satin	205
Bronco	Iron Gate	185	Canyon Gray	053
Brushed Silver	Smokey Gray	026	Smokey Gray	026
Burlap Beige	Twine	439	Creamy Pearl	356
Buttermilk	Vanilla	100	Cream	715
Cadet Blue	Plebian Blue	221	White Satin	205
Candlelight	Lamplight	904	Cream	715
Cool Moss	Gray Moss	199	White Satin	205
Creamy Tan	Creamy Pearl	356	Creamy Pearl	356
Dusty Grape	Fog	574	White Satin	205
Dusty Heather	Etched Stone	195	White Satin	205
French Latte	Creamy Pearl	356	Creamy Pearl	356
Fresh Coffee	Sable	565	Sable	565
Frostfall	Ice	778	White Satin	205
Garden Stone	Canyon Gray	053	Canyon Gray	053
Gentle Gray	White Satin	205	White Satin	205
Gentle Taupe	Lamplight	904	Creamy Pearl	356
Gray Whisper	Canyon Gray	053	Canyon Gray	053
Hazy Gray	Smokey Gray	026	Smokey Gray	026
Hazy Sage	Acacia Haze	182	Smokey Gray	026
Hazy Tide	Ice	778	White Satin	205
Lava Ash	Arctic Seal	183	White Satin	205
Malbec	Fog	574	White Satin	205
Moonlight	Cream	715	Cream	715
Navy Captain	Navy	369	White Satin	205
Pale Glacial Green	Faded Sea Foam	198	White Satin	205
Pale Sunshine	Vanilla	100	Cream	715
Pink Chalk	White Satin	205	White Satin	205
Pure White	White Satin	205	White Satin	205
Red Velvet	Sangria	059	White Satin	205
Roasted Hazelnut	Lamplight	904	Cream	715
Rose Gold	Watermelon Punch	196	White Satin	205
Rosemary	Acacia Haze	182	Smokey Gray	026
Seashell Mauve	Quietude	188	Creamy Pearl	356
Silver Angora	White Satin	205	White Satin	205
Spiced Tea	Camel	086	Cream	715
Stealth Jet	Black Satin	233	White Satin	205
Stuffed Olive	Iron Gate	185	White Satin	205
Summer Sandcastle	Revere Pewter	190	Revere Pewter	190
Toasted Wheat	Camel	086	Sable	565
Warm Pecan	Praline	108	Sable	565
Wedding Veil	White Satin	205	White Satin	205
Woodland Taupe	Twine	439	Sable	565
Heirloom Light Filtering / Heirloom Blackout				
Creamy Taupe	Canyon Gray	053	Canyon Gray	053
Eggshell Gray	White Satin	205	White Satin	205
Heather Gray	Etched Stone	195	White Satin	205
Limestone Gray	Online	187	Smokey Gray	026
White Oak	Revere Pewter	190	Revere Pewter	190

General Information

Cellular Shade Color Coordination Chart (continued)

Color Name	Default Rail Color Coordination	Color Number	Default VertiCell and Side Channel Color Name	Color Number
Hideaway				
Antique White	Cream	715	Cream	715
Arctic Bird	Revere Pewter	190	Revere Pewter	190
Atlantic Blue	Plebian Blue	221	White Satin	205
Bronco	Iron Gate	185	Canyon Gray	053
Brushed Silver	Smokey Gray	026	Smokey Gray	026
Burlap Beige	Twine	439	Creamy Pearl	356
Buttermilk	Vanilla	100	Cream	715
Cadet Blue	Plebian Blue	221	White Satin	205
Candlelight	Lamplight	904	Cream	715
Cool Moss	Gray Moss	199	White Satin	205
Creamy Tan	Creamy Pearl	356	Creamy Pearl	356
Dusty Grape	Fog	574	White Satin	205
Dusty Heather	Etched Stone	195	White Satin	205
French Latte	Creamy Pearl	356	Creamy Pearl	356
Fresh Coffee	Sable	565	Sable	565
Frostfall	Ice	778	White Satin	205
Garden Stone	Canyon Gray	053	Canyon Gray	053
Gentle Gray	White Satin	205	White Satin	205
Gentle Taupe	Lamplight	904	Creamy Pearl	356
Gray Whisper	Canyon Gray	053	Canyon Gray	053
Hazy Gray	Smokey Gray	026	Smokey Gray	026
Hazy Sage	Acacia Haze	182	Smokey Gray	026
Hazy Tide	Ice	778	White Satin	205
Lava Ash	Arctic Seal	183	White Satin	205
Malbec	Fog	574	White Satin	205
Moonlight	Cream	715	Cream	715
Navy Captain	Navy	369	White Satin	205
Pale Glacial Green	Faded Sea Foam	198	White Satin	205
Pale Sunshine	Vanilla	100	Cream	715
Pink Chalk	White Satin	205	White Satin	205
Pure White	White Satin	205	White Satin	205
Red Velvet	Sangria	059	White Satin	205
Roasted Hazelnut	Lamplight	904	Cream	715
Rose Gold	Watermelon Punch	196	White Satin	205
Rosemary	Acacia Haze	182	Smokey Gray	026
Seashell Mauve	Quietude	188	Creamy Pearl	356
Silver Angora	White Satin	205	White Satin	205
Spiced Tea	Camel	086	Cream	715
Stealth Jet	Black Satin	233	White Satin	205
Stuffed Olive	Iron Gate	185	White Satin	205
Summer Sandcastle	Revere Pewter	190	Revere Pewter	190
Toasted Wheat	Camel	086	Sable	565
Warm Pecan	Praline	108	Sable	565
Wedding Veil	White Satin	205	White Satin	205
Woodland Taupe	Twine	439	Sable	565
Impresario Light Filtering /Impresario Blackout				
Light Sand	Revere Pewter	190	Revere Pewter	190
Pale Graphite	Online	187	Smokey Gray	026
Pale Ink	Smokey Gray	026	Smokey Gray	026
Sandstone Gray	Canyon Gray	053	Canyon Gray	053
Summer Gray	White Satin	205	White Satin	205


General Information

Cellular Shade Color Coordination Chart (continued)

Color Name	Default Rail Color Coordination	Color Number	Default VertiCell and Side Channel Color Name	Color Number
Luminesce				
Cinnamon Dust	Tender Taupe	103	Sable	565
Enchanted Grove	Online	187	Smokey Gray	026
Groundnut Glow	Revere Pewter	190	Revere Pewter	190
River Mink Shine	White Satin	205	White Satin	205
Silhouette	Canyon Gray	053	Canyon Gray	053
Luxe Light Filtering / Luxe Blackout				
Earthy Taupe	Iron Gate	185	Canyon Gray	053
Medium Pewter	Smokey Gray	026	Smokey Gray	026
Snowbird	White Satin	205	White Satin	205
Soft Gray	Canyon Gray	053	Canyon Gray	053
Wise King	Twine	439	Creamy Pearl	356
Restore Light Filtering / Restore Blackout				
Chiffon	Cream	715	Cream	715
Cordial Cream	Cream	715	Cream	715
Moon Mist	Online	187	Smokey Gray	026
Polar White	White Satin	205	White Satin	205
Subtle Touch	Revere Pewter	190	Revere Pewter	190
Serenade Light Filtering / Serenade Blackout				
Celery	Acacia Haze	182	Smokey Gray	026
Cordial Cream	Cream	715	Cream	715
Midnight	Navy	369	White Satin	205
Moon Mist	Online	187	Smokey Gray	026
Polar White	White Satin	205	White Satin	205
Restful Gray	Arctic Seal	183	White Satin	205
Subtle Touch	Revere Pewter	190	Revere Pewter	190
Toasted Biscotti	Tender Taupe	103	Sable	565
Sheer Bliss				
Anchored Steel	Online	187	Smokey Gray	026
Buff	Creamy Pearl	356	Creamy Pearl	356
Powder	White Satin	205	White Satin	205
Spellbound				
Blue Denim	Navy	369	White Satin	205
Cottonwood Tan	Iron Gate	185	Canyon Gray	053
Decorator White	Cream	715	Cream	715
Dove Gray	Smokey Gray	026	Smokey Gray	026
Morning Frost	White Satin	205	White Satin	205
Sesame Beige	Lamplight	904	Cream	715
Soft Charcoal	Arctic Seal	183	White Satin	205
Tempestuous	Acacia Haze	182	Smokey Gray	026
Whipped Cream	Vanilla	100	Cream	715
White Sugar	White Satin	205	White Satin	205
Sunrise				
Blue Denim	Navy	369	White Satin	205
Cottonwood Tan	Iron Gate	185	Canyon Gray	053
Decorator White	Cream	715	Cream	715
Dove Gray	Smokey Gray	026	Smokey Gray	026
Morning Frost	White Satin	205	White Satin	205
Sesame Beige	Lamplight	904	Cream	715
Soft Charcoal	Arctic Seal	183	White Satin	205
Tempestuous	Acacia Haze	182	Smokey Gray	026
Whipped Cream	Vanilla	100	Cream	715
White Sugar	White Satin	205	White Satin	205


General Information

Cord Lift Product Detail



General Information


Cordless Lift Product Detail



NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access. Suggest adding a sky pole for hard-to-reach applications, up to 24" wide. Two sky poles are recommended to ensure even operation for shades over 24" wide.

General Information

Continuous-Loop Lift Product Detail




General Information

Bottom Up/Top Down Cord Lift Product Detail

Aluminum Headrail

- Color coordinated to fabric
- Headrail and intermediate rail nest to prevent light gaps



Cord Release Device

- Color coordinated to fabric

Aluminum Intermediate Rail and Bottomrail

- Color coordinated to fabric
- Extremely durable

Hidden Snap-In Brackets

- Zinc-plated steel bracket
- Durable and designed for easy installation

Cord Locks

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

Pull Cord

- Allows for conventional shade operation


Cord Release Device/Joiner and Tassel

- Color coordinated to fabric

Hold Down Brackets (optional)


- Secures shade to doors, walls, and window sills

Cord Management Options



General Information

Bottom Up/Top Down Cordless Lift Product Detail



NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

General Information


Cord Lift Product Detail Combination Shade

Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

Cord Release Device

- Color coordinated to cord
- Cords coordinate with pleated fabric



Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

Projection Brackets (optional)

- Long (adds up to 2 $\frac{3}{8}$ " extension from wall)
- Medium (adds up to 1 $\frac{1}{2}$ " extension from wall)
- Short (adds up to $\frac{7}{8}$ " extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available

Flush Mount End Caps

- Color coordinated to rails
- Sleeker look and tighter fit

Cord Locks

- Sleek, streamlined design
- Color coordinated to headrail
- Free-floating serrated cord locking roller for dependable operation
- Standard control is right control—operates bottomrail, while left control operates intermediate rail


Cord Release Device/Joiner and Tassel

- Color coordinated to cord
- Cords coordinate with pleated fabric

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

View From Back of Shade




Neat Pleat® (optional)

Neat Pleat offers a unique ladder system to guarantee pleats will not flatten.

General Information

Cordless Lift Product Detail Combination Shade



NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

General Information

Arch Over Standard Cord Lift Product Detail

Fabric Styles

- Available for a multitude of decorating options

Aluminum Headrail

- Color coordinated to fabric
- Accommodates both standard and arch shades
- Extremely durable

Arch Center

- Eliminates any light gap

Aluminum Bottomrail

- Color coordinated to fabric
- Rust resistant

Side-Mount Bracket

- Steel side-mount bracket (only available to 60")

Hidden Snap-In Brackets

- Zinc-plated steel

Cord Lock

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation


Cord Release Device/Joiner Ball and Tassel

- Color coordinated to fabric

Flush Mount End Caps


- Color coordinated to both headrail and bottomrail for clean appearance

Cord Management Options




General Information

VertiCell Product Detail



Application:

- Ideal for patio doors, wide windows, and room dividers
- Movable side rails with locking handles for ease of operation
- Allows stack of material to be positioned on the right, center, or left
- Easy to install
- Slim, compact stack



Not Shown:

Safety release fabric stem
Releases from carriage to prevent fabric from tearing

Cornices or valances (optional)
Refer to the cornices and valances product information guide for pricing and product specifications



Bali is a brand of Springs Window Fashions, the Best Experience Company

Bali and the Bali logo are registered trademarks of Springs Window Fashions, LLC.

(6/23) 23-430552