SOLAR AND ROLLER SHADES



MARCH 2023

Table of Contents

Features
Summary
Fabric Styles and Information: Roller Shade Fabrics
Light Control and Privacy: Roller Shade Fabrics
Solar and Roller Shades
Fabric Styles and Information: Solar Shade Fabrics
Fabric Recommendations, Fabric Disclaimers, Fabric Width, Light Gap, Large Window Sizing, Pattern Alignment, Cleaning and Care
Information, Fabric Certifications
Size Considerations
Maximum Shade Size
EasyTouch Cordless Lift and EasyTouch Dual Lift: Minimum / Maximum Shade Size
Minimum Shade Size, Continuous-Loop Lift: Maximum Shade Size
Dual Shades: Maximum Shade Size
Cordless Lift and Smart Pull Lift: Maximum Shade Size
Cordless Lift and Smart Pull Lift: Mounting Depth Illustrations
Continuous-Loop Lift, Motorized Lift, and Dual Shade: Mounting Depth Illustrations
EasyTouch Cordless Lift and EasyTouch Dual Lift: Mounting Depth Illustrations
Options
Shade Options, Reverse Roll, Projection Brackets
EasyTouch Cordless Lift, EasyTouch Dual Lift
Cordless Lift, Continuous-Loop Lift
Smart Pull Lift, Motorized Lift
Dual Shades
Contour Valance, Cassette Valance, Fascia, Flat Valance
Decorative Hardware
Roller Shades: Scallop Options, Gimp Option
Roller Shades: Bead Trim Option
Corner Windows
Bay Windows
General Information
Solar and Roller Shades EasyTouch Cordless Lift Shade Product Detail
Solar and Roller Shades EasyTouch Dual Lift Shade Product Detail
Solar and Roller Shades Cordless Lift Shade Product Detail
Solar and Roller Shades Continuous-Loop Lift Shade Product Detail
Solar and Roller Shades Smart Pull Lift Shade Product Detail
Solar and Roller Shades Dual Shade Product Detail

PLEASE NOTE:
Photos and illustrations are for inspiration only.
Not all product configurations are available in all countries.
Window blind cords are a strangulation hazard for young children.
Consult your dealer or store associate for cordless products, or products with inaccessible cords. Remove this product immediately if a cord longer than 22 cm, or a loop exceeding 44 cm, becomes accessible.

Summary

Bali® Roller and Solar Shades offer a great selection of light and temperature controlling shades.

Roller Shades

- Wide variety of colors
- Wide variety of textures and designs
- Improved temperature control

Solar Shades

- 1% to 10% openness
- Excellent outward visibility
- Glare control

<u> </u>	
Features	Benefits
EasyTouch Cordless Lift	 Precision placement — lower and raise the shade by moving the hem bar exactly where you want it. Ideal system for aligning shade height for muliple shades on the same wall Light and smooth lift for all shade sizes Aesthetically beautiful mounting hardware that hides mechanics Shade is spring-loaded on each end and will self-center between brackets when installed Decorative brackets with color coordinated components available (surcharge applies) Streamlined appearance with no chains; ideal for homes with children or pets Optional contour valance, cassette valance with fabric insert, fascia, flat valance or wood cornice
EasyTouch Dual Lift	 Precision placement with two ways to operate the shade — lower and raise the shade by moving the hem bar exactly where you want it, or lower and raise by pulling on the chain or cord Light and smooth lift for all shade sizes Choice of bead chain or fabric cord One pull of the chain will raise the entire shade Aesthetically beautiful mounting hardware that hides mechanics Shade is spring-loaded on each end and will self-center between brackets when installed Decorative brackets with color coordinated components available (surcharge applies) Beaded chain (or optional cord) remains at same length, regardless of chain position Choose from five colors for the plastic chain, or stainless steel chain Hold down device keeps chain taut for enhanced safety Choose left or right chain or cord location Optional contour valance, cassette valance with fabric insert, fascia, flat valance or wood cornice
Continuous-Loop Lift	 Spring-loaded idle for easy install Beaded chain and clutch system make raising and lowering shade easy Four clutch sizes depending on shade size Beaded chain remains at same length, regardless of shade position Choose from five colors for the plastic chain or stainless steel chain Hold down device keeps chain taut for enhanced safety Choose left or right chain location Optional contour valance, cassette valance with fabric insert, fascia, flat valance or wood cornice
Cordless Lift	 Streamlined appearance with no chains; ideal for homes with children or pets Shade raises and lowers smoothly and easily due to a unique dual braking system Tension can be manually adjusted so shade always raises at desired speed Color coordinated tassels facilitate easy operation and keep fabrics clean (wood tassels in Natural, Walnut, and Golden Oak are optional) Optional clear hem grip available (not available with scallop option) Optional contour valance, cassette valance, flat valance or wood cornice
Smart Pull Lift	 Convenient easy glide lift system with a single color coordinated cord Shade is lowered automatically with a single pull of the cord Shade is raised to the desired placement with simple pull of the cord Optional contour valance, cassette valance, flat valance or wood cornice
Motorized Lift	 Window treatments can be operated from virtually anywhere in the home Provides easy operation of hard-to-reach or larger windows Operate multiple window treatments simultaneously or individually
Dual Shade	 Two shades are combined onto one bracket for complete privacy and light control Each shade may be configured with roller and/or solar fabrics Maximizes view to the outside with solar or sheer fabrics Maximizes privacy with roller fabrics Improves energy efficiency Optional large cassette

Summary

Bali® Roller and Solar Shades offer a great selection of light and temperature controlling shades.

Roller Shades

• Wide variety of colors

• Wide variety of textures

• Improved temperature control

Solar Shades

• 1% to 10% openness

• Excellent outward visibility

• Glare control

Features	Benefits
Options	 Each operating system offers multiple valance and cornice options (surcharge applies) Turning fabric width for height accommodates larger windows; available in select fabrics Reverse roll: fabric rolls over the front of tube; standard: material rolls over the back Hem bar: fabric-wrapped (standard) or sealed (optional with continuous-loop lift and motorized lift) Projection brackets for smart pull lift and cordless lift (no charge) Hold down brackets (no charge) Bay or corner shade Motorized lift Fascia available in 3" and 4" heights
Total Room Coordination	 Total room fabric coordination of many fabrics for roller, solar, sliding panels, verticals, and pleated shades Coordinate a room by using a single fabric for a mixture of window types and sliding doors Cut yardage available
Scallop, Gimp, and Trims	Create a customized look for roller shades
Warranty	Limited lifetime warranty; five-year warranty on motorization components

Roller Shade Fabrics

- Offer a solution for light control (sheer to blackout fabrics)
- Any room or decorating style
- Block damaging UV rays

• Coordinate with other product lines (vertical blinds, pleated shades, and sliding panels)

Fabric Styles and Information: Roller Shade Fabrics

Style Name	Opacity Level	Fabric Composition	Fabric Width (inches)	Oeko-Tex® Certified	Can be Turned Width for Height	Color to Street Side	Color Number	Heat Sealed Hembar
Acadia BO*	Blackout	100% Polyester	115			White	All colors	
Acadia LF*	Light Filtering	100% Polyester	115			Same front and back	All colors	
Andes*	Light Filtering	100% Polyester	101½			Same front and back	All colors	
Basics*	Blackout	25% Fiberglass/75% PVC	69 ⁷ /8		•	Varies by colorway	All colors	•
Boyden*	Blackout	100% Polyester	118			White	All colors	
Candid*	Light Filtering	100% Polyester	95 ¹ /8	•		Same front and back	All colors	
Cascade*	Light Filtering	100% Polyester	108			Same front and back	All colors	
Domain	Light Filtering	100% Polyester	106	•		Same front and back	All colors	
Dundee BO	Blackout	100% Polyester	92			White	All colors	
Dundee LF	Light Filtering	100% Polyester	92	•	•	Same front and back	All colors	
Estevan	Light Filtering	100% Polyester	107½			Same front and back	All colors	
Everly	Sheer	100% Polyester	114¾	•		Same front and back	All colors	
Fiji BO*	Blackout	100% Polyester	108			Varies by colorway	All colors	
Fiji LF*	Light Filtering	100% Polyester	108	•		Same front and back	All colors	
Flagstone	Blackout	100% Polyester	117			White	All colors	
Gabardine	Light Filtering	3.1% Flax/4.3% Cotton/ 92.6% Polyester	106	•		Same front and back	All colors	
Gazebo	Blackout	100% Polyester	91¾			White	All colors	
Harbor*	Light Filtering	100% Polyester	71½	•		Same front and back	All colors	
Hopewell	Light Filtering	100% Polyester	92½			White	All colors	
Kyoto*	Blackout	20% Cotton/80% Polyester	771/4			White	All colors	
Landscape*	Sheer	100% Polyester	91%			Same front and back	All colors	
Linen	Light Filtering	4.8% Flax/6.7% Cotton/ 88.5% Polyester	72	•		Neutral	26001, 26003, 26004	
Linen	Light Filtering	6% Flax/8.4% Cotton/85.6% Polyester	72			Neutral	26005	
Manhattan LF	Light Filtering	100% Polyester	76	•		Same front and back	11103	
Manhattan LF	Light Filtering	100% Polyester	91¾			Same front and back	11107, 11105, 11102, 11101	
Manhattan LF	Light Filtering	100% Polyester	120	•	•	Same front and back	11142, 11141, 11143, 11144	
Manhattan RD	Room Darkening	100% Polyester	76	•	•	White	11203	
Manhattan RD	Room Darkening	100% Polyester	91¾	•	•	White	11209, 11205, 11202, 11201	
Manhattan RD	Room Darkening	100% Polyester	118	•	•	White	12212, 12211, 12213, 12214	
Mountainside BO	Blackout	100% Polyester	92	•		White	All colors	
Mountainside LF	Light Filtering	100% Polyester	92	•		Same front and back	All colors	
Ornamental	Light Filtering	100% Polyester	108	•		Same front and back	All colors	
Plush*	Blackout	20% Cotton/80% Polyester	78			White	All colors	
Robin*	Light Filtering	100% Polyester	91¾	•		Same front and back	All colors	
Rustic	Blackout	100% Polyester	69½	•		White	All colors	
Shoreline	Light Filtering	100% Polyester	91¾	•		Same front and back	All colors	
Sovereign	Blackout	100% Polyester	91%	•	•	White	All colors	•
Springleaf	Light Filtering	100% Polyester	92	•		Same front and back	All colors	
Tahoe BO*	Blackout	18% Cotton/82% Polyester	115			White	All colors	•
Tahoe LF*	Light Filtering	18% Cotton/82% Polyester	115			Same front and back	All colors	
Tuscan	Sheer	100% Polyester	76		•	Same front and back	All colors	
Viva	Sheer	100% Polyester	106	•		Same front and back	All colors	

Basics material is FR Rated. Smart pull is not available with Plush fabric.

Light Control and Privacy: Roller Shade Fabrics

Sheer*: Allows the most amount of light into the room for a minimum amount of privacy and a view to the outside. Objects in the room can be seen quite clearly through shades.

Privacy Level: Minimal

Light Filtering*: Allows light to gently filter through and provides privacy. Images and shapes may be seen through these shades, but details are not visible. Deep fabric colors provide moderate light control, while light colors provide lower light control.

Privacy Level: Moderate

Room Darkening*: Allows some light to filter into the room and provides privacy. Objects in a lit room seen through these shades appear as vague shapes. Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Privacy Level: Complete

Blackout: Prohibits light from shining through and provides maximum privacy. Prevents shadows and silhouettes from showing through the fabric. All fabric colors provide maximum light control.

Privacy Level: Complete

Light Gaps: For optimal light and glare control, outside mount is recommended, or you may add a secondary soft window treatment (drapery or curtain) to hide the light gap on an inside mount. (Refer to light gap chart in this section.)

Privacy Level: Moderate

*These fabrics are translucent and their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully lowered.

NOTE: Select roller weaves may have "pinpricks" of light showing through.

Solar and Roller Shades

Maintain an Outward View

- Filter and diffuse light while maintaining an outward view
- In general, the higher the openness factor and darker the fabric, the clearer the view

Manage Glare

- Minimize glare on televisions and home office computers
- The darker the fabric color, the better the glare control and the better the view to the outside

Block Damaging UV Rays

- The amount of UV ray blockage is the inverse of a fabric's openness factor (e.g., a fabric with 10% openness blocks 90% of UV rays)
- Protect your furniture, carpets, artwork, etc., from fading due to harmful UV rays


Reduce the Temperature

- Fabrics reduce heat transmittance, keeping rooms cooler and increasing the comfort level in the home
- The lighter the fabric color, the better the temperature control

NOTE: Solar shades do not offer nighttime privacy; lighted interiors allow inward visibility. If complete privacy is desired, a dual shade or secondary treatment is necessary.

Solar Optical Properties

When solar radiation reaches the shading fabric it is either reflected, absorbed, or transmitted. The sum of these values equals 100% of the solar energy hitting the fabric.



GREENGUARD

Percentage of the solar radiation hitting the fabric that is absorbed by the fabric.

Solar Transmittance (Ts)

Percentage of solar radiation hitting the fabric that is transmitted through the fabric, illuminating the interior space.

Fabric Certifications

GREENGUARD Indoor Air Quality Certified® Fabrics: Many Bali® fabrics have been certified by GREENGUARD Environmental Institute (GEI) to be low chemical- and particle-emitting fabrics, which provides a healthier indoor air quality. The process used for certification complies with established indoor air quality standards and is performed by a third party lab. Please see baliblinds.com for more information.

Cradle to Cradle Certified Design: Cradle to Cradle certification aims to transform all industries through ecologically intelligent design. That means the certified textiles are globally recognized to be safer and more sustainable.

Oeko-Tex® Standard 100 certifies that our fabrics are free of halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, and heavy metals, and meets all VOC content limits.

OFKO-TEX®



GREENGUARD Indoor Air Quality Certified is a registered trademark of the GREENGUARD Environmental Institute.

Oeko-Tex is a registered trademark of the Oeko-Tex Association.

Fabric Styles and Information: Solar Shade Fabrics

Style Name	Openness	UV Blockage	Fabric Composition	Fabric Width (inches)	GREENGUARD® Certified	Anti- microbial	Anti- fungal	FR Rated	Can be Turned Width for Height	Color Number
Ballad	4%	96%	15% Polyester/ 85% Vinyl on Polyester	96	•	•	•	•		All colors
Baybridge*	8%	92%	17% Polyester/ 20% PP/ 63% PVC	96	•					All colors
Bristol*	1%	99%	23% Polyester/ 77% PVC	96	•	•	•	•		All colors
Concrete Jungle	8%	92%	70% PVC/ 30% Polyester	96	•			•		All colors
Cora*	5%	95%	17% Polyester/ 83% PVC	94	•	•	•	•		All colors
Creel	10%	90%	85% PVC/ 15% Polyester	96	٠	•	•	•		All colors
EcoLiving*	5%	95%	100% PET recycled polyester	99½	•			•		All colors
EnviroStyle*	3%	97%	100% PET recycled polyester	103 ¹ /8	•			•		All colors
			21% Polyester/ 79% Vinyl on Polyester							47907, 47908, 47914
Feedback 1%	1%	99%	24% Polyester/ 76% Vinyl on Polyester	124	•	•	•	•	•	47901, 47906, 47911
			25% Polyester/ 75% Vinyl on Polyester							47902, 47910
			18% Polyester/ 82% Vinyl on Polyester							48202
Feedback 3%	3%	97%	21% Polyester/ 79% Vinyl on Polyester	124	•	•	•	•	•	48208
			24% Polyester/ 76% Vinyl on Polyester							48201, 48206
			16% Polyester/ 84% Vinyl on Polyester							48302, 48310
Feedback 5%	5%	95%	21% Polyester/ 79% Vinyl on Polyester	124	•	•	•	•	•	48307, 48308, 48314
			24% Polyester/ 76% Vinyl on Polyester							48301, 48306, 48311
			16% Polyester/ 84% Vinyl on Polyester							48402
Feedback 10%	10%	90%	21% Polyester/ 79% Vinyl on Polyester	116	•	•	•	•	•	48408
			24% Polyester/ 76% Vinyl on Polyester							48401, 48406
Flecked*	7%	93%	25% Polyester/ 75% PVC	116	•	•	•	•		All colors
Landon	8%	92%	16% Polyester/ 84% PVC	96	•	•	•	•		All colors

Fabric Styles and Information: Solar Shade Fabrics

Style Name	Openness	UV Blockage	Fabric Composition	Fabric Width (inches)	GREENGUARD® Certified	Anti- microbial	Anti- fungal	FR Rated	Can be Turned Width for Height	Color Number
Muse 1%	1%	99%	19% Polyester/ 81% Vinyl on Polyester 25% Polyester/	116			•		•	47601, 47612 47610, 47604,
			75% Vinyl on Polyester							47610, 47604, 47609, 47607
Muse 5%	5%	95%	13% Polyester/ 87% Vinyl on Polyester	116	•	•	•		•	47801, 47812
			25% Polyester/ 75% Vinyl on Polyester							47810, 47804, 47809, 47807
Mystify	5%	95%	30% Polyester/ 70% Vinyl on Polyester	96	•	•	•	•		All colors
Revelation	4%	96%	15% Polyester/ 85% Vinyl on Polyester	96	•	•	•	•		All colors
SafeElements*	2%	98%	20% Polyester/ 80% PVC	951/8	•	•	•	•	•	All colors
Santina*	5%	95%	28% Polyester/ 72% PVC	96%	•	•		•		All colors
Steppe	7%	93%	23.8% Polyester/ 76.2% Vinyl on Polyester	96	•	•	•	•	•	All colors
Wales*	3%	97%	25% Polyester/ 75% PVC	96	•	•	•	•		All colors

Smart pull is not available with the following fabrics: Bristol, Muse, Steppe, Santina

Fabric Recommendations

Order all shades for the same room at the same time to ensure color consistency and minimize dye lot variation.

When displaying multiple shades in the same room, we recommend all shades be ordered with the same fabric orientation for a consistent look.

Fabric Disclaimers

Due to the nature of the weaving process, some imperfections in the weave are normal.

NOTE: Select roller weaves may have "pinpricks" of light showing through.

Roll direction cannot be reversed after a shade is ordered.

Fabric appearance can vary based on changing light conditions in the room.

Fabric Width

The fabric width is narrower than the finished shade width of the tube and its components.

Light Gap

Control Type	Light Gap per Side (inches)
EasyTouch Cordless Lift	3/8
EasyTouch Cordless Lift with Cassette	1/2
EasyTouch Cordless Lift with Contour Valance	3/8
EasyTouch Cordless Lift with Fascia	3/8
Easy Touch Cordless Lift with Flat Valance	3/8
EasyTouch Dual Lift	1/2
EasyTouch Dual Lift with Cassette	1/2
EasyTouch Dual Lift with Contour Valance	1/2
EasyTouch Dual Lift with Fascia	1/2
Easy Touch Dual Lift with Flat Valance	1/2
Continuous-Loop Lift	% to %
Continuous-Loop Lift with Cassette	%16 to 11/16
Continuous-Loop Lift with Contour Valance	% to %
Continuous-Loop Lift with Fascia	% to %
Continous-Loop Lift with Flat Valance	% to %
Dual Shade Continuous-Loop Lift	%16 to 11∕16
Dual Shade Continuous-Loop Lift with Cassette	% to %
Cordless Lift	% to ¾
Cordless Lift with Cassette	7∕16 to 13∕16
Cordless Lift with Contour Valance	% to ¾
Cordless Lift with Flat Valance	% to ¾
Smart Pull Lift	%16 to 15√16
Smart Pull Lift with Cassette	% to 1
Smart Pull Lift with Contour Valance	9∕16 to 15∕16
Smart Pull Lift with Flat Valance	9∕16 to 15∕16

Large Window Sizing

Fabrics can be turned 90° clockwise (width for height) to accommodate wider windows. Fabrics turned width for height (referred to as railroaded) may curl along the edge. Springs Window Fashions performs extensive testing to ensure our customers receive high quality shades. On extremely wide shades, a slight V shape may appear in the center of the shade. This occurs due to the weight of the fabric and should be considered a normal characteristic.

Pattern Alignment

Exact alignment of the fabric pattern across side-by-side shades is not possible. Vertical alignment of the shade fabric with cassettes is not possible. Fabrics with large repeat patterns are not centered on the shade.

Cleaning and Care Information

Roller shade fabrics are virtually maintenance free. If the shade is dusty, simply vacuum over it using an upholstery attachment. A dusting cloth can also be used to gently remove dust. Shades may also be gently wiped with a clean damp cloth. Allow the shade to dry completely before raising. Do **NOT** completely immerse.

Solar shade fabrics are virtually maintenance free. Only periodic vacuuming and an occasional cleaning using a mild detergent, soft brushing, and thorough rinsing is required. Allow the shade to dry completely before raising. Do **NOT** completely immerse.


Maximum Shade Size

Cordless Lift Shade Maximum Size

If Shade Width Is at Least (inches)	Maximum Height of Shade (inches)					
13 but less than or equal to 19	60					
191/8 but less than or equal to 24	78					
241% but less than or equal to 31	98					
For shades greater than 31", see size considerations charts						

Smart Pull Li	ft Shade	Maximum Size

If Shade Width Is at Least (inches)	Maximum Height of Shade (inches)						
13 but less than or equal to 25	78						
25½ but less than or equal to 32	98						
For shades greater than 32", see size considerations charts							



Follow these easy steps to determine maximum shade size and valance size from the maximum shade size tables:


- 1. Determine your fabric style, shade size, control type, and cassette valance (or no cassette valance) requirement.
- 2. Find the fabric in the first column.
- Follow the fabric row to the appropriate control type section (EasyTouch lift, continuous-loop lift, dual shade, motorized lift, cordless lift, or smart pull lift).
- 4. Determine if your shade size is within the normal fabric orientation size range.
- 5. Identify the appropriate size valance for your shade size.
- 6. If your shade size is larger than either the maximum width or height range, your fabric may be able to be turned width for height for larger shades. Use the fabric turned width for height tables to determine this maximum size.

EXAMPLE 1: Determine the maximum allowable shade size and cassette valance for normal orientation shades. The example shade is 72" x 100", Gazebo BO fabric, cordless lift, with cassette valance.

- 1. Go to the cordless lift section.
- 2. Find Gazebo in the first column.
- The maximum width and maximum height available for this configuration is 78" x 120".

NOTE: Both width and height must be less than the maximum width and height segment to fit the normal shade orientation.

4. Follow this segment to the top of the table. This segment is within the medium cassette valance size, indicating that the smallest segment cassette valance size available for this shade is a medium size cassette valance.



EXAMPLE 2: Determine the maximum allowable shade size and cassette valance for a continuous-loop shade. The example shade is 79" x 80", Cascade fabric, continuous-loop lift with a large cassette valance. First, determine if the shade size is available with the requested fabric and control type.

- 1. Go to the continuous-loop section.
- 2. Find Cascade in the first column.
- 3. The maximum width and maximum height available for this configuration is 108" x 144". The 79" x 80" size does not exceed the continuous-loop lift segment.
- 4. The 79" x 80" size does not exceed either the medium or large cassette segments.

Dual Shades

The maximum size for dual shades is found using the dual shade column. Because two shades must fit into a single cassette valance, the dual shade requires the large cassette valance. Small and medium cassette valances are not available for dual shades.

Recommendation: For a consistent look in a single room, we recommend the same size cassette valance be used for every shade. Use the largest shade to determine the smallest available cassette valance size for that room. For example, if the largest shade in the room requires a medium cassette valance, then it is recommended all shades in the room use a medium cassette valance. The cassette valance size can be specified during ordering.

EasyTouch Cordless Lift and EasyTouch Dual Lift Size Considerations

- In an effort to maximize product offerings, the following tables provide the maximum shade size available for each fabric and valance combination as determined by the fabric width
- Valance types available for EasyTouch Cordless and EasyTouch Dual lift are shown in the chart key at the bottom right corner
 of each page in this section
- Some fabrics may be turned width for height (railroaded) to accommodate wide windows—See table for availability
- Shades ordered greater than a 1:6 ratio (W:H) risk telescoping

Minimum Shade Width: Varies by fabric

Minimum Shade Height: 13"

Roller Shade EasyTouch Cordless Lift and EasyTouch Dual Lift: Maximum Shade Size

			Aca	dia BC)		
Options Width (inches) Standard Orientation							
S*	**	13 - 25.875	26 - 44.875	45 - 65.875	66 - 81.875	82 - 103.875	104 - 115
	_e A		88	98	99	86	50
hes	В	29	29	29	29	29	29
(inc	U	29	87	87	87	86	50
Ĭ	D	32	88	98	99	86	50
Height (inches)	Е	32	59	59	59	59	50
	F	32	88	98	99	86	50

	Acadia LF											
Opt	tions		Width (inches) Standard Orientation									
S*	**	14 - 19.875										
	Α	46	115	132	109	132	120	101	106	94	101	91
hes	В	41	41	41	41	41	41	41	41	41	41	41
(inches)	С	41	115	117	109	117	117	101	106	94	101	91
ž	D	46	115	132	109	132	120	101	106	94	101	91
Height	Е	46	81	81	81	81	81	81	81	81	81	81
	F	46	115	132	109	132	120	101	106	94	101	91


	Andes												
Opt	Options Width (inches) Standard Orientation												
										95 - 101.5			
(č	Α	52	131	144	125	109	143	122	106	132	120		
hes	В	52	60	60	60	60	60	60	60	60	60		
(inches)	C	52	131	144	125	109	143	122	106	132	120		
표	D	52	131	144	125	109	143	122	106	132	120		
D 52 131 144 125 109 143 122 106 132 E 52 117 117 117 109 117 117 106 117										117			
F 52 131 144 125 109 143 122 106 132 12									120				

	Basics														
Opt	ions		Width	(inches) Standa	rd Orier	ntation		Width (inches) Railroaded						
☐ S* ☑ RR**		13 - 18.875	19 - 27.875	28 - 36.875	37 - 45.875	46 - 60.875	61- 67.875	68 - 69.875	70 - 73.875	74 - 80.875	81- 90.875	91 - 105.875	106 - 109.875	110 - 118.875	119 - 125.875
3)	Α	31	73	91	75	98	97	85	55	55	55	55	55	49	27
hes)	В	31	73	76	75	76	76	76	55	55	55	55	55	49	27
(inche	O	31	73	91	75	98	97	85	55	55	55	55	55	49	27
Ŧ	ם	31	73	91	75	98	97	85	55	55	55	55	55	49	27
Height	Е	31	73	91	75	98	97	85	55	55	55	55	55	49	27
_ I	F	31	73	91	75	98	97	85	55	55	55	55	55	49	27

	Boyden													
Opt	Options Width (inches) Standard Orientation													
									113 - 117.25					
	Α	35	108	81	107	94	124	101	117	107	89	96	81	58
(inches)	В	30	30	30	30	30	30	30	30	30	30	30	30	30
(juc	C	30	90	81	90	90	90	90	90	90	89	90	81	58
	D	35	108	81	107	94	124	101	117	107	89	96	81	58
E 35 62 62 62 62 62 62 62 62 62 62 62 62 62									62	62	62	62	58	
	F	35	108	81	107	94	124	101	117	107	89	96	81	58

	Candid												
Opt	tions			Width	(inches) Standa	rd Orien	tation					
S* 13- 19- 26- 30- 40- 55- 66- 79- 91- RR** 18.875 25.875 29.875 39.875 54.875 65.875 78.875 90.875 95.5													
<u></u>	Α	42	108	99	127	106	134	119	103	119			
hes	В	41	41	41	41	41	41	41	41	41			
(inches)	С	41	108	99	117	106	117	117	103	117			
Ŧ	D	42	108	99	127	106	134	119	103	119			
Height	Е	42	81	81	81	81	81	81	81	81			
	F	42	108	99	127	106	134	119	103	119			

	Cascade													
Opt	Options Width (inches) Standard Orientation													
S* 14- 20- 31- 38- 60- 84- RR** 19.875 30.875 37.875 59.875 83.875 107.5														
;)	Α	54	137	114	124	111	114							
hes	В	44	44	44	44	44	44							
jin	C	44	127	114	124	111	114							
Ŧ	D	54	137	114	124	111	114							
Height (inches)	Е	54	54 88		88	88	88							
	F	54	137	114	124	111	114							



Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

EasyTouch Cordless Lift and EasyTouch Dual Lift Size Considerations

Roller Shade EasyTouch Cordless Lift and EasyTouch Dual Lift: Maximum Shade Size

		D	omain							
Opt	ions	Width (inches) Standard Orientation								
RR	RA.	13 - 15.875	16 - 67.875	68 - 97.875	98 - 106.875					
	Α	72	144	126	144					
	В	61	69	69	69					
Height (inches)	O	61	144	126	144					
ght (ir	D	61	144	126	144					
Hei	Е	61	132	126	132					
	F	61	144	126	144					

	Dundee BO											
Opt	tions	Width (inches) Standard Orientation										
RR	ex.	13 - 15.875	16 - 25.875	26 - 75.875	76 - 91.875							
)	Α	52	128	140	128							
hes	В	50	50	50	50							
(inc	O	52	128	140	128							
푩	ם	52	128	140	128							
Height (inches)	Е	52	100	100	100							
1	ш	52	128	140	128							
	, 12 12 12											

	Dundee LF											
Opt	tions		dth (inc ard Oric	hes) entation	Width (in) RR							
☑ RR	R#	13 - 17.875	18 - 83.875	84 - 103.875	104 - 121.875	122 - 127.875	128 - 133.875					
	Α	80	144	77	77	72	48					
səc	В	56	56	56	56	56	48					
inch	С	80	144	77	77	72	48					
i)	D	80	144	77	77	72	48					
Height (inches)	Е	80	112	77	77	72	48					
_	F	80	144	77	77	72	48					

	Estevan												
Op	Options Width (inches) Standard Orientation												
S*	S* 14- 20- 28- 33- 46- 63- 72- 85- 97- 104- RR** 19.875 27.875 32.875 45.875 62.875 71.875 84.875 96.875 103.875 107.5												
<u></u>	Α	50	133	116	141	123	109	130	123	115	101		
hes	В	50	51	51	51	51	51	51	51	51	51		
(inches)	С	50	133	116	141	123	109	130	123	115	101		
표	D	50	133	116	141	123	109	130	123	115	101		
Height	E 50 100 100 100 100 100 100 100 100 100												
	F 50 133 116 141 123 109 130 123 115 10										101		

	Everly												
Opt	ions	W	idth (in)	Standard	Orientat	ion							
S* 14- 21- 41- 67- 93- RR** 20.875 40.875 66.875 92.875 114.875													
	Α	64	133	139	119	99							
hes	В	53	53	53	53	53							
[inc	C	53	133	139	119	99							
ž	D	64	133	139	119	99							
Height (inches)		64	103	103	103	99							
	F	64	133	139	119	99							

	Fiji BO												
Opt	Options Width (inches) Standard Orientation												
											84 - 108.25		
<u></u>	Α	35	98	81	114	92	107	121	104	111	94		
hes	В	35	36	36	36	36	36	36	36	36	36		
(inches)	С	35	98	81	106	92	106	106	104	106	94		
堇	D	35	98	81	114	92	107	121	104	111	94		
D 35 98 81 114 92 107 121 104 111 9 E 35 73 73 73 73 73 73 73 73 73 73 73 73 73											73		
F 35 98 81 114 92 107 121 104 111									94				

	Fiji LF												
Opt	Options Width (inches) Standard Orientation												
									90 - 108.25				
÷	Α	58	144	122	143	125	134	124	110	125			
(inches)	В	47	47	47	47	47	47	47	47	47			
(ji	O	47	133	122	133	125	133	124	110	125			
표	D	58	144	122	143	125	134	124	110	125			
Height	E 58 92 92 92 92 92 92 92 92												
4	F	58	144	122	143	125	134	124	110	125			

	Flagstone													
Options Width (inches) Standard Orientation Width														
☐ S*	r#	13 - 13.875	14 - 23.875	24 - 85.875	86 - 103.875	104 - 109.875	110 - 117.875	118 - 123.875						
)	Α	44	100	112	108	80	48	32						
hes	В	44	48	48	48	48	48	32						
inc	C	44	100	112	108	80	48	32						
¥	D	44	100	112	108	80	48	32						
Height (inches)	Е	44	98	98	98	80	48	32						
T	F	44	100	112	108	80	48	32						

	Gabardine													
Opt	Options Width (inches) Standard Orientation													
S* 14- 20- 28- 33- 47- 63- 75- 91- RR** 19.875 27.875 32.875 46.875 62.875 74.875 90.875 99.875									100 - 106					
	Α	52	136	119	144	126	110	129	121	114				
(inches)	В	47	47	47	47	47	47	47	47	47				
ji)	C	47	136	119	137	126	110	129	121	114				
표	D	52	136	119	144	126	110	129	121	114				
Height	Е	52	92	92	92	92	92	92	92	92				
	F	52	136	119	144	126	110	129	121	114				
	F	52	136	119	144	126	110	129	121	114				

	Gazebo													
Opt	tions	W	Width (inches) Standard Orientation											
☐ S*	**	13 - 17.875	18 - 28.875	29 - 45.875	46 - 63.875	64 - 79.875	80 - 91.75	91.875 - 114.875	115 - 122.875					
	Α	37	88	99	110	106	117	80	50					
hes	В	37	47	47	47	47	47	47	47					
(ju	U	37	88	99	110	106	117	80	50					
표	ם	37	88	99	110	106	117	80	50					
Height (inches)	Е	37	88	92	92	106	92	80	50					
_	F	37	88	99	110	106	117	80	50					

Harbor												
Opt	ions	Width (in) Std. Orientation										
S*	r.e	13 - 20.875	21 - 32.875	33 - 61.875	62 - 71.5							
	Α	43	104	112	99							
hes	В	25	25	25	25							
[inc	C	25	78	78	78							
ž	D	43	104	112	99							
Height (inches)	E	43	53	53	53							
	F	43	104	112	99							

	Hopewell												
Opt	tions	Width (in) Standard Orientation											
S*	**	15 - 20.875	21 - 22.875	23 - 74.875	75 - 85.875	86 - 91.75							
	Α	71	100	144	124	113							
hes	В	57	57	57	57	57							
ji.	O	57	100	144	124	113							
重	D	71	100	144	124	113							
Height (inches)	Е	71	100	109	109	109							
	F	71	100	144	124	113							

	Kyoto													
Opt	Options Width (inches) Standard Orientation													
☐ S*		13 - 18.875	19 - 23.875	24 - 27.875	28 - 34.875	35 - 50.875	51 - 61.875	62 - 68.875	69 - 75.875	76 - 78.75				
	Α	35	101	85	120	98	128	115	104	124				
(inches)	В	35	40	40	40	40	40	40	40	40				
je j	С	35	101	85	115	98	115	115	104	115				
표	D	35	101	85	120	98	128	115	104	124				
Height	Е	35	80	80	80	80	80	80	80	80				
	F	35	101	85	120	98	128	115	104	124				


	Landscape													
Opt	tions		Width	(inches) Standa	rd Orien	tation							
S*	r*	15 - 15.875	16 - 17.875	18 - 19.875	20 - 21.875	22 - 22.875	23 - 23.875	24 - 91.75						
(5)	Α	54	121	106	94	88	126	144						
hes	В	54	112	106	94	88	112	112						
(inc	U	54	121	106	94	88	126	144						
Height (inches)		54	121	106	94	88	126	144						
leig	E	54	121	106	94	88	126	144						
	F	54	121	106	94	88	126	144						

Chart Key
A No Valance / 2" Brackets
B Small Cassette
C Medium Cassette
D Large Cassette
E Contour / Flat / 3" Fascia
F 4" Fascia
*S-Seaming **RR-Railroading

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

EasyTouch Cordless Lift and EasyTouch Dual Lift Size Considerations

Roller Shade EasyTouch Cordless Lift: Maximum Shade Size



	Manhattan LF														
Ор	Options Width (inches) Standard Orientation								Wic	Width (in) RR					
☐ S* ☑ RR*										119.375 - 124.875	125 - 128.875	129 - 133.875			
- F	Α	61	144	126	144	132	144	129	116	105	125	100	100	69	40
(inches)	В	61	69	69	69	69	69	69	69	69	69	69	69	69	40
<u>ie</u>	С	61	144	126	144	132	144	129	116	105	125	100	100	69	40
	D	61	144	126	144	132	144	129	116	105	125	100	100	69	40
Height	Е	61	132	126	132	132	132	129	116	105	125	100	100	69	40
Ξ.	F	61	144	126	144	132	144	129	116	105	125	100	100	69	40

	Manhattan RD													
Opt	ions	Widt	h (inch	es) Staı	ndard C	Prientat	ion	(DD)						
□ S* ☑ RR**		13 - 23.875	24 - 36.875	37 - 65.875	66 - 85.875	86 - 108.875	109 - 117.25	117,375 - 119,875						
(5	Α	40	92	101	106	102	69	69						
hes	В	40	58	58	58	58	58	58						
inc	O	40	92	101	106	102	69	69						
Ħ	D	40	92	101	106	102	69	69						
Height (inches)	Е	40	92	101	106	102	69	69						
Ι.	F	40	92	101	106	102	69	69						

	Mountainside BO												
Opt	ions	Width (inches) Standard Orientation											
☐ RR	r#	13 - 15.875	16 - 25.875	26 - 75.875	76 - 91.875								
)	Α	52	128	140	128								
hes	В	52	59	59	59								
(inc	U	52	128	140	128								
¥	D	52	128	140	128								
łeig	Height (inches)		117	117	117								
F		52	128	140	128								

	Mountainside LF												
Opt	ions	Width (Stan Orien	dard	Width (in) RR									
✓ RR**		13 - 17.875	18 - 91.875	92 - 105.875	106 - 125.875	126 - 133.875							
(Α	88	144	140	104	52							
hes	В	67	67	67	67	52							
(inc	C	88	144	140	104	52							
Height (inches)	D	88	144	140	104	52							
łeiç	Е	88	132	132	104	52							
	F	88	144	140	104	52							

	Ornamental												
Opt	Options Width (inches) Standard Orientation												
S*]S* 13- 18- 21- 27- 33- 45- 54- 67- 81- 97-]RR** 17.875 20.875 26.875 32.875 44.875 53.875 66.875 80.875 96.875 107.5												
÷	Α	51	129	142	122	143	130	120	110	121	108		
(inches)	В	36	36	36	36	36	36	36	36	36	36		
(inc	O	36	106	106	106	106	106	106	106	106	106		
ž	D	51	129	142	122	143	130	120	110	121	108		
Height	Е	51	75	75	75	75	75	75	75	75	75		
	F	51	129	142	122	143	130	120	110	121	108		

	Plush											
Options Width (inches) Standard Orientation												
S* 16- 24- 33- 37- 49- 57- 66 RR** 23.875 32.875 36.875 48.875 56.875 64.875 7												
<u>:</u>	Α	63	79	101	88	81	93	81				
hes	В	21	21	21	21	21	21	21				
[inc	C	21	67	67	67	67	67	67				
E D 63 79 101 88 81 93												
Height (inches)	E	63	45	45	45	45	45	45				
	F	45	79	101	88	81	93	81				

	Robin												
Options Width (inches) Standard Orientation													
□ S° 15 - 16 - 19 - 23 - 25 - 90 - □ RR** 15.875 18.875 22.875 24.875 89.875 91.75													
	Α	57	117	88	127	144	128						
hes	В	57	75	75	75	75	75						
(inc	O	57	117	88	127	144	128						
重	D	57	117	88	127	144	128						
Height (inches)	Е	57	117	88	127	142	128						
1	ш	57	117	88	127	144	128						

	Rustic											
Opt	ions	Wid	th (in) S	tandard	Oriental	tion						
S*	**	13 - 18.875	19 - 26.875	27 - 36.875	37 - 63.875	64 - 69.5						
	Α	51	136	121	122	121						
hes	В	51	60	60	60	60						
ji.	O	51	136	121	122	121						
표	D	51	136	121	122	121						
Height (inches)	E	51	117	117	117	117						
	F	51	136	121	122	121						

	Shoreline												
Opt	Options Width (inches) Standard Orientation												
	S* RR**	14 - 20.875	21- 31.875	39 - 64.875	65 - 85.875	86 - 116.875	117 - 119.25						
·	Α	55	142	113	136	106	119	72					
(inches)	В	55	61	61	61	61	61	61					
Ĕ.	O	55	142	113	136	106	119	72					
Ħ	۵	55	106	119	72								
Height (ш	55	117	113	117	106	117	72					
T	F	55	142	113	136	106	119	72					

	Sovereign											
Opt	tions	Width (inches) Standard Orientation										
✓ RR	**	13 - 18.875	19 - 29.875	30 - 42.875	43 - 68.875	69 - 90.875	91 - 110.875	111 - 117.25	117.375 - 124.875			
(;	Α	42	98	117	106	104	107	49	49			
(inches)	В	42	53	53	53	53	53	49	49			
<u>ii</u>	O	42	98	117	106	104	107	49	49			
ž	D	42	98	117	106	104	107	49	49			
Height	Е	42	98	103	103	103	103	49	49			
	F	42	98	117	106	104	107	49	49			

Springleaf										
Opt	ions		inches) dard tation	Width (in) RR						
✓ RR	**	13 - 17.875	18 - 87.875	88 - 111.875	126 - 131.875					
)	Α	80	144	77	77	52				
hes	В	67	67	67	67	52				
[inc	С	80	144	77	77	52				
ž D		80	144	77	77	52				
Height (inches)	Е	80	132	77	77	52				
_	F	80	144	77	77	52				

	Tahoe BO											
Opt	ions	Width (inches) Standard Orientation										
S*	R#	13 - 25.875	68 - 91.875	92 - 109.875	110 - 115							
()	Α	33	92	102	89	86	53					
Height (inches)	В	30	30	30	30	30	30					
(inc	O	30	90	90	89	86	53					
Ŧ	ם	33	92	102	89	86	53					
leig	Е	33	62	62	62	62	53					
	F	33	92	102	89	86	53					

	Tahoe LF												
Options Width (inches) Standard Orientation													
S*	**	14 - 19.875	20 - 31.875	32 - 37.875	38 - 63.875	64 - 89.875	90 - 111.875	112 - 115					
(1)	Α	56	142	118	119	109	107	94					
Height (inches)	В	40	40	40	40	40	40	40					
(inc	O	40	115	115	115	109	107	94					
重	D	56	142	118	119	109	107	94					
leig	Е	56	76	76	76	76	76	76					
_	F	56	142	118	119	109	107	94					

	Tuscan													
Opt	tions	Wid	lth (in) S	tandard	Oriental	tion	Width (inches) Railroaded							
☐ S*	✓ RR**		21 - 33.875	34 - 39.875	40 - 68.875	69 - 76	76.125 - 82.875	83 - 89.875	90 - 105.875	106 - 117.875	118 - 121.875	122 - 123.875	124 - 127.875	128 - 131.875
·	Α	56	143	119	144	128	64	64	64	64	64	64	64	41
(inches)	В	56	60	60	60	60	60	60	60	60	60	60	60	41
(juc	С	56	143	119	144	128	64	64	64	64	64	64	64	41
¥	D	56	143	119	144	128	64	64	64	64	64	64	64	41
Height	Е	56	117	117	117	117	64	64	64	64	64	64	64	41
_	F	56	143	119	144	128	64	64	64	64	64	64	64	41

	Viva												
Opt	Options Width (inches) Standard Orientation												
S*	k#	14 - 20.875	21 - 34.875	35 - 39.875	40 - 58.875	59 - 66.875	67 - 75.875	76 - 82.875	83 - 96.875	97 - 106			
	Α	62	144	123	144	127	135	122	107	123			
(inches)	В	57	57	57	57	57	57	57	57	57			
(inc	O	57	144	123	144	127	135	122	107	123			
Ŧ	D	62	144	123	144	127	135	122	107	123			
Height	E	62	109	109	109	109	109	109	107	109			
	F	62	144	123	144	127	135	122	107	123			

Chart Key

A No Valance / 2" Brackets

B Small Cassette

C Medium Cassette

D Large Cassette

E Contour / Flat / 3" Fascia

F 4" Fascia

"S-Seaming **RR-Railroading

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

EasyTouch Cordless Lift Size Considerations

Solar Shade EasyTouch Cordless Lift: Maximum Shade Size

	Ballad											
Opt	Options Width (in) Standard Orientation											
S*	r#	13 - 26.875	27 - 46.875	47 - 67.875	68 - 84.875	85 - 96						
÷	Α	32	89	95	96	92						
Height (inches)	В	32	38	38	38	38						
(inc	O	32	89	95	96	92						
ž.	D	32	89	95	96	92						
leig	Е	32	77	77	77	77						
	F	32	89	95	96	92						

Baybridge											
Options Width (in) Standard Orientation											
S*	63 - 79.875	80 - 96									
	Α	77	90	99	90	69					
hes	В	19	19	19	19	19					
(inc	C	19	63	63	63	63					
Height (inches)	D	63	90	99	90	69					
leig	Е	77	42	42	42	42					
	F	42	90	99	90	69					

	Bristol													
Options Width (inches) Standard Orientation														
									83 - 90.875	91 - 96				
÷	Α	60	76	100	109	91	80	83	71	57	47	36		
(inches)	В	15	15	15	15	15	15	15	15	15	15	15		
ji.	С	15	54	54	54	54	54	54	54	54	47	36		
표	D	54	76	100	109	91	80	83	71	57	47	36		
Height	Е	60	36	36	36	36	36	36	36	36	36	36		
	F	36	76	100	109	91	80	83	71	57	47	36		

	Concrete Jungle												
Opt	tions	Width (inches) Standard Orientation											
S*	**	13 - 13.875	14 - 23.875	24 - 39.875	40 - 63.875	64 - 91.875	92 - 96.875						
	Α	48	116	144	140	116	100						
es)	В	33	33	33	33	33	33						
псh	O	48	103	103	103	103	100						
Height (inches)	D	48	116	144	140	116	100						
운	Е	48	70	70	70	70	70						
	F	48	116	144	140	116	100						

	Cora											
Opt	ions	Wid	th (in) S	tandard	Orienta	tion						
S*	r.e	13 - 25.875	26 - 44.875	45 - 65.875	66 - 83.875	84 - 94						
	Α	30	87	92	90	83						
hes	В	30	31	31	31	31						
[inc	O	30	87	92	90	83						
Ĭ	D	30	87	92	90	83						
Height (inches)	E	30	64	64	64	64						
	F	30	87	92	90	83						

	Creel												
Opt	tions		Width (inches) Standard Orientation										
S*	**	13 - 13.875	14 - 21.875	22 - 53.875	54 - 79.875	80 - 95.875	96 - 96.875						
s)	Α	40	100	124	96	92	76						
che	В	19	19	19	19	19	19						
Height (inches)	O	40	69	69	69	69	69						
ight	D	40	100	124	96	92	76						
문	Е	40	45	45	45	45	45						
	F	40	100	124	96	92	76						

EcoLiving											
Opt	ions	Wid	lth (in) S	tandard	Orienta	tion					
S*	r#	14 - 15.875	16 - 19.875	20 - 21.875	22 - 85.875	86 - 99.625					
	Α	54	62	86	125	108					
hes	В	54	62	86	90	90					
jij	C	54	62	86	125	108					
Ĭ	D	54	62	86	125	108					
Height (inches)	Е	54	62	86	125	108					
	F	54	62	86	125	108					

	EnviroStyle												
Opt	ions	Width (inches) Standard Orientation											
S*	r.e	13 - 17.875	18 - 27.875	28 - 49.875	50 - 69.875	70 - 89.875	90 - 103.25						
<u></u>	Α	35	88	99	115	103	90						
hes	В	35	36	36	36	36	36						
(inc	U	35	88	99	106	103	90						
Ŧ	D	35	88	99	115	103	90						
Height (inches)	E	35	73	73	73	73	73						
	F	35	88	99	115	103	90						

	Feedback 1%												
Opt	ions	Width (inches) Standard Orientation											
☐ S* ☑ RR'	**	13 - 25.875	26 - 43.875	44 - 64.875	65 - 79.875	80 - 98.875	99 - 111.875						
÷	Α	28	81	83	87	80	51						
(inches)	В	28	38	38	38	38	38						
(juc	O	28	81	83	87	80	51						
Ŧ	D	28	81	83	87	80	51						
Height	Е	28	76	76	76	76	51						
	F	28	81	83	87	80	51						

Feedback 3%												
Opt	ions	W	idth (inc	hes) Sta	ndard O	rientatio	on					
☐ S*	r.e	13 - 25.875	26 - 50.875	51 - 64.875	65 - 79.875	80 - 91.875	92 - 111.875					
	Α	28	82	81	85	92	51					
hes	В	28	39	39	39	39	39					
[inc	C	28	82	81	85	92	51					
Ĭ	D	28	82	81	85	92	51					
Height (inches)	E	28	77	77	77	77	51					
	F	28	82	81	85	92	51					

	Feedback 5%													
Opt	Options Width (inches) Standard Orientation													
☐ S*											121 - 124			
÷	Α	31	74	94	86	104	89	104	94	96	83	72	42	28
(inches)	В	31	41	41	41	41	41	41	41	41	41	41	41	28
jë.	С	31	74	94	86	104	89	104	94	96	83	72	42	28
표	D	31	74	94	86	104	89	104	94	96	83	72	42	28
Height	Е	31	74	81	81	81	81	81	81	81	81	72	42	28
	F	31	74	94	86	104	89	104	94	96	83	72	42	28

Feedback 10%												
Options Width (inches) Standard Orientation W												
☐ S* ☑ RR	**	16 - 22.875	23 - 36.875	37 - 47.875	48 - 69.875	70 - 102.875	103 - 116	116.125 - 118.875				
	Α	67	76	82	95	98	51	51				
hes	В	42	42	42	42	42	42	42				
(inc	O	42	76	82	95	98	51	51				
重	D	67	76	82	95	98	51	51				
Height (inches)	Е	67	76	82	84	84	51	51				
_	F	67	76	82	95	98	51	51				

	Flecked											
Opt	Options Width (inches) Standard Orientation											
S* 13- 18- 27- 49- 73- 87- 109 RR** 17.875 26.875 48.875 72.875 86.875 108.875 110												
()	Α	36	83	95	103	110	93	52				
(inches)	В	34	34	34	34	34	34	34				
jino)	O	34	83	95	101	101	93	52				
þt	D	36	83	95	103	110	93	52				
Height	Е	36	70	70	70	70	70	52				
1	H	36	83	95	103	110	93	52				

	Landon											
Opt	ions	Width (in) Standard Orientation										
S*	**	17 - 36.875	37 - 51.875	52 - 68.875	69 - 81.875	82 - 96						
	Α	68	83	84	88	71						
hes	В	27	27	27	27	27						
(inc	O	27	83	84	84	71						
Ŧ	D	68	83	84	88	71						
Height (inches)	Е	68	57	57	57	57						
	F	57	83	84	88	71						

			Mu	se 1%			
Opt	ions	W	idth (inc	hes) Sta	ndard O	rientatio	on
☐ S*	r.e.	16 - 29.875	30 - 44.875	45 - 56.875	57 - 72.875	73 - 86.875	87 - 102.875
·	Α	59	85	78	64	46	28
Height (inches)	В	22	22	22	22	22	22
(inc	O	22	73	73	64	46	28
Ŧ	D	59	85	78	64	46	28
leig	E	59	50	50	50	46	28
	F	50	85	78	64	46	28


			Mu	se 5%			
Opt	tions	W	idth (inc	hes) Sta	ndard O	rientatio	on
☐ S*	**	17 - 32.875	33 - 38.875	39 - 60.875	61 - 78.875	79 - 91.875	92 - 106.875
	Α	51	57	67	68	51	33
hes	В	26	26	26	26	26	26
ji ji	O	26	57	67	68	51	33
Ĭ.	ם	51	57	67	68	51	33
Height (inches)	Е	51	54	54	54	51	33
	F	51	57	67	68	51	33

	Chart Key
Α	No Valance / 2" Brackets
В	Small Cassette
С	Medium Cassette
D	Large Cassette
Е	Contour / Flat / 3" Fascia
F	4" Fascia
*S	-Seaming **RR-Railroading

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. 14 | baliblinds.com

EasyTouch Cordless Lift Size Considerations

Solar Shade EasyTouch Cordless Lift: Maximum Shade Size



		F	Revelat	tion		
Opt	tions	Wid	th (in) S	tandard	Orienta	ion
S*	**	13 - 21.875	22 - 34.875	35 - 46.875	47 - 67.875	68 - 96
(i)	Α	32	74	86	95	98
hes	В	32	40	40	40	40
(inc	O	32	74	86	95	98
표	D	32	74	86	95	98
Height (inches)	Е	32	74	79	79	79
	F	32	74	86	95	98

			Sa	feElen	nents			
Opt	ions	Wid	th (in) S	tandard	Orienta	tion	Width	(in) RR
☐ S*	**	17 - 39.875	40 - 53.875	54 - 70.875	71 - 89.875	90 - 95.25	95.375 - 99.875	100 - 113.875
	Α	69	94	84	87	75	75	47
hes	В	33	33	33	33	33	33	33
(ji	O	33	94	84	87	75	75	47
¥	D	69	94	84	87	75	75	47
Height (inches)	Е	69	67	67	67	67	67	47
	F	67	94	84	87	75	75	47

			Santii	na		
Opt	tions	Wid	th (in) S	tandard	Orienta	tion
☐ S*	**	16 - 32.875	33 - 46.875	47 - 64.875	65 - 83.875	84 - 91.75
÷	Α	66	94	85	77	52
Height (inches)	В	18	18	18	18	18
(inc	O	18	60	60	60	52
뀰	D	60	94	85	77	52
leig	Е	66	40	40	40	40
	F	40	94	85	77	52

							St	ерре							
Opt	ions			W	idth (inc	:hes) Sta	ındard O	rientatio	on			Widt	h (inche	s) Railro	aded
☐ S*	k*	15 - 17.875	18 - 23.875	24 - 36.875	37 - 40.875	41 - 49.875	50 - 60.875	61 - 69.875	70 - 84.875	85 - 90.875	91 - 96	96.125 - 97.875	98 - 104.875	105 - 115.875	116 - 123.875
	Α	51	71	89	88	103	85	95	85	80	69	69	57	40	27
(inches)	В	22	22	22	22	22	22	22	22	22	22	22	22	22	22
jij	C	22	69	69	69	69	69	69	69	69	69	69	57	40	27
표	D	51	71	89	88	103	85	95	85	80	69	69	57	40	27
Height	Е	51	47	47	47	47	47	47	47	47	47	47	47	40	27
	F	47	71	89	88	103	85	95	85	80	69	69	57	40	27

					Wale	s				
Opt	tions			Width	(inches) Standa	rd Orien	tation		
□ S*		13 -	18 -	26 -	45 -	56 -	66 -	74 -	81 -	91 -
RR	**	17.875	25.875	44.875	55.875	65.875	73.875	80.875	90.875	95.875
	Α	30	72	85	105	88	102	92	102	96
hes	В	30	38	38	38	38	38	38	38	38
(inches)	С	30	72	85	105	88	102	92	102	96
표	D	30	72	85	105	88	102	92	102	96
Height	Е	30	72	76	76	76	76	76	76	76
1	F	30	72	85	105	88	102	92	102	96

- This table provides the maximum shade size available by fabric, control type, and valance style
- Cassette valance, contour valance and flat valance are options for continuous-loop lift, cordless lift, and smart pull lift
- Scallops decrease the maximum height by 6¾" on roller fabrics only
- If your shade size is larger than the maximum width, your fabric may be able to be turned width for height for larger shades
 - Use the fabric turned width for height table to determine this maximum size

Minimum Shade Size

For all fabrics and lift options:

Minimum shade width and height: 13"

										Contir	snonu	Continuous Loop Lift: Maximum Shade Size	Lift: M	aximu	m Sha	ide Si	Ze									
					Noi	rmal Fabrio	Normal Fabric Orientation	U.										c Turned \	Fabric Turned Width for Height (Railroaded)	eight (Rail	roaded)					
Valance Type	Small Cassette		Medium Cassette		1.5" Brackets Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance	ssette/ ilance/ ette/ nce	3" Fascia	쁑	4" Fascia	icia	Small Cassette		Medium Cassette		1.5" Brackets Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Max No Valance at Max Length Width	ette/ La ince/ Co te/ I t Max No	Large Cassette/ Contour Valance/ No Cassette/ No Valance at Max	ette/ ance/ tte/ at Max	3" Fascia		4" Fascia	
	Width	Height	Width	Height	Width	Height	Width	Height N	Width H	Height	Width	Height	Width	Height N	Width H	Height M	Width H	Height M	Width He	Height W	Width He	Height W	Width He	Height	W	Width
	99	84	68	87	23	111	109	144	64	100	112	124	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	73	93	98	119	09	124	115	144	72	110	115	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	92	122	102	144	78	123	102	144	102	125	102	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	7.1	86	96	118	7.1	86	96	144	80	125	96	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	70	105	70	144	70	105	70	144	70	144	70	144	77	62	91	09	77	62	123 6	57 1	144	54	91	60 12	123 (57
	77	64	84	88	7.1	97	96	144	88	9/	96	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	74	84	81	124	7.1	104	117	144	84	100	117	126	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO RR	\vdash	NO RR
	74	55	80	85	89	83	96	144	84	65	96	125	NO RR 1	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO RR	Н	NO RR
Candid (Snowfall, Smokey Taupe, Speckled Black,	73	11	96	125	73	111	96	144	82	141	96	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
					-		-		-			+	-	-	4	-	_	-	-	_	4	-	4	4	+	
Candid (Flecked White)	82	112	96	144	7.5	119	96	144	96	106	96		-	-	-	-	_	\dashv	-	_	-	-	-	-	\dashv	NO RR
Candid (Toasted Sugar)	74	115	96	125	73	123	96	144	82	133	96	144	NO RR	NO RR N	\dashv	NO RR N	\dashv	\dashv	\dashv	NO RR NO	\dashv	NO RR N	NO RR	_	NO RR NC	NO RR
	72	66	82	121	7.1	107	96	144	82	118	96	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	7.1	94	80	120	70	101	94	144	81	113	94	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO RR	_	NO RR
	75	29	81	104	70	92	96	144	92	80	96	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO RR		NO RR
	78	112	106	119	22	120	106	144	68	135	106	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO RR	\vdash	NO RR
	95	127	95	144	79	128	92	144	95	137	92	144	83	84	88	82	83	84	131 7	79 1	144	9/	98	82 131		79
	99	114	88	128	28	92	92	144	91	101	95	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	98	119	100	144	80	128	100	144	100	144	100	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	94	122	103	144	80	122	103	144	103	144	103	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NO		NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR
	06	112	108	144	9/	127	108	144	108	105	108	144	NO RR	NO RR N	NO RR N	NO RR N	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR NO	NO RR N	NO RR N	NO RR NO	NO RR NC	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade. 16 | baliblinds.com

					N	rmal Fabric	Normal Fabric Orientation	-	J	Contin	snon	l doo-	Continuous Loop Lift: Maximum Shade Size	ximun	n Sha	de Siz		Turned Wi	Fabric Turned Width for Height (Railroaded)	ht (Railroad	ded)				
Valance Type	Small Cassette		Medium Cassette		1.5" Brackets Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance	sette/ lance/ stte/	3" Fascia	65	4" Fascia		Small Cassette		Medium Cassette		1.5" Brackets Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Cassette/ No Valance at Max Length Width	// Large e/ Contoo No (ax No Vals	Large Cassette/ Contour Valance/ No Cassette/ No Valance at Max		3" Fascia		4" Fascia
Fabric	Width	Height	Width	Height	Width	Height	Width H	Height W	Width He	Height W	Width H	Height W	Width He	Height Wi	Width Hei	Height Width	tth Height	jht Width	th Height	nt Width	n Height	Width	Height		Width
Everly	98	118	115	144	80	135	115	144	98	125	115	144 N	NO RR NC	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	RR NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Feedback 1%	7.1	87	108	114	99	122	124	144	. 82	124	124	144	71	11 18	109	111 67	7 114	4 144	4 108	144	108	80	111	144	108
Feedback 10%	7.1	110	110	134	7.1	110	116		H		116	144	71		115 1	103 71	1 108	8 115	L	144	100	84	106	115	103
Feedback 3%	7.1	94	108	123	70	101	124	144	. 08			144			110 1	111 70		1 144		144		81	113	144	108
Feedback 5%	7.1	101	110	123	7.1	101	124	144	81	121	124	144	71 1	101	112 1	111 71	101	1 144	4 108	144	108	82	114	144	108
Fiji BO	72	101	109	105	7.1	109	109	144		120	109	144 N	NO RR NC	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Fiji LF	94	118	108	144	79	128	108	144			108	144 N	NO RR NO	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Flagstone	20	100	107	131	20	100	115				115	144			Н								105	112	102
Flecked	65	96	104	100	63	120	116	144				144 N	NO RR NO	Н		NO RR NO RR	RR NO RR					-	NO RR	NO RR	NO RR
Gabardine	92	106	106	135	9/	127	106	144	. 68	132	106	144 N	NO RR NO	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Gazebo	72	108	92	124	72	108	95	144		131		144	92	84 8	89 88	82 7	75 84	121	1 79	144	9/	88	82	121	79
Hopewell	92	125	95	144	82	135	92	144		144	92	144 N	NO RR NC	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Kyoto	7.1	112	79	144	7.1	112	79				Н	Н	Н	-	-	Н	Н	Н	-	Н		-	Н	NO RR	NO RR
Pandon	7.1	85	78	121	99	118	96	144	81	101	96	144 N	NO RR NO	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Landscape	92	144	92	144	82	143	95		Н			144 N	NO RR NO	NO RR NO	NO RR NO	NO RR NO	NO RR NO RR	Н	RR NO RR	Н	R NO RR	NO RR	NO RR	NO RR	NO RR
Linen	72	84	72	128	72	124	72	144	72	66	72	144 N	NO RR NO	NO RR NO	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Manhattan LF	94	121	119	144	6/	131	119	144 1			119	144	95 1	110 1:	127 1	107 81	111	1 127	7 107	144	103	127	107	127	107
Manhattan RD	7.2	115	111	144	7.2	115	117	144		139	117	144	73 1	107 1	117 1	105 73	3 107	117	7 105	144	101	102	100	117	105
Mountainside BO	65	124	88	128	58	98	92	144		117	92	144 N	NO RR NC	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Mountainside LF	82	141	92	144	72	114	92	144			92	144	74	84 8		82 7.	74 84	116	6 79	144	76	87	82	116	79
Muse 1%	61	74	74	109	90	96	116		_		97	134	61					3 139		139		77	88	139	100
Muse 5%	61	82	74	119	64	88	116	136	- 22	. 88	116	123	61	82 7	76 1	106 64	4 98	3 141	1 100	141	100	77	86	141	100
Mystify	7.1	84	77	126	99	117	96													Н			NO RR	NO RR	NO RR
Ornamental	79	105	108	110	78	121	108	144	91	125	108	144 N	NO RR NO	NO RR NO	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Plush	73	63	78	96	67	94	78	144	78		78	142 N	NO RR NC	NO RR NO		NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
Revelation	7.1	98	96	123	7.1	98	96			124	96	144 N	Н	Н	Н					Н	Н	Н		NO RR	NO RR
Robin	92	140	95	144	79	131	95	144			95	_	_	_	_		-	_	-	_	-	_	_	NO RR	NO RR
Rustic	70	93	70	142	70	126	20				70	144 N	NO RR NC	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	RR NO RR	R NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR
SafeElements	70	98	77	125	65	120	95	\dashv	\dashv	\dashv	95	\dashv	_	_		\rightarrow					_	_	-		83
Santina	67	28	73	68	62	87	97	124	77	69		120 N	NO RR NO	NO RR NO	NO RR NO	NO RR NO	NO RR NO RR	RR NO RR	RR NO RR	R NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Small Cassette Medium Cassette Medium Cassette Medium Cassette Medium Cassette Light Cassette Light Cassette Light Cassette Medium Cassette Light Cassette Light Cassette Light Cassette Light Cassette Medium Cassette Light Cassette											Continuous Loop Lift: Maximum Shade Size	snon	Loop	Lift: M	aximu	m She	ide Si	2e								
Small Cassette Medium Cass						N	lormal Fabi	ic Orientatik	uc									Fabric	Turned W	idth for Heig	ht (Railroad	(pap				
Height Width He	Туре	Small C	assette	Medium (Cassette	1.5" Br Contour ' No Cass Vale	ackets Valance/ sette/ No	Large Cas Contour V? No Cass No Vala	ssette/ alance/ ette/ nnce	3" Fasc	ia Via	4" Fas	cia	Small Cas		edium Cas		1.5" Brackeintour Valan o Cassette/ Valance	,	ge Cassette ntour Valanc o Cassette/ 'alance at M Length	/ Large e/ Contou No C ax No Vala	Cassette/ nr Valance/ 'assette/ ince at May		scia	4" Fas	cia
124 119 144 78 125 119 144 117 144 82 144 117 149 147 149 149 144 117 144 82 144 117 144 82 144 117 144 82 144 117 144 82 144 117 144 82 144 117 144 82 144 117 144 117 144 117 144 117 144 118 118 118 118 118 118 118 118 118		Width	Height	Width	Height	Width	Height	\vdash		<u> </u>		\vdash	—	\vdash		-		_		-			_	Height		Width
114 113 136 73 114 115 136 136 136 136 136 144 144 145 144 145 144 145 144 145 144 145 144		92	124	119	144	78	125	119	144	119	117	119	144	⊢		⊢	⊢		├	┞	⊢	╙	\vdash	NO RR	NO RR	NO RR
140 92 144 79 144 92 144 92 144 92 144 92 144 92 144 92 144 92 144 73 144 73 84		73	114	113	136	73	114	117	144	82	144	117	144	73	109	118	105					101	87	108	118	105
71 80 108 67 108 67 114 80 71 80 71 80 71 80 71 80 71 80 71 80 71 80 71 80 71 80 80 71 80 80 71 80 80 71 80		92	140	92	144	79	131	92	144	95	140	92	144	84	84	88	82				144	9/	98	82	131	79
87 89 80 54 106 110 120 115 144 76 111 106 111		73	1.1	80	108	29	106	96	144	84	84	96	144	73	71	83	98				144	80	84	84	114	83
91 96 117 61 120 115 144 72 118 115 144 075 115 144 076 144 07		99	87	88	06	54	106	110	144	64	103	111	130											NO RR		NO RR
144 76 144 76 144 76 144 76 144 86 68 88 68 88 88 88 89 89 144 106		74	91	96	117	61	120	115	144	72		115		NO RR	NO RR 1	IO RR N	O RR N	D RR NO	RR NO	RR NO R		NO RR	NO RR	NO RR		NO RR
121 106 144 79 131 106 144 106 111 106 114 NO RR NO R		9.2	144	9/	144	9/	144	9/	144	9.2	144	9/	144	98	89	101	99		_		144	09	101	99	134	63
96 96 117 70 98 96 144 79 123 96 144 NO RR NO		94	121	106	144	6/	131	106	144	106	111	106						D RR NO								NO RR
		7.0	96	96	117	70	98	96	144	6/	123	96	Г	NO RR 1	NO RR	IO RR N	O RR N	O RR NO	RR NO	RR NO R	R NO RR	NO RR	NO RR	NO RR		NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

18 | baliblinds.com

- This table provides the maximum shade size available by fabric, control type, and valance style
- Fabric turned width for height (railroaded) may curl along its edge; this is not a defect in the product
- Scallops decrease the maximum height by 6%" on roller fabrics only
 Only the large cassette valance is available for the dual shade
 - - Small and medium cassette valances are not available

		Normal Fabri	Normal Fabric Orientation		Dual S	Dual Shades: Maximum Shade Size	imum Shade	Size abric Turned Width fo	e Size Fabric Turned Width for Height (Railroaded)			
Valance Type	Continuous Loop No Cassette/ No Valance	p No Cassette/ lance	Continuous Loop Large Cassette	Large Cassette	Continuous Loop No Cassette/ No Valance	p No Cassette/ lance	Continuous Loop No Cassette/ No Valance at Max Width	p No Cassette/ it Max Width	Continuous Loop	Continuous Loop Large Cassette	Continuous Loop Large Cassette at Max Width	ge Cassette at Max th
Fabric	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Acadia BO	56	81	25	73	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Acadia LF	74	88	62	66	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Andes	1-6	131	92	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Ballad	1.2	98	1.1	86	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Basics	0.2	114	70	105	77	62	91	09	77	62	9.1	90
Baybridge	2.2	62	78	95	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Boyden	74	82	75	7.4	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bristol	7.4	53	9/	47	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Candid (Snowfall, Smokey												
Taupe, Speckled Black,	73	111	74	104	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Brown Influence)												
Candid (Flecked White)	89	115	75	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Candid (Toasted Sugar)	74	115	75	105	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Concrete Jungle	72	96	74	28	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Cora	1.1	92	72	83	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Creel	75	65	76	69	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Domain	78	110	79	66	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Dundee	92	123	92	109	83	84	98	82	83	84	86	82
Dundee BO	29	108	89	26	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EcoLiving	98	119	98	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EnviroStyle	94	122	94	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	94	111	7.6	426	ag ON	ag ON	OO ON	OD ON	DO ON	ag ON	OG ON	OO ON

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

	Continuous Loop Large Cassette at Max Width	Height	NO RR	74	06	81	82	NO RR	NO RR	82	NO RR	NO RR	82	NO RR	NO RR	NO RR	NO RR	NO RR	110	96	NO RR	82	20	29	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	65	NO RR
	Continuous Loop La	Width	NO RR	72	74	71	74	NO RR	NO RR	71	NO RR	NO RR	82	NO RR	NO RR	NO RR	NO RR	NO RR	98	77	NO RR	87	72	71	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	75	NO RR
	Continuous Loop Large Cassette	Height	NO RR	87	108	94	101	NO RR	NO RR	100	NO RR	NO RR	84	NO RR	NO RR	NO RR	NO RR	NO RR	110	107	NO RR	84	99	72	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	82	NO RR
Pro Hoight (Doilreaded	Continuous Loop	Width	NO RR	71	71	71	7.1	NO RR	NO RR	70	NO RR	NO RR	75	NO RR	NO RR	NO RR	NO RR	NO RR	92	73	NO RR	74	89	89	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	7.1	NO RR
Size	No Cassette/	Height	NO RR	98	102	92	92	NO RR	NO RR	97	NO RR	NO RR	82	NO RR	NO RR	NO RR	NO RR	NO RR	110	108	NO RR	82	25	64	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	73	NO RR
imum Shade	Continuous Loop No Cassette/ No Valance at Max Width	Width	NO RR	78	82	79	83	NO RR	NO RR	76	NO RR	NO RR	88	NO RR	NO RR	NO RR	NO RR	NO RR	98	98	NO RR	87	80	79	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	84	NO RR
Dual Shades: Maximum Shade Size	Continuous Loop No Cassette/ No Valance	Height	NO RR	98	102	92	92	NO RR	NO RR	26	NO RR	NO RR	84	NO RR	NO RR	NO RR	NO RR	NO RR	110	108	NO RR	84	72	80	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	87	NO RR
Dual S		Width	NO RR	78	82	79	83	NO RR	NO RR	9/	NO RR	NO RR	75	NO RR	NO RR	NO RR	NO RR	NO RR	98	98	NO RR	74	89	89	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	70	NO RR
	Large Cassette	Height	124	87	110	94	101	88	126	100	84	113	101	134	102	75	144	73	121	115	108	127	99	72	76	92	54	86	133	82	82	50
Orientation	Continuous Loop Large Cassette	Width	81	7.1	7.1	7.1	71	74	79	70	29	77	73	82	72	72	92	72	94	72	29	83	68	89	72	81	75	7.1	92	70	71	69
Mormal Eabric Orientation	n No Cassette/	Height	114	98	102	92	92	86	110	26	93	125	108	121	112	83	144	81	121	108	126	141	72	80	84	102	61	92	140	90	88	56
	Continuous Loop No Cassette/ No Valance	Width	96	78	82	79	83	72	98	9/	99	76	72	92	71	7.1	92	72	94	98	65	82	89	89	71	80	74	81	92	70	20	67
	Valance Type	Fabric	Everly	Feedback 1%	Feedback 10%	Feedback 3%	Feedback 5%	Fiji BO	Fiji LF	Flagstone	Flecked	Gabardine	Gazebo	Hopewell	Kyoto	Landon	Landscape	Linen	Manhattan LF	Manhattan RD	Mountainside BO	Mountainside LF	Muse 1%	Muse 5%	Mystify	Ornamental	Plush	Revelation	Robin	Rustic	SafeElements	Santina

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

March 2023

Size Considerations

		Normal Fabri	Normal Fabric Orientation		Dual S	Dual Shades: Maximum Shade Size	imum Shade	e Size Fabric Turned Width for Height (Railroaded)	or Height (Railroaded)			
Valance Type	Continuous Loop No Cassette/ No Valance	p No Cassette/ lance	Continuous Loop Large Cassette	Large Cassette	Continuous Loop No Cassette/ No Valance	p No Cassette/ lance	Continuous Loop No Cassette/ No Valance at Max Width	p No Cassette/ rt Max Width	Continuous Loop Large Cassette	Large Cassette	Continuous Loop Large Cassette at Max Width	ge Cassette at Max
Fabric	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Shoreline	92	124	93	112	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sovereign	88	102	73	114	88	102	88	102	73	109	83	90
Springleaf	92	140	92	127	84	84	86	82	84	84	86	82
Steppe	74	89	75	62	74	68	9.1	54	75	62	92	48
Tahoe BO	99	84	28	74	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tahoe LF	74	88	63	26	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tuscan	9/	144	9/	144	98	89	101	99	98	89	101	99
Viva	94	121	98	107	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Wales	80	88	70	96	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Cordless Lift and Smart Pull Lift: Maximum Shade Size

- This table provides the maximum shade size available by fabric, control type, and valance style
- Fabric turned width for height (Railroaded) may curl along its edge; this is not a defect in the product
 - Scallops will decrease the maximum height by 6¾" on roller fabrics only

	0	Sordless	Lift and	Smart Pu	Cordless Lift and Smart Pull Lift: Maximum Shade Size	ximum Sl	hade Size	•
		Normal Fabri	Normal Fabric Orientation		Fabric	Turned Width f	Fabric Turned Width for Height (Railroaded)	aded)
Valance Type	Small C Vals	Small Cassette Valance	Medium Contour No Ca No V	Medium Cassette/ Contour Valance/ No Cassette/ No Valance	Small C Vale	Small Cassette Valance	Medium Cassette/ Contour Valance/ No Cassette/ No Valance	dium Cassette/ ntour Valance/ Vo Cassette/ No Valance
Fabric	Width	Height	Width	Height	Width	Height		Width
Acadia BO	78	51	78	120	NO RR	NO RR	NO RR	NO RR
Acadia LF	78	02	8/	120	NO RR	NO RR	NO RR	NO RR
Andes	78	107	8/	120	NO RR	NO RR	NO RR	NO RR
Ballad	78	02	78	120	NO RR	NO RR	NO RR	NO RR
Basics	70	120	0.2	120	78	19	82	61
Baybridge	78	38	82	110	NO RR	NO RR	NO RR	NO RR
Boyden	78	1.5	8/	120	NO RR	NO RR	NO RR	NO RR
Bristol	78	32	82	98	NO RR	NO RR	NO RR	NO RR
Candid (Snowfall, Smokey	9	ì	ř	,	0	0	0	0
Taupe, Speckled Black, Brown Influence)	»	4/	2	071	S XX	NO KK	NO KK	NO KK
Candid (Flecked White)	78	91	78	120	NO RR	NO RR	NO RR	NO RR
Candid (Toasted Sugar)	78	14	8/	120	NO RR	NO RR	NO RR	NO RR
Concrete Jungle	78	1.9	8/	120	NO RR	NO RR	NO RR	NO RR
Cora	78	85	8/	120	NO RR	NO RR	NO RR	NO RR
Creel	78	40	8/	115	NO RR	NO RR	NO RR	NO RR
Domain	78	02	8/	120	NO RR	NO RR	NO RR	NO RR
Dundee	78	26	8/	120	78	83	82	83
Dundee BO	78	28	78	120	NO RR	NO RR	NO RR	NO RR
EcoLiving	78	120	8/	120	NO RR	NO RR	NO RR	NO RR
EnviroStyle	78	120	78	120	NO RR	NO RR	NO RR	NO RR
Estevan	78	90	78	120	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.
*Smart pull lift not available

Cordless Lift and Smart Pull Lift: Maximum Shade Size

- This table provides the maximum shade size available by fabric, control type, and valance style
- Fabric turned width for height (Railroaded) may curl along its edge; this is not a defect in the product
 Scallops decrease the maximum height by 6¾" on roller fabrics only

	Ü	Cordless	ordless Lift and S	Smart Pu	Lift: Ma	Cordless Lift and Smart Pull Lift: Maximum Shade Size	hade Siz	e Baded)
Valance Type	Small C Vals	Small Cassette Valance	Medium C Contour No Car No Ve	Medium Cassette/ Contour Valance/ No Cassette/ No Valance	Small C	Small Cassette Valance	Medium (Contour No Ca	Medium Cassette/ Contour Valance/ No Cassette/ No Valance
Fabric	Width	Height	Width	Height	Width	Height		Width
Everly	78	90	78	120	NO RR	NO RR	NO RR	NO RR
Feedback 1%	78	29	78	120	78	29	78	115
Feedback 10%	78	80	78	120	78	80	78	107
Feedback 3%	78	73	78	120	78	73	78	115
Feedback 5%	78	73	78	120	78	73	82	115
Fiji BO	78	62	78	120	NO RR	NO RR	NO RR	NO RR
Fiji LF	78	06	78	120	NO RR	NO RR	NO RR	NO RR
Flagstone	78	85	78	120	78	85	78	106
Flecked	78	59	78	120	NO RR	NO RR	NO RR	NO RR
Gabardine	78	80	78	120	NO RR	NO RR	NO RR	NO RR
Gazebo	78	73	78	120	78	73	82	83
Hopewell	78	98	78	120	NO RR	NO RR	NO RR	NO RR
Kyoto	78	72	78	120	NO RR	NO RR	NO RR	NO RR
Landon	78	52	78	120	NO RR	NO RR	NO RR	NO RR
Landscape	78	120	78	120	NO RR	NO RR	NO RR	NO RR
Linen	72	51	72	120	NO RR	NO RR	NO RR	NO RR
Manhattan LF	78	113	78	120	78	110	78	110
Manhattan RD	78	98	78	120	78	98	78	108
Mountainside BO	78	100	78	120	NO RR	NO RR	NO RR	NO RR
Mountainside LF	78	113	78	120	78	83	78	83
Muse 1%	NA	NA	NA	WA	NA	NA	AN	NA
Muse 5%	78	90	78	120	78	20	82	107
Mystify	78	53	78	120	NO RR	NO RR	NO RR	NO RR
Ornamental	78	92	78	120	NO RR	NO RR	NO RR	NO RR
Plush	78	37	78	108	NO RR	NO RR	NO RR	NO RR
Revelation	78	73	78	120	NO RR	NO RR	NO RR	NO RR
Robin	78	119	78	120	NO RR	NO RR	NO RR	NO RR
Rustic	70	57	70	120	NO RR	NO RR	NO RR	NO RR
SafeElements	78	57	78	120	78	57	78	98
Santina	78	34	78	66	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

*Smart pull lift not available

Cordless Lift and Smart Pull Lift: Maximum Shade Size

- This table provides the maximum shade size available by fabric, control type, and valance style
- Fabric turned width for height (Railroaded) may curl along its edge; this is not a defect in Scallops decrease the maximum height by 61/4" on roller fabrics only the product


	J	Cordless Lift and Smart Pull Lift: Maximum Shade Size	Lift and S	Smart Pul	l Lift: Ma	ximum Sł	nade Size	4
		Normal Fabric Orientation	c Orientation		Fabric	Fabric Turned Width for Height (Railroaded)	or Height (Railro	aded)
Valance Type	Small C Vals	Small Cassette Valance	Medium Cassette/ Contour Valance/ No Cassette/ No Valance	Medium Cassette/ Contour Valance/ No Cassette/ No Valance	Small C Valis	Small Cassette Valance	Medium Cassette/ Contour Valance/ No Cassette/ No Valance	assette/ /alance/ ssette/ lance
Fabric	Width	Height	Width	Height	Width	Height		Width
Shoreline	78	100	78	120	NO RR	NO RR	NO RR	NO RR
Sovereign	78	81	78	120	78	8.1	78	108
Springleaf	78	113	78	120	78	83	78	83
Steppe	78	42	78	120	78	42	78	87
Tahoe BO	78	53	78	120	NO RR	NO RR	NO RR	NO RR
Tahoe LF	78	69	78	120	NO RR	NO RR	NO RR	NO RR
Tuscan	9/	120	9/	120	78	29	78	29
Viva	78	98	78	120	NO RR	NO RR	NO RR	NO RR
Wales	78	69	78	120	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.


^{*}Smart pull lift not available

Continuous-Loop Lift, Motorized Lift, and Dual Shade: Mounting Depth Illustrations


The following diagrams illustrate the mounting depth requirements for shades mounted inside window casements.




Small Cassette Valance 1% Minimum Inside Mount




Medium Cassette Valance 1¾" Minimum Inside Mount




Large/Dual Cassette Valance 1¾" Minimum Inside Mount




No Valance*
3/4" Minimum Inside/Side Mount




No Valance*
41/8" Minimum Inside/Top Mount




Contour Valance
3½" Minimum Inside Mount
(return can be trimmed)




Dual Shade—No Cassette Valance 2" Minimum Inside/Top Mount %" Minimum Inside/Side Mount



3" Fascia 2¾" Minimum Inside/Top Mount ¾" Minimum Inside/Side Mount




4" Fascia 3¾" Minimum Inside/Top Mount 1½" Minimum Inside/Side Mount




Flat Valance 2¹⁵/₁₆ Minimum Inside Mount (return can be trimmed)


Cordless Lift and Smart Pull Lift: Mounting Depth Illustrations




Small Cassette Valance 1½" Minimum Inside Mount




Medium Cassette Valance 1¾" Minimum Inside Mount



No Valance* 2" Minimum Inside Mount



Contour Valance 3½" Minimum Inside Mount (return can be trimmed)




Flat Valance 2¹⁵/₁₆ Minimum Inside Mount (return can be trimmed)


^{*}Largest possible measurement given will vary per fabric and window dimensions.

EasyTouch Cordless Lift and EasyTouch Dual Lift: Mounting Depth Illustrations


The following diagrams illustrate the mounting depth requirements for shades mounted inside window casements.




Small Cassette Valance
1%" Minimum Inside Mount




Medium Cassette Valance




Large Cassette Valance 1¾" Minimum Inside Mount




3" Fascia 2¾" Minimum Inside/Top Mount ¾" Minimum Inside/Side Mount



4" Fascia 3%" Minimum Inside/Top Mount 1½" Minimum Inside/Side Mount




Contour Valance 3½" Minimum Inside Mount (return can be trimmed)




No Valance*


%" Minimum Inside/Side Mount




1%" Decorative Bracket No Valance* Minimum Inside/Top Mount is equal to ½ the roll diameter, plus 1½"



Flat Valance 2¹⁵/₁₆ Minimum Inside Mount (return can be trimmed)



2" Bracket No Valance* 3/4" Minimum Inside/Side Mount



No Valance*
Minimum Inside/Top Mount is equal to ½ the roll diameter, plus 1½"

^{*}Largest possible measurement given will vary per fabric and window dimensions.

Shade Options (for surcharges and pricing refer to price charts)

The following is a list of options for roller and solar shades. Options available with select styles and colors. Limitations are based on shade width and height. See detailed descriptions on the following pages.

Control Type Options:

For surcharge, see price charts

- EasyTouch Cordless Lift
- EasyTouch Dual Lift
- Cordless lift
- Continuous-loop lift
- · Smart pull lift
- Motorized lift (see motorization price charts)


Shade Options - No Charge

- Chain color (Black, Brown, Gray, Stainless Steel, Vanilla, and White)
- Chain guide color (Black, Brown, Gray, Vanilla, and White)
- EasyTouch Dual Lift: Cord loop or bead chain
 - Cord loop colors (Bamboo, Coffee, Smokey Gray, Tender Taupe, Tuscany, White)
- Bay and corner windows
- Chain length (must specify different length)
- Chain location
- Fabric turned 90° (width for height)
- · Hold down brackets
- Projection brackets 31/4" and 4"
- Reverse roll
- · Returns for contour valance
- · Returns for flat valance
- Reverse fabric
- Cassette valance inserts (different than shade)
- · Cordless lift: cord tassels or clear hem grip

Shade Options—Surcharge

- 1½" decorative brackets with color coordinated components (brushed nickel, oil rubbed bronze, and brushed bronze)
- · Contour valance
- · Cassette valance
- Cut yardage
- Dual shade
- Fascia
- Flat valance
- Scallop and gimp (not available with all control types)
- Bead trim
- Wood cornice and valance (see cornice and valance price charts)

Reverse Roll



- No charge
- · Standard roll is where fabric rolls over the tube to the back
- · Reverse roll is where the fabric rolls over the tube to the front
- Reverse roll not available with cassette valance, fascia valance, flat valance or contour valance
- Roll direction cannot be changed after shade is manufactured

NOTE: For optimal privacy and light control, standard roll should be used.

Projection Brackets



- No charge
- Available with EasyTouch Dual lift, EasyTouch Cordless lift, continuous-loop lift, and motorized lift with cassette on outside mounts
- · Available with cordless lift and smart pull lift on outside mounts
- Two sizes: 31/4" and 4"

EasyTouch Cordless Lift





Inside Mount Light Gap (Refer to light gap chart.)

- · For surcharge, see price charts
- Proprietary lift system with precision placement raise and lower the shade by moving the hem bar exactly where you want it
- · Light and smooth lift for all shade sizes
- · Aesthetically beautiful mounting hardware that hides mechanicals
- Shade mounting is spring loaded on each end and will self-center between brackets when installed
- Pull force can be manually adjusted
- Decorative brackets with color coordinated components available (surcharge applies); available with fabric inserts
- A safer alternative for homes with children or pets
- Clear hem grip included
- Not available with scallop or sealed hem bar
- Optional contour valance, cassette valance with fabric insert, fascia, flat valance or wood cornice
- · Outside mount is recommended for maximum light control

EasyTouch Dual Lift





Inside Mount Light Gap (Refer to light gap chart.)

- For surcharge, see price charts
- Proprietary lift system with precision placement with two ways to operate the shade - raise and lower the shade by moving the hem bar exactly where you want it, or raise and lower using the cord.
- · Light and smooth lift for all shade sizes
- · Choice of bead chain or fabric cord
- One pull of the cord will raise the entire shade
- · Aesthetically beautiful mounting hardware that hides mechanicals
- · Self-centering for easy install
- Decorative brackets with color coordinated components available (surcharge applies); available with fabric inserts
- · Clear hem grip included
- Not available with scallop
- Bead chain length is approximately % of the length of shade; customer can request a longer chain length at time of order
- Bead chain remains at same length, regardless of shade position
- Color coordinated plastic bead chains are available (colors include: Black, Brown, Gray, Vanilla, and White)
- Color coordinated cords are available (colors include: Bamboo, Coffee, Smokey Gray, Tender Taupe, Tuscany, and White)
- Metal bead chains available (colors include: Brushed Nickel, Oil Rubbed Bronze, Brushed Bronze, and Stainless Steel)
- Safety cord guide provides the ability to keep the cord out of the reach of children and pets to enhance safety
- Choose left or right cord location
- Optional contour valance, cassette valance with fabric insert, fascia, flat valance or wood cornice
- Outside mount is recommended for maximum light control

NOTE: Cord guide must be installed to operate shade.

Cordless Lift





Inside Mount Light Gap (Refer to light gap chart.)

- For surcharge, see price charts
- Shade raises on it's own after you pull down slightly and release the handle.
 To lower, pull the handle down to your desired position.
- · Sleek look with no chains
- A safer alternative for homes with children or pets
- Shade raises and lowers smoothly and easily due to a unique dual speed braking system (shades less than 24" do not have a dual brake)
- Tension can be manually adjusted so shade always raises at desired speed
- Standard cord and tassels are color coordinated to fabric
- Optional wood tassels
- Optional clear hem grip (not available with scallop)
- Optional contour valance, cassette valance with fabric insert, flat valance, or wood cornice
- Outside mount is recommended for maximum light control
- Cordless lift is not available with Muse 1%

Continuous-Loop Lift





Inside Mount Light Gap (Refer to light gap chart.)

- No charge
- Spring idle end standard; stationary idle end available
- Beaded chain and clutch system makes raising and lowering shade easy
- Bead chain length is approximately % of the length of shade; customer can request a longer chain length at time of order
- Four clutch sizes depending on shade size
- Beaded chain remains at same length, regardless of shade position
- Color coordinated plastic bead chains and stainless steel bead chains are available (colors include: Black, Brown, Gray, Stainless Steel, Vanilla, and White)
- Safety chain guide provides the ability to keep the chain out of the reach of children and pets to enhance safety
 - **NOTE:** Chain guide must be installed to operate shade.
- Choose left or right chain location
- Optional contour valance, cassette valance with fabric insert, fascia, flat valance, or wood cornice
- · Outside mount is recommended for maximum light control

Smart Pull Lift






Inside Mount Light Gap Varies by Side (Refer to light gap chart.)

- · For surcharge, see price charts
- Patented smart pull lift
- Great for hard to reach areas (e.g., behind kitchen sink)
- To raise the shade, pull the cord gently
- To lower the shade, pull the cord with a small quick tug
- The shade lowers easily and automatically; to stop the shade while it is lowering, gently pull the cord again
- Cassette valances are available as an option
- Color coordinated pull cord and tassel
- · Optional wood tassels

 - Natural.....17
- Cord length is approximately 1/3 of the length of shade
- · Hold down brackets are available
- Outside mount is recommended for maximum light control
- Optional contour valance, cassette valance with fabric insert, flat valance or wood cornice
- Smart pull is not available with the following fabrics: Bristol, Muse, Plush, Santina, and Steppe

Motorized Lift



- See motorization product information guide for additional options, sizing, and pricing
- Allows for easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Motorized lift shades are cordless lift and are a safer choice for homes with children or pets
- Low-voltage motorization requires no costly electrical hard-wiring
- Available with multiple power source options and various control types
- Line voltage for light commercial application must be installed by a certified electrician
- Hold down brackets not available
- Available with standard or reverse roll; cassette and fascia valance only available with standard roll
- Optional contour valance, cassette valance with fabric insert, flat valance, or wood cornice
- Motor located on the left or right side; standard on the right

NOTE: Limited lifetime warranty—see motorization product information guide for motorization warranty details.



Dual Shades





Large Cassette Valance



Inside Mount Light Gap (Refer to light gap chart.)

For surcharge, see price charts

Dual shades create versatile light control and privacy levels for any interior. The dual shade design integrates any two fabrics from the solar and roller collections, which can be independently lowered or raised as needed.

Combine the sheer, light-filtering, room-darkening, or blackout fabrics of your choice. Raise or lower each shade independently depending on time of day or need for privacy. Add a roller shade fabric to complement the room décor.

- Features the same continuous-loop lift and motorized lift operation as our roller and solar shades
- Select fabrics available in sliding panels and vertical collections for whole-décor coordination

Recommendations

- Use the back shade or shade closest to the window for light regulation (recommended: solar, sheer, and blackout fabrics)
- For the front shade, select roller fabrics to match the room décor and maintain privacy
- · Outside mount is recommended for maximum light control
- Select scallops and trims for a finishing touch (roller fabrics only)
- All dual shades can be continuous-loop lift or low-voltage motorized lift
- Color coordinated bead chains and stainless bead chains are available; colors include: Black, Brown, and White
- Bead chain colors are selectable for front and back shade
- Dual shades can be configured with the large cassette valance, 7½" Noble and Regal wood cornices
- 5½" Noble and Regal wood cornices are available only when dual shade has no cassette with inside mount and cornices are outside mount
- Curved, classic, and symphony valances are not available
- EasyTouch Cordless lift, EasyTouch Dual lift, Cordless lift, and smart pull lift systems are not available
- Contour valance, flat valance and fascia are not available
- Hold down brackets are not recommended for dual shades
- · For motorized lift shades, the multi-channel remote control is recommended

Shade Configuration without Cassette Valance

- Front shade (closest to room) is always a reverse roll, providing a consistent, even look to the shade
- The back dual shade (shade closest to the window) can be a standard roll or reverse roll
- The front and back shade beaded chain can be positioned either left or right pull

Shade Configuration with Cassette Valance


- Because two shades must fit into a single cassette valance, the dual shade requires the large cassette valance; small and medium cassette valances are not available
- The fabric for the fabric-wrapped cassette valance is selectable, either front or back shade fabric
- Front and back shades are standard roll
- The front and back shade beaded chain can be positioned either left or right pull

		Standard Roll	Reverse Roll	Left Control	Right Control	Motorized Lift
No	Front shade		•	•	•	•
Cassette	Back shade	•	•	•	•	•
Large	Front shade	•		•	•	•
Cassette	Back shade	•	l	•	•	

To Price Your Order for Dual Shade

- 1. Select front shade control type (continuous-loop lift or motorized lift), size, color, and options.
- Select back shade control type (continuous-loop lift or motorized lift), size, color, and options.
- 3. Add the front shade with options and the back shade with options.
- 4. If desired, add large cassette.
- 5. Add the dual shade surcharge (see price charts for dual shades).


Contour Valance



- · For surcharge, see price charts
- A contoured PVC valance is available for most shades
- · Spline and returns are color coordinated
- Custom length returns are available from 2" to 51/4"
- The contour valance is not available with the dual shade or reverse roll
- Maximum width of the contour valance depends on the maximum width of the chosen fabric and if the fabric can be rotated
- A valance only option is available for EasyTouch Dual Lift, EasyTouch Cordless Lift; single valance is available up to 144" in width to cover multiple shades with a single valance
- Valance fabric is not oriented to the shade fabric (e.g., on a patterned fabric, the pattern of the shade fabric and that of the valance fabric will not necessarily align)
- Not available for railroading on contour valances: Tahoe BO, Tahoe LF, Kyoto, Fiji BO, Fiji LF, Andes, EcoLiving, Boyden, Candid, Robin, SafeElements, Cora, Baybridge, EnviroStyle, Acadia BO, Acadia LF, Flecked, Harbor, Wales, Santina, Plush, Cascade, Bristol, and Landscape

NOTE: Returns can be trimmed to desired length with scissors or a utility knife.

Cassette Valance



- · For surcharge, see price charts
- A curved, sleek, aluminum-extruded, fabric-covered valance is available as a surcharge option
- Valance fabric is not oriented to the shade fabric (e.g., on a patterned fabric, the pattern of the shade fabric and that of the valance fabric will **not** necessarily align)

NOTE: The curved cassette valance must be ordered at the same time as the shade.


Cassette Valance Availability

The cassette valance size is determined by multiple factors. Available cassette sizes by shade type are shown below.

	Small	Medium	Large
EasyTouch Cordless Lift	•	•	•
EasyTouch Dual Lift	•	•	•
Continuous-Loop Lift	•	•	•
Motorized Lift	•	•	•
Cordless Lift	•	•	
Smart Pull Lift	•	•	
Dual Shade			•

NOTE: Fabric for cassette valances is turned width for height. In cases of normal fabric orientation, the pattern on the cassette valance runs perpendicular to the pattern on the shade. If the shade is railroaded, the pattern is the same.

Fascia




- For surcharge, see price charts
- Aluminum-extruded fascia is available in 3" and 4"
- Notchless fascia available (not available with SL30 clutch)
- · Not available with smart pull lift, cordless lift, and dual shades
- Color coordinated end covers are provided for outside mount
- Projection brackets are not available

NOTE: Fascia must be ordered at the same time as the shade.

Fascia Colors

Black)
Bronze876	ì
Clear Anodized 875	5
Vanilla 970)
White 871	

Flat Valance




- Modern 5" high flat profile
- Custom length returns are available from 2"- 43/4"
- A Flat PVC fabric-wrapped valance is available for most shades
- Spline and returns are color coordinated
- The flat valance is not available with dual shade or reverse roll
- Maximum width of the flat valance depends on the maximum width of the chosen fabric and if the fabric can be rotated
- Valance fabric is not orientated to the shade fabric (e.g., on a patterened fabric, the pattern of the shade fabric and that of the valance fabric will not necessarily align)
- Not available for railroading on flat valances: Tahoe BO, Tahoe LF, Kyoto, Fiji BO, Fiji LF, Andes, EcoLiving, Boyden, Candid, Robin, SafeElements, Cora, Baybridge, EnviroStyle, Acadia BO, Acadia LF, Flecked, Harbor, Wales, Santina, Plush, Cascade, Bristol, and Landscape

NOTE: Returns can be trimmed to desired length with scissors or a utility knife.

Decorative Hardware


Decorative hardware is available for EasyTouch cordless lift or EasyTouch Dual lift shades ordered without a valance, using a 13/8" bracket




Roller Shades: Scallop Options




Cathedral



Colonial





- For surcharge, see price charts
- Not available with solar shades or sealed hem bar
- Not available with EasyTouch Cordless Lift, or EasyTouch Dual Lift
- The finished shade height is measured at the hem bar; scallops extend 5¾" past the hem bar
- Patterns are centered as pictured and repeat across the width of the shade

NOTE: Scallop is not available for the following fabrics: Boyden, Everly, Gaberdine, Hopewell

Scallop Style	Pattern Repeat (inches)
Cathedral	11¼
Classic	10
Colonial	18
Dentil	8
Provence	18



Cordless Lift Option with Tassels

Roller Shades: Gimp Option




- Surcharge included with scallop option
- You must choose a gimp when ordering a scallop or trim
- Cut yardage available
- Option applied to scallop

Gimp

Black 156	Rock Gray 399
Cream	Stucco963
Dark Beige350	Toffee296
Maize02	White 417



Roller Shades: Bead Trim Option



- For surcharge, see price charts
- Must order gimp, in addition to bead trim
- Bead trim not available on solar shade material or heat-sealed hem bar
- Cut yardage is available

1" Teardrop Bead Trim

Antique Rose206	Sand204
Bronze201	White 205
Light Gold 202	



1" Teardrop Bead Trim

Corner Windows





Illustration Shows Continuous-Loop Lift Shades


- No charge
- Made as individual shades
- Each shade has its own control; we recommend opposite corners
- Indicate for each shade whether left or right, and butt or bypass
- Bypass shade is mounted into the corner; butt shade is butted to the other shade
- Manufacturer takes appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions
- Valances create larger gap between shades
- · Not available with side channels



Measuring Information

Mounting on a Wall or Molding

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.




Mounting Above the Molding

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.


NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.

Bay Windows



- No charge
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a bay window shade if you do not want manufacturer to take deductions
- · Not available with side channels
- · Valances will create a larger gap between shades

Measuring Information: Three-Sided Bay Window



Measure:

L and R: Width of each side window from the corners

on the mounting surface to the point you

would like to cover.

C1: Width of the center window on the mounting


surface from corner to corner.

Angle L-C1: Angle C1-R: Projection:

Angle between the (L) and (C1) windows. Angle between the (C1) and (R) windows. If needed: The depth of the trim or molding the

shade will be mounted above.

Measuring Information: Four-Sided Bay Window



Measure:

L and R: Width of each side window from the corners

on the mounting surface to the point you

would like to cover.

C1, C2: Width of each center window on the mounting

surface from corner to corner.

Angle L-C1: Angle C1-C2:

Angle C2-R:

Projection (P):

Angle between the (L) and (C1) windows. Angle between the (C1) and (C2) windows. Angle between the (C2) and (R) windows.

If needed: The depth of the trim or molding the


shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated.

For additional windows on bays with up to five sides, continue with number progression for center shade sizes (C1, C2, C3...) and angles (angle C1-C2, angle C2-C3...) as needed.


Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, trace on paper, and fax to customer service.

The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).




NOTE: All cordless lift shades need to be used on windows where the consumer can comfortably raise and lower the shade with their hand and have easy access. Very high or hard-to-reach should use EasyTouch Dual lift, continuous-loop lift, smart pull lift or motorized lift shades, rather than cordless lift.

EasyTouch Dual Lift Shade Product Detail




Solar and Roller Shades Cordless Lift Shade Product Detail




NOTE: All cordless lift shades need to be used on windows where the consumer can comfortably raise and lower the shade with their hand and have easy access. Very high or hard-to-reach windows should use EasyTouch Dual Lift, continuous-loop lift, smart pull lift or motorized lift shades, rather than cordless lift.

Solar and Roller Shades Continuous-Loop Lift Shade Product Detail



Solar and Roller Shades Smart Pull Lift Shade Product Detail



Hold Down Bracket (optional)

- Secures shade to door, wall, or window sill
- Clear plastic

Solar and Roller Shades Dual Shade Product Detail

Dual Shade Shown with Cassette Valance

Cassette Valance Brackets

- Shade cannot be side mounted
- Brass-colored plated spring steel
- Hidden snap-in design
- · Facilitates easy installation and removal of shade

End Cover for Cassette Valance

- · Conceals and coordinates bracket hardware
- · Five colors: Black, Brown, Gray, Vanilla, and White
- · Color coordination is matched to front shade

Chain Guide

· To enhance safety in homes with children or pets, the chain guide must be installed for operation

Cassette Valance

- Fabric-wrapped cassette end caps match the shade fabric
- The fabric for the cassette is selectable
- · Large size available

Shade Fabric


- Roller and solar styles ranging from light- and dark-colored solids to beautiful jacquard weaves
- Solar fabric ranges from 1% to 18% openness

- Front of hem bar-fabric covered
- · Back of hem bar-color coordinated to shade fabric

Bead Chains

- Colors are selectable for front or back shade (Black, Brown, Stainless Steel and White)
- · Chains can be the same side or opposite sides of front and back shade

Dual Shade Shown without Cassette Valance



and back shade

Chain Guide

· To enhance safety in homes with children or pets, the chain guide must be installed for operation



Bali is a brand of Springs Window Fashions, the Best Experience Company Bali and the Bali logo are registered trademarks of Springs Window Fashions, LLC.

(03/23) 23-426900 45 | baliblinds.com