

SOLAR AND ROLLER SHADES

Table of Contents

Features	
Features and Benefits	2–3
Fabric Styles and Information: Roller Shade Fabrics	4
Light Control and Privacy: Roller Shade Fabrics	5
Solar and Roller Shades, Fabric Certifications	6
Fabric Styles and Information: Solar Shade Fabrics	7–8
Fabric Recommendations, Fabric Disclaimers, Fabric Width, Light Gap, Large Window Sizing Pattern Alignment, Cleaning and Care Information	9
Size Considerations	
Maximum Shade Size	10
Roller Shade EasyTouch Cordless Lift: Maximum Shade Size	11–14
Solar Shade EasyTouch Cordless Lift: Maximum Shade Size	15–16
Enclosed Loop Lift or Continuous Loop Lift: Maximum Shade Size	17–19
Dual Shades or Enclosed Loop Dual Shades: Maximum Shade Size	20–23
Cordless Lift: Maximum Shade Size	24–26
Enclosed Loop, Continuous Loop, Motorized Lift, Dual Shade, and Enclosed Loop Dual Shade: Mounting Depth Illustrations	27
EasyTouch Cordless Lift: Mounting Depth Illustrations	28
Cordless Lift: Mounting Depth Illustrations, Shade Options, Reverse Roll, Projection Brackets	29
EasyTouch Cordless Lift, Cordless Lift	30
Enclosed Loop Lift (Canada ONLY), Continuous Loop Lift (U.S. ONLY)	31
Motorized Lift	32
Dual Shades (U.S. ONLY) or Enclosed Loop Dual Shades (Canada ONLY)	33
Options	
Square Fabric Wrapped Cassette Valance, Round Fabric Wrapped Cassette Valance, Contour Valance	34
Flat Valance	35
Corner Windows	36
Bay Windows	37
General Information	
EasyTouch Cordless Lift Shade Product Detail	38
Cordless Lift Shade Product Detail	39
Continuous Loop Lift Shade Product Detail (U.S. ONLY)	40
Enclosed Loop Dual Shade Product Detail (Canada ONLY)	41
Dual Shade Product Detail (U.S. ONLY)	42

PLEASE NOTE:

Photos and illustrations are for inspiration only.
Not all product configurations are available in all countries.

Window blinds with a damaged or loose tension device or retractable cord that fails to fully retract pose a strangulation risk to children. To avoid this potential strangulation risk, consider purchasing cordless products or products with inaccessible cords.



MARCH 2026

(03/26) 26-772600

Features

Summary

Bali® Roller and Solar Shades offer a great selection of light and temperature controlling shades.

Roller Shades

- Wide variety of colors
- Wide variety of textures and designs
- Improved temperature control

Solar Shades

- 1% to 10% openness
- Excellent outward visibility
- Glare control

Features	Benefits
EasyTouch Cordless Lift	<ul style="list-style-type: none"> • Precision placement — lower and raise the shade by moving the hem bar exactly where you want it. Ideal system for aligning shade height for multiple shades on the same wall • Light and smooth lift for all shade sizes • Aesthetically beautiful mounting hardware that hides mechanics • Shade is spring-loaded on each end and will self-center between brackets when installed • Streamlined appearance with no chains; ideal for homes with children or pets • Optional fabric wrapped square cassette valance or round cassette valance, contour valance, flat valance or wooden cornice
Continuous Loop Lift (U.S. ONLY)	<ul style="list-style-type: none"> • Spring-loaded idle for easy install • Beaded chain and clutch system make raising and lowering shade easy • Four clutch sizes depending on shade size • Beaded chain remains at same length, regardless of shade position • Choose from five colors for the plastic chain or stainless steel chain • Hold down device keeps chain taut for enhanced safety • Choose left or right chain location • Optional fabric wrapped square cassette valance or round cassette valance, contour valance, flat valance or wooden cornice
Enclosed Loop Lift (Canada ONLY)	<ul style="list-style-type: none"> • Spring-loaded idle for easy install • Enclosed Loop Lift features a cord cover and sliding handle to operate the chain loop easily and safely • Four clutch sizes depending on shade size • Beaded chain remains at same length, regardless of shade position • Choose left or right chain location • Optional fabric wrapped square cassette valance or round cassette valance, contour valance, flat valance or wooden cornice
Cordless Lift	<ul style="list-style-type: none"> • Streamlined appearance with no chains; ideal for homes with children or pets • Shade raises and lowers smoothly and easily due to a unique dual braking system • Tension can be manually adjusted so shade always raises at desired speed • Optional clear hem grip available • Optional contour valance, cassette valance, flat valance or wood cornice
Motorized Lift	<ul style="list-style-type: none"> • Window treatments can be operated from virtually anywhere in the home • Provides easy operation of hard-to-reach or larger windows • Operate multiple window treatments simultaneously or individually
Dual Shade (U.S. ONLY) OR Enclosed Loop Dual Shade (Canada ONLY)	<ul style="list-style-type: none"> • Two shades are combined onto one bracket for complete privacy and light control • Each shade may be configured with roller and/or solar fabrics • Maximizes view to the outside with solar or sheer fabrics • Maximizes privacy with roller fabrics • Improves energy efficiency • Optional large square or round fabric wrapped cassette

Features

Summary

Bali® Roller and Solar Shades offer a great selection of light and temperature controlling shades.

Roller Shades

- Wide variety of colors
- Wide variety of textures
- Improved temperature control

Solar Shades

- 1% to 10% openness
- Excellent outward visibility
- Glare control

Features	Benefits
Options	<ul style="list-style-type: none"> • Each operating system offers multiple valance and cornice options (surcharge applies) • Turning fabric width for height accommodates larger windows; available in select fabrics • Reverse roll: fabric rolls over the front of tube; standard: material rolls over the back • Hem bar: fabric-wrapped • Projection brackets for cordless lift (no charge) • Hold down brackets (no charge) • Bay or corner shade • Motorized lift
Total Room Coordination	<ul style="list-style-type: none"> • Total room fabric coordination of many fabrics for roller, solar, sliding panels, verticals, and pleated shades • Coordinate a room by using a single fabric for a mixture of window types and sliding doors
Warranty	<ul style="list-style-type: none"> • Limited lifetime warranty; five-year warranty on motorization components

Features

Roller Shade Fabrics

- Offer a solution for light control (sheer to blackout fabrics)
- Any room or decorating style
- Block damaging UV rays
- Coordinate with other product lines (vertical blinds, pleated shades, and sliding panels)

Fabric Styles and Information: Roller Shade Fabrics

Style Name	Opacity Level	Fabric Composition	Fabric Width (inches)	Oeko-Tex® Certified	Can be Turned Width for Height	Color to Street Side	Color Number
Acadia BO	Blackout	100% Polyester	115			White	All colors
Acadia LF	Light Filtering	100% Polyester	115			Same front and back	All colors
Andes	Light Filtering	100% Polyester	101½	•		Same front and back	All colors
Basics	Blackout	25% Fiberglass/75% PVC	69⅞		•	Varies by colorway	All colors
Boyden	Blackout	100% Polyester	118	•		White	All colors
Candid	Light Filtering	100% Polyester	95⅞	•		Same front and back	All colors
Cascade	Light Filtering	100% Polyester	108	•		Same front and back	All colors
Domain	Light Filtering	100% Polyester	106	•		Same front and back	All colors
Dundee LF	Light Filtering	100% Polyester	92	•	•	Same front and back	All colors
Estevan	Light Filtering	100% Polyester	107½	•		Same front and back	All colors
Everly	Sheer	100% Polyester	114¾	•		Same front and back	All colors
Explorer	Light Filtering	100% Polyester	106	•		Same front and back	All colors
Fiji BO	Blackout	100% Polyester	108	•		Varies by colorway	All colors
Fiji LF	Light Filtering	100% Polyester	108	•		Same front and back	All colors
Flagstone	Blackout	100% Polyester	117	•	•	White	All colors
Gabardine	Light Filtering	3.1% Flax/4.3% Cotton/ 92.6% Polyester	106	•		Same front and back	All colors
Garden Path	Light Filtering	100% Polyester	107⅞	•		Same front and back	All colors
Harbor	Light Filtering	100% Polyester	71½	•		Same front and back	All colors
Hopewell	Light Filtering	100% Polyester	92½	•		White	All colors
Kyoto	Blackout	20% Cotton/80% Polyester	77¼			White	All colors
Linen (Achroite; Faded Taupe; Sandy Loam)	Light Filtering	100% Polyester	72	•		Same front and back	26006, 26007, 26008
Linen (Natural)	Light Filtering	4.8% Flax/6.7% Cotton/88.5% Polyester	72	•		Same front and back	26001
Mountainside BO	Blackout	100% Polyester	92	•		White	All colors
Mountainside LF	Light Filtering	100% Polyester	92	•		Same front and back	All colors
Navigator BO (Candelabra; Ivory Cream; Barnhouse Beige; Denim Jacket; Discord; Black Ink)	Blackout	100% Polyester	114⅞	•	•	White	72921, 72922, 72923, 72924, 72925, 72926
Navigator BO (Midnight Plum; Cool Honeydew)	Blackout	100% Polyester	75⅞	•	•	White	72927, 72928
Navigator LF (Candelabra; Ivory Cream; Barnhouse Beige; Denim Jacket; Discord; Black Ink)	Light Filtering	100% Polyester	114⅞	•	•	Same front and back	72911, 72912, 72913, 72914, 72915, 72916
Navigator LF (Midnight Plum; Cool Honeydew)	Light Filtering	100% Polyester	75⅞	•	•	Same front and back	72917, 72918
Ornamental BO	Blackout	100% Polyester	106	•		White	All colors
Ornamental LF	Light Filtering	100% Polyester	108	•		Same front and back	All colors
Rustic	Blackout	100% Polyester	69½	•		White	All colors
Sovereign	Blackout	100% Polyester	120	•	•	White	All colors
Tahoe BO	Blackout	18% Cotton/82% Polyester	115			White	All colors
Tahoe LF	Light Filtering	18% Cotton/82% Polyester	115			Same front and back	All colors
Viva	Sheer	100% Polyester	106	•		Same front and back	All colors

Basics material is FR Rated.

Features

Light Control and Privacy: Roller Shade Fabrics

Sheer*: Allows the most amount of light into the room for a minimum amount of privacy and a view to the outside. Objects in the room can be seen quite clearly through shades.

Privacy Level: Minimal

Light Filtering*: Allows light to gently filter through and provides privacy. Images and shapes may be seen through these shades, but details are not visible. Deep fabric colors provide moderate light control, while light colors provide lower light control.

Privacy Level: Moderate

Room Darkening*: Allows some light to filter into the room and provides privacy. Objects in a lit room seen through these shades appear as vague shapes. Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Privacy Level: Complete

*These fabrics are translucent and their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully lowered.

NOTE: Select roller weaves may have “pinpricks” of light showing through.

Blackout: Prohibits light from shining through and provides maximum privacy. Prevents shadows and silhouettes from showing through the fabric. All fabric colors provide maximum light control.

Privacy Level: Complete

Light Gaps: For optimal light and glare control, outside mount is recommended, or you may add a secondary soft window treatment (drapery or curtain) to hide the light gap on an inside mount. (Refer to light gap chart in this section.)

Privacy Level: Moderate

Features

Solar and Roller Shades

Maintain an Outward View

- Filter and diffuse light while maintaining an outward view
- In general, the higher the openness factor and darker the fabric, the clearer the view

Manage Glare

- Minimize glare on televisions and home office computers
- The darker the fabric color, the better the glare control and the better the view to the outside

Block Damaging UV Rays

- The amount of UV ray blockage is the inverse of a fabric's openness factor (e.g., a fabric with 10% openness blocks 90% of UV rays)
- Protect your furniture, carpets, artwork, etc., from fading due to harmful UV rays


Reduce the Temperature

- Fabrics reduce heat transmittance, keeping rooms cooler and increasing the comfort level in the home
- The lighter the fabric color, the better the temperature control

NOTE: Solar shades do not offer nighttime privacy; lighted interiors allow inward visibility. If complete privacy is desired, a dual shade or secondary treatment is necessary.

Solar Optical Properties

When solar radiation reaches the shading fabric it is either reflected, absorbed, or transmitted. The sum of these values equals 100% of the solar energy hitting the fabric.



Fabric Certifications

GREENGUARD Indoor Air Quality Certified®

Fabrics: Many Bali® fabrics have been certified by GREENGUARD Environmental Institute (GEI) to be low chemical- and particle-emitting fabrics, which provides a healthier indoor air quality. The process used for certification complies with established indoor air quality standards and is performed by a third party lab. Please see baliblinds.com for more information.



Cradle to Cradle Certified Design: Cradle to Cradle certification aims to transform all industries through ecologically intelligent design. That means the certified textiles are globally recognized to be safer and more sustainable.

Oeko-Tex® Standard 100 certifies that our fabrics are free of halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, and heavy metals, and meets all VOC content limits.



GREENGUARD Indoor Air Quality Certified is a registered trademark of the GREENGUARD Environmental Institute.

Oeko-Tex is a registered trademark of the Oeko-Tex Association.

Features

Fabric Styles and Information: Solar Shade Fabrics

Style Name	Openness	UV Blockage	Fabric Composition	Fabric Width (inches)	GREENGUARD® Certified	Anti-microbial	Anti-fungal	FR Rated	Can be Turned Width for Height	Color Number
Baybridge	9%	91%	17% Polyester/ 20% PP/ 63% PVC	96	●					All colors
EcoLiving*	5%	95%	100% PET recycled polyester	99½	●			●		All colors
EnviroStyle*	3%	97%	100% PET recycled polyester	103½	●			●		All colors
Feedback 1%	1%	99%	21% Polyester/ 79% Vinyl on Polyester	124	●	●	●	●	●	47907, 47908, 47914
			24% Polyester/ 76% Vinyl on Polyester							47901, 47906, 47911
			25% Polyester/ 75% Vinyl on Polyester							47902, 47910
Feedback 3%	3%	97%	18% Polyester/ 82% Vinyl on Polyester	124	●	●	●	●	●	48202
			21% Polyester/ 79% Vinyl on Polyester							48208
			24% Polyester/ 76% Vinyl on Polyester							48201, 48206
Feedback 5%	5%	95%	16% Polyester/ 84% Vinyl on Polyester	124	●	●	●	●	●	48302, 48310
			21% Polyester/ 79% Vinyl on Polyester							48307, 48308, 48314
			24% Polyester/ 76% Vinyl on Polyester							48301, 48306, 48311
Feedback 10%	10%	90%	16% Polyester/ 84% Vinyl on Polyester	116	●	●	●	●	●	48402
			21% Polyester/ 79% Vinyl on Polyester							48408
			24% Polyester/ 76% Vinyl on Polyester							48401, 48406
Landon	8%	92%	16% Polyester/ 84% PVC	96	●	●	●	●		All colors

Features

Fabric Styles and Information: Solar Shade Fabrics

Style Name	Openness	UV Blockage	Fabric Composition	Fabric Width (inches)	GREENGUARD® Certified	Anti-microbial	Anti-fungal	FR Rated	Can be Turned Width for Height	Color Number
Muse 1%	1%	99%	19% Polyester/ 81% Vinyl on Polyester 25% Polyester/ 75% Vinyl on Polyester	116	•	•	•	•	•	47601, 47612 47610, 47604, 47609, 47607
Muse 5%	5%	95%	13% Polyester/ 87% Vinyl on Polyester 25% Polyester/ 75% Vinyl on Polyester	116	•	•	•	•	•	47801, 47812 47810, 47804, 47809, 47807
Mystify	5%	95%	30% Polyester/ 70% Vinyl on Polyester	96	•	•	•	•		All colors
SafeElements*	2%	98%	20% Polyester/ 80% PVC	95 $\frac{1}{8}$	•	•	•	•	•	All colors
Santina*	5%	95%	28% Polyester/ 72% PVC	96 $\frac{3}{8}$	•	•		•		All colors
Viewpoint	4%	96%	65% PVC/35% Polyester	116	•				•	All colors

Features

Fabric Recommendations

Order all shades for the same room at the same time to ensure color consistency and minimize dye lot variation.

When displaying multiple shades in the same room, we recommend all shades be ordered with the same fabric orientation for a consistent look.

Fabric Disclaimers

Due to the nature of the weaving process, some imperfections in the weave are normal.

NOTE: Select roller weaves may have “pinpricks” of light showing through.

Roll direction cannot be reversed after a shade is ordered.

Fabric appearance can vary based on changing light conditions in the room.

Fabric Width

The fabric width is narrower than the finished shade width of the tube and its components.

Light Gap

Control Type	Light Gap per Side (inches)
EasyTouch Cordless Lift	$\frac{3}{8}$
EasyTouch Cordless Lift with Cassette	$\frac{1}{2}$
EasyTouch Cordless Lift with Contour Valance	$\frac{3}{8}$
Easy Touch Cordless Lift with Flat Valance	$\frac{3}{8}$
Enclosed Loop or Continuous Loop Lift	$\frac{9}{16}$ to $\frac{7}{8}$
Enclosed Loop or Continuous Loop Lift with Cassette	$\frac{9}{16}$ to $1\frac{1}{16}$
Enclosed Loop or Continuous Loop Lift with Contour Valance	$\frac{9}{16}$ to $\frac{7}{8}$
Enclosed Loop or Continuous Loop Lift with Flat Valance	$\frac{9}{16}$ to $\frac{7}{8}$
Dual Shade or Enclosed Loop Dual Shade	$\frac{9}{16}$ to $1\frac{1}{16}$
Dual Shade or Enclosed Loop Dual Shade with Cassette	$\frac{9}{16}$ to $\frac{7}{8}$
Cordless Lift	$\frac{3}{8}$ to $\frac{3}{4}$
Cordless Lift with Cassette	$\frac{7}{16}$ to $1\frac{3}{16}$
Cordless Lift with Contour Valance	$\frac{3}{8}$ to $\frac{3}{4}$
Cordless Lift with Flat Valance	$\frac{3}{8}$ to $\frac{3}{4}$

Large Window Sizing

Fabrics can be turned 90° clockwise (width for height) to accommodate wider windows. Fabrics turned width for height (referred to as railroading) may curl along the edge. Springs Window Fashions performs extensive testing to ensure our customers receive high quality shades. On extremely wide shades, a slight V shape may appear in the center of the shade. This occurs due to the weight of the fabric and should be considered a normal characteristic.

Pattern Alignment

Exact alignment of the fabric pattern across side-by-side shades is not possible. Vertical alignment of the shade fabric with cassettes is not possible. Fabrics with large repeat patterns are not centered on the shade.

Cleaning and Care Information

Roller shade fabrics are virtually maintenance free. If the shade is dusty, simply vacuum over it using an upholstery attachment. A dusting cloth can also be used to gently remove dust. Shades may also be gently wiped with a clean damp cloth. Allow the shade to dry completely before raising. Do **NOT** completely immerse.



Solar shade fabrics are virtually maintenance free. Only periodic vacuuming and an occasional cleaning using a mild detergent, soft brushing, and thorough rinsing is required. Allow the shade to dry completely before raising. Do **NOT** completely immerse.

Size Considerations

Maximum Shade Size

Cordless Lift Shade Maximum Size

If Shade Width Is at Least (inches)	Maximum Height of Shade (inches)
13 but less than or equal to 19	60
19½ but less than or equal to 24	78
24½ but less than or equal to 31	98
For shades greater than 31", see size considerations charts	



Follow these easy steps to determine maximum shade size and valance size from the maximum shade size tables:

1. Determine your fabric style shade type, control types and square or round cassette valance (or no cassette valance) requirement.
2. Find the fabric in the first column.
3. Follow the fabric row to the appropriate control type section (EasyTouch Lift, Enclosed Loop Lift, Continuous Loop Lift, Dual Shade, Enclosed Loop Dual Shade, Motorized Lift, or Cordless Lift).
4. Determine if your shade size is within the normal fabric orientation size range.
5. Identify the appropriate size valance for your shade size.
6. If your shade size is larger than either the maximum width or height range, your fabric may be able to be turned width for height for larger shades. Use the fabric turned width for height tables to determine this maximum size.

EXAMPLE 1: Determine the maximum allowable shade size and cassette valance for normal orientation shades. The example shade is 72" x 100", Fiji BO fabric, cordless lift, with cassette valance.

1. Go to the cordless lift section.
2. Find Fiji BO in the first column.
3. The maximum width and maximum height available for this configuration is 78" x 120".

NOTE: Both width and height must be less than the maximum width and height segment to fit the normal shade orientation.

4. Follow this segment to the top of the table. This segment is within the medium cassette valance size, indicating that the smallest segment cassette valance size available for this shade is a medium size cassette valance.

EXAMPLE 2: Determine the maximum allowable shade size and cassette valance for an Enclosed Loop shade. The example shade is 79" x 80", Cascade fabric, Enclosed Loop with a large cassette valance. First, determine if the shade size is available with the requested fabric and control type.

1. Go to the Enclosed Loop section.
2. Find Cascade in the first column.
3. The maximum width and maximum height available for this configuration is 108" x 144". The 79" x 80" size does not exceed the Enclosed Loop segment.
4. The 79" x 80" size does not exceed either the medium or large cassette segments.

Dual Shades or Enclosed Loop Dual Shades

The maximum size for dual shades is found using the dual shade column. Because two shades must fit into a single cassette valance, the dual shade requires the large cassette valance. Small and medium cassette valances are not available for dual shades.

Recommendation: For a consistent look in a single room, we recommend the same size cassette valance be used for every shade. Use the largest shade to determine the smallest available cassette valance size for that room. For example, if the largest shade in the room requires a medium cassette valance, then it is recommended all shades in the room use a medium cassette valance. The cassette valance size can be specified during ordering.

EasyTouch Cordless Lift Size Considerations

- In an effort to maximize product offerings, the following tables provide the maximum shade size available for each fabric and valance combination as determined by the fabric width
- Valance types available for EasyTouch Cordless Lift are shown in the chart key at the bottom of each page in this section
- Some fabrics may be turned width for height (railroaded) to accommodate wide windows—See table for availability
- Shades ordered greater than a 1:6 ratio (W:H) risk telescoping

Minimum Shade Width: Varies by fabric

Minimum Shade Height: 13"

Roller Shade EasyTouch Cordless Lift: Maximum Shade Size

Acadia BO						
Options		Width (inches) Standard Orientation				
<input type="checkbox"/> S*		13 -	26 -	45 -	66 -	82 -
<input type="checkbox"/> RR**		25.875	44.875	65.875	81.875	103.875
Height (inches)	A	32	88	98	99	28
	B	27	27	27	27	27
	C	32	87	87	87	28
	D	32	88	98	99	28
	E	32	59	59	59	28

Acadia LF											
Options		Width (inches) Standard Orientation									
<input type="checkbox"/> S*		14 -	20 -	23 -	29 -	34 -	49 -	53 -	62 -	76 -	84 -
<input type="checkbox"/> RR**		19.875	22.875	28.875	33.875	48.875	52.875	61.875	75.875	83.875	108.875
Height (inches)	A	46	115	132	109	132	120	101	106	94	32
	B	39	39	39	39	39	39	39	39	39	32
	C	46	115	117	109	117	117	101	106	94	32
	D	46	115	132	109	132	120	101	106	94	32
	E	46	81	81	81	81	81	81	81	81	32

Andes											
Options		Width (inches) Standard Orientation									
<input type="checkbox"/> S*		14 -	20 -	23 -	30 -	37 -	38 -	51 -	71 -	80 -	95 -
<input type="checkbox"/> RR**		19.875	22.875	29.875	36.875	37.875	50.875	70.875	79.875	94.875	101.5
Height (inches)	A	52	131	144	125	109	143	122	106	132	120
	B	52	60	60	60	60	60	60	60	60	60
	C	52	131	144	125	109	143	122	106	132	120
	D	52	131	144	125	109	143	122	106	132	120
	E	52	117	117	117	109	117	117	106	117	117

Basics															
Options		Width (inches) Standard Orientation							Width (inches) Railroaded						
<input type="checkbox"/> S*		13 -	19 -	28 -	37 -	46 -	61 -	68 -	70 -	74 -	81 -	91 -	106 -	110 -	119 -
<input checked="" type="checkbox"/> RR**		18.875	27.875	36.875	45.875	60.875	67.875	69.875	73.875	80.875	90.875	105.875	109.875	118.875	125.875
Height (inches)	A	31	73	91	75	98	97	85	55	55	55	55	55	49	27
	B	31	73	76	75	76	76	76	55	55	55	55	55	49	27
	C	31	73	91	75	98	97	85	55	55	55	55	55	49	27
	D	31	73	91	75	98	97	85	55	55	55	55	55	49	27
	E	31	73	91	75	98	97	85	55	55	55	55	55	49	27

Boyden														
Options		Width (inches) Standard Orientation												
<input type="checkbox"/> S*		13 -	18 -	21 -	27 -	37 -	48 -	58 -	72 -	80 -	85 -	97 -	109 -	113 -
<input type="checkbox"/> RR**		17.875	20.875	26.875	36.875	47.875	57.875	71.875	79.875	84.875	96.875	108.875	112.875	117.25
Height (inches)	A	35	108	81	107	94	124	101	117	107	89	76	76	58
	B	27	27	27	27	27	27	27	27	27	27	27	27	27
	C	35	87	81	87	87	87	87	87	87	87	76	76	58
	D	35	108	81	107	94	124	101	117	107	89	76	76	58
	E	35	59	59	59	59	59	59	59	59	59	59	59	58

Candid										
Options		Width (inches) Standard Orientation								
<input type="checkbox"/> S*		13 -	19 -	26 -	30 -	40 -	55 -	66 -	79 -	91 -
<input type="checkbox"/> RR**		18.875	25.875	29.875	39.875	54.875	65.875	78.875	90.875	95.5
Height (inches)	A	42	108	99	127	106	134	119	103	119
	B	41	41	41	41	41	41	41	41	41
	C	41	108	99	117	106	117	117	103	117
	D	42	108	99	127	106	134	119	103	119
	E	42	81	81	81	81	81	81	81	81

Cascade							
Options		Width (inches) Standard Orientation					
<input type="checkbox"/> S*		14 -	20 -	31 -	38 -	60 -	84 -
<input type="checkbox"/> RR**		19.875	30.875	37.875	59.875	83.875	107.5
Height (inches)	A	54	137	114	124	111	114
	B	44	44	44	44	44	44
	C	44	127	114	124	111	114
	D	54	137	114	124	111	114
	E	54	88	88	88	88	88

Chart Key	
A	No Valance / 2" Brackets
B	Small Square/Round Cassette
C	Medium Square/Round Cassette
D	Large Square/Round Cassette
E	Contour / Flat

*S-Seaming **RR-Railroading

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

EasyTouch Cordless Lift Size Considerations

Roller Shade EasyTouch Cordless Lift: Maximum Shade Size

Domain					
Options		Width (inches) Standard Orientation			
<input type="checkbox"/> S*		13 - 15.875	16 - 67.875	68 - 98.875	98 - 106
<input type="checkbox"/> RR**					
Height (inches)	A	72	144	140	108
	B	39	39	39	39
	C	72	119	119	108
	D	72	144	140	108
	E	72	81	81	81

Dundee LF							
Options		Width (inches) Standard Orientation			Width (in) RR		
<input type="checkbox"/> S*		13 - 17.875	18 - 83.875	84 - 92.375	92.5 - 121.875	122 - 127.875	128 - 133.875
<input checked="" type="checkbox"/> RR**							
Height (inches)	A	80	144	77	77	72	48
	B	56	56	56	56	56	48
	C	80	144	77	77	72	48
	D	80	144	77	77	72	48
	E	80	100	77	77	72	48

Chart Key	
A	No Valance / 2" Brackets
B	Small Square/Round Cassette
C	Medium Square/Round Cassette
D	Large Square/Round Cassette
E	Contour / Flat

*S-Seaming **RR-Railroading

Estevan (Garden)											
Options		Width (inches) Standard Orientation									
<input type="checkbox"/> S*		14 - 19.875	20 - 27.875	28 - 32.875	33 - 45.875	46 - 62.875	63 - 71.875	72 - 84.875	85 - 96.875	97 - 103.875	104 - 107.5
<input type="checkbox"/> RR**											
Height (inches)	A	50	133	116	141	123	109	130	123	115	101
	B	50	51	51	51	51	51	51	51	51	51
	C	50	133	116	141	123	109	130	123	115	101
	D	50	133	116	141	123	109	130	123	115	101
	E	50	100	100	100	100	100	100	100	100	100

Estevan (Faded Wood; Fossil Stone; Subdued White; Strong Chocolate)				
Options		Width (inches) Standard Orientation		
<input type="checkbox"/> S*		12 - 17.875	18 - 101.875	102 - 105
<input type="checkbox"/> RR**				
Height (inches)	A	24	144	104
	B	24	66	66
	C	24	144	104
	D	24	144	104
	E	24	129	104

Explorer			
Options		Width (inches) Standard Orientation	
<input type="checkbox"/> S*		14 - 19.875	20 - 105
<input type="checkbox"/> RR**			
Height (inches)	A	76	144
	B	74	74
	C	76	144
	D	76	144
	E	76	143

Everly						
Options		Width (in) Standard Orientation				
<input type="checkbox"/> S*		14 - 20.875	21 - 40.875	41 - 66.875	67 - 92.875	93 - 114.875
<input type="checkbox"/> RR**						
Height (inches)	A	64	133	139	119	99
	B	52	52	52	52	52
	C	64	133	139	119	99
	D	64	133	139	119	99
	E	64	103	103	103	99

Fiji LF										
Options		Width (inches) Standard Orientation								
<input type="checkbox"/> S*		14 - 20.875	21 - 32.875	33 - 37.875	38 - 55.875	56 - 62.875	63 - 71.875	72 - 76.875	77 - 89.875	90 - 108.25
<input type="checkbox"/> RR**										
Height (inches)	A	58	144	122	143	125	134	124	110	125
	B	47	47	47	47	47	47	47	47	47
	C	47	133	122	133	125	133	124	110	125
	D	58	144	122	143	125	134	124	110	125
	E	58	92	92	92	92	92	92	92	92

Fiji BO											
Options		Width (inches) Standard Orientation									
<input type="checkbox"/> S*		13 - 17.875	18 - 22.875	23 - 26.875	27 - 34.875	35 - 42.875	43 - 47.875	48 - 60.875	61 - 70.875	71 - 83.875	84 - 108.25
<input type="checkbox"/> RR**											
Height (inches)	A	35	98	81	114	92	107	121	104	111	86
	B	34	34	34	34	34	34	34	34	34	34
	C	35	98	81	105	92	105	105	104	105	86
	D	35	98	81	114	92	107	121	104	111	86
	E	35	71	71	71	71	71	71	71	71	71
	F										

Flagstone											
Options		Width (inches) Standard Orientation						Width (in) RR			
<input type="checkbox"/> S*		13 - 13.875	14 - 23.875	24 - 85.875	86 - 103.875	104 - 109.875	110 - 117.875	118 - 123.875			
<input type="checkbox"/> RR**											
Height (inches)	A	44	100	108	76	68	48	32			
	B	44	48	48	48	48	48	48			
	C	44	100	108	76	68	48	32			
	D	44	100	108	76	68	48	32			
	E	44	98	98	76	68	48	32			

Gabardine (Bare Dirt; Bayou Shore; Curry Cookie)						
Options		Width (inches) Standard Orientation				
<input type="checkbox"/> S*		12 - 17.875	18 - 67.875	68 - 73.875	74 - 99.875	100 - 105
<input type="checkbox"/> RR**						
Height (inches)	A	68	144	132	144	104
	B	52	52	52	52	52
	C	68	144	132	144	104
	D	68	144	132	144	104
	E	68	104	104	104	104

Gabardine (Classic Khaki)										
Options		Width (inches) Standard Orientation								
<input type="checkbox"/> S*		14 - 19.875	20 - 27.875	28 - 32.875	33 - 46.875	47 - 62.875	63 - 74.875	75 - 90.875	91 - 100 - 106	
<input type="checkbox"/> RR**										
Height (inches)	A	52	136	119	144	126	110	129	121	114
	B	46	46	46	46	46	46	46	46	46
	C	52	136	119	137	126	110	129	121	114
	D	52	136	119	144	126	110	129	121	114
	E	52	92	92	92	92	92	92	92	92

Garden Path							
Options		Width (inches) Standard Orientation					
<input checked="" type="checkbox"/> S*		12 - 15.875	16 - 23.875	24 - 57.875	58 - 87.875	88 - 97.875	98 - 106
<input type="checkbox"/> RR**							
Height (inches)	A	44	116	128	100	84	72
	B	21	21	21	21	21	21
	C	44	73	73	73	73	72
	D	44	116	128	100	84	72
	E	44	48	48	48	48	48

Harbor (Teton; Cascade)					
Options		Width (in) Std. Orientation			
<input type="checkbox"/> S*		13 - 20.875	21 - 32.875	33 - 61.875	62 - 71.5
<input type="checkbox"/> RR**					
Height (inches)	A	43	104	112	99
	B	25	25	25	25
	C	25	78	78	78
	D	43	104	112	99
	E	43	53	53	53

Harbor (Global Blue; Loam; Tranquil Twill; Cottontail)			
Options		Width (inches) Standard Orientation	
<input type="checkbox"/> S*		12 - 17.875	18 - 69
<input type="checkbox"/> RR**			
Height (inches)	A	32	144
	B	32	49
	C	32	143
	D	32	144
	E	32	98

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

EasyTouch Cordless Lift Size Considerations

Roller Shade EasyTouch Cordless Lift: Maximum Shade Size

Hopewell						
Options		Width (in) Standard Orientation				
<input type="checkbox"/> S*		15 - 20.875	21 - 22.875	23 - 74.875	75 - 85.875	86 - 91.75
<input type="checkbox"/> RR**						
Height (inches)	A	71	100	144	124	113
	B	55	55	55	55	55
	C	71	100	144	124	113
	D	71	100	144	124	113
	E	71	100	109	109	109

Kyoto									
Options		Width (inches) Standard Orientation							
<input type="checkbox"/> S*		13 - 18.875	19 - 23.875	24 - 27.875	28 - 34.875	35 - 50.875	51 - 61.875	62 - 68.875	69 - 76 - 78.75
<input type="checkbox"/> RR**									
Height (inches)	A	35	101	85	120	98	128	115	104 124
	B	35	40	40	40	40	40	40	40
	C	35	101	85	115	98	115	115	104 115
	D	35	101	85	120	98	128	115	104 124
	E	35	80	80	80	80	80	80	80 80

Linen (Achroite; Faded Taupe; Sandy Loam)							
Options		Width (inches) Standard Orientation					
<input type="checkbox"/> S*		12 - 15.875	16 - 25.875	26 - 39.875	40 - 61.875	62 - 95.875	96 - 105
<input type="checkbox"/> RR**							
Height (inches)	A	48	120	144	136	104	76
	B	25	25	25	25	25	25
	C	48	82	82	82	82	76
	D	48	120	144	136	104	76
	E	48	55	55	55	55	55

Linen (Natural)								
Options		Width (inches) Standard Orientation						
<input type="checkbox"/> S*		13 - 18.875	19 - 25.875	26 - 29.875	30 - 41.875	42 - 55.875	56 - 68.875	69 - 71.5
<input type="checkbox"/> RR**								
Height (inches)	A	49	130	117	144	119	112	121
	B	27	27	27	27	27	27	27
	C	27	84	84	84	84	84	84
	D	49	130	117	144	119	112	121
	E	49	57	57	57	57	57	57

Mountainside BO					
Options		Width (inches) Standard Orientation			
<input type="checkbox"/> S*		13 - 15.875	16 - 25.875	26 - 75.875	76 - 91
<input type="checkbox"/> RR**					
Height (inches)	A	52	128	140	113
	B	52	59	59	59
	C	52	128	140	113
	D	52	128	140	113
	E	52	117	117	113

Mountainside LF				
Options		Width (inches) Standard		Width (in) RR
<input type="checkbox"/> S*		13 - 17.875	18 - 91.875	92 - 106 - 120.875
<input checked="" type="checkbox"/> RR**				
Height (inches)	A	88	144	79 62
	B	67	67	67 62
	C	88	144	79 62
	D	88	144	79 62
	E	88	132	79 62

Navigator BO (Ivory Cream; Barnhouse Beige; Candelabra; Black Ink; Denim Jacket; Discord)									
Options		Width (inches) Standard Orientation							Width (in) RR
<input checked="" type="checkbox"/> S*		12 - 17.875	18 - 81.875	82 - 95.875	96 - 105.875	106 - 111.875	112 - 113.875	114 - 121.875	
<input checked="" type="checkbox"/> RR**									
Height (inches)	A	52	144	120	136	104	80	48	
	B	52	57	57	57	57	57	48	
	C	52	144	120	136	104	80	48	
	D	52	144	120	136	104	80	48	
	E	52	113	113	113	104	80	48	

Navigator BO (Midnight Plum; Cool Honeydew)							
Options		Width (inches) Standard		Width (in) RR			
<input type="checkbox"/> S*		12 - 17.875	18 - 74.875	75 - 81.875	82 - 95.875	96 - 107.875	108 - 115.875
<input checked="" type="checkbox"/> RR**							
Height (inches)	A	52	144	61	61	61	61
	B	52	57	57	57	57	57
	C	52	144	61	61	61	61
	D	52	144	61	61	61	61
	E	52	113	61	61	61	61

Navigator LF (Ivory Cream; Barnhouse Beige; Candelabra; Black Ink; Denim Jacket; Discord)					
Options		Width (inches) Standard		Width (in) RR	
<input type="checkbox"/> S*		14 - 19.875	20 - 113.875	114 - 115.875	116 - 122 - 129.875
<input checked="" type="checkbox"/> RR**					
Height (inches)	A	72	144	100	92 48
	B	72	93	93	92 48
	C	72	144	100	92 48
	D	72	144	100	92 48
	E	72	144	100	92 48

Navigator LF (Midnight Plum; Cool Honeydew)					
Options		Width (inches) Standard		Width (in) RR	
<input type="checkbox"/> S*		14 - 19.875	20 - 74.875	75 - 115.875	116 - 122 - 129.875
<input checked="" type="checkbox"/> RR**					
Height (inches)	A	72	144	61	61 48
	B	72	93	61	61 48
	C	72	144	61	61 48
	D	72	144	61	61 48
	E	72	144	61	61 48

Ornamental BO					
Options		Width (inches) Standard Orientation			
<input checked="" type="checkbox"/> S*		12 - 17.875	16 - 71.875	72 - 101.875	102 - 105
<input type="checkbox"/> RR**					
Height (inches)	A	52	124	108	76
	B	32	32	32	32
	C	52	101	101	76
	D	52	124	108	76
	E	52	69	69	69

Ornamental LF (Paw)											
Options		Width (inches) Standard Orientation									
<input type="checkbox"/> S*		13 - 17.875	18 - 20.875	21 - 26.875	27 - 32.875	33 - 44.875	45 - 53.875	54 - 66.875	67 - 80.875	81 - 96.875	97 - 107.5
<input type="checkbox"/> RR**											
Height (inches)	A	51	129	142	122	143	130	120	110	121	108
	B	36	36	36	36	36	36	36	36	36	36
	C	51	106	106	106	106	106	106	106	106	106
	D	51	129	142	122	143	130	120	110	121	108
	E	51	74	74	74	74	74	74	74	74	74

Ornamental LF (James Bay Gray; Achroite; Beech Gray; Fossil Stone; Chalkboard)							
Options		Width (inches) Standard Orientation					
<input type="checkbox"/> S*		12 - 17.875	18 - 61.875	62 - 69.875	70 - 87.875	88 - 101.875	102 - 105
<input type="checkbox"/> RR**							
Height (inches)	A	64	144	132	144	108	84
	B	34	34	34	34	34	34
	C	64	105	105	105	105	84
	D	64	144	132	144	108	84
	E	64	72	72	72	72	72

Rustic (Birchwood; Classic Beige)				
Options		Width (inches) Standard Orientation		
<input type="checkbox"/> S*		12 - 15.875	16 - 25.875	26 - 69
<input type="checkbox"/> RR**				
Height (inches)	A	52	120	136
	B	39	39	39
	C	52	117	117
	D	52	120	136
	E	52	80	80

Chart Key	
A	No Valance / 2" Brackets
B	Small Square/Round Cassette
C	Medium Square/Round Cassette
D	Large Square/Round Cassette
E	Contour / Flat
*S-Seaming **RR-Railroading	

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

EasyTouch Cordless Lift Size Considerations

Roller Shade EasyTouch Cordless Lift: Maximum Shade Size

Rustic (Fresh White; Sand Dune; Spring Denim; Antique Silver)						
Options		Width (in) Standard Orientation				
<input type="checkbox"/> S*		13 - 18.875	19 - 26.875	27 - 36.875	37 - 63.875	64 - 69.5
<input type="checkbox"/> RR**						
Height (inches)	A	51	136	121	122	121
	B	31	31	31	31	31
	C	51	97	97	97	97
	D	51	136	121	122	121
	E	51	66	66	66	66

Sovereign									
Options		Width (inches) Standard Orientation						W (RR)	
<input type="checkbox"/> S*		13 - 18.875	19 - 29.875	30 - 42.875	43 - 68.875	69 - 90.875	91 - 110.875	111 - 117.25	117.375 - 124.875
<input checked="" type="checkbox"/> RR**									
Height (inches)	A	42	98	117	106	104	99	49	49
	B	42	46	46	46	46	46	46	46
	C	42	98	117	106	104	99	49	49
	D	42	98	117	106	104	99	49	49
	E	42	94	94	94	94	94	49	49

Tahoe BO							
Options		Width (inches) Standard Orientation					
<input type="checkbox"/> S*		12 - 13.875	14 - 63.875	64 - 71.875	72 - 79.875	80 - 85.875	86 - 89.875
<input type="checkbox"/> RR**							
Height (inches)	A	100	144	120	108	72	48
	B	28	28	28	28	28	28
	C	90	90	90	90	72	48
	D	100	144	120	108	72	48
	E	61	61	61	61	61	48

Tahoe LF							
Options		Width (inches) Standard Orientation					
<input type="checkbox"/> S*		14 - 19.875	20 - 31.875	32 - 37.875	38 - 63.875	64 - 89.875	90 - 99
<input type="checkbox"/> RR**							
Height (inches)	A	56	142	118	119	109	100
	B	39	39	39	39	39	39
	C	56	115	115	115	109	100
	D	56	142	118	119	109	100
	E	56	76	76	76	76	76

Viva										
Options		Width (inches) Standard Orientation								
<input type="checkbox"/> S*		14 - 20.875	21 - 34.875	35 - 39.875	40 - 58.875	59 - 66.875	67 - 75.875	76 - 82.875	83 - 96.875	97 - 106
<input type="checkbox"/> RR**										
Height (inches)	A	62	144	123	144	127	135	122	107	123
	B	55	55	55	55	55	55	55	55	55
	C	62	144	123	144	127	135	122	107	123
	D	62	144	123	144	127	135	122	107	123
	E	62	109	109	109	109	109	109	107	109

Chart Key	
A	No Valance / 2" Brackets
B	Small Square/Round Cassette
C	Medium Square/Round Cassette
D	Large Square/Round Cassette
E	Contour / Flat
*S-Seaming **RR-Railroading	

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

EasyTouch Cordless Lift Size Considerations

Solar Shade EasyTouch Cordless Lift: Maximum Shade Size

Baybridge						
Options		Width (in) Standard Orientation				
<input type="checkbox"/> S*		17 - 24.875	25 - 42.875	43 - 62.875	63 - 79.875	80 - 96
<input type="checkbox"/> RR**						
Height (inches)	A	77	90	99	90	69
	B	18	18	18	18	18
	C	63	63	63	63	63
	D	77	90	99	90	69
	E	42	42	42	42	42

EcoLiving						
Options		Width (in) Standard Orientation				
<input type="checkbox"/> S*		14 - 15.875	16 - 19.875	20 - 21.875	22 - 85.875	86 - 99.625
<input type="checkbox"/> RR**						
Height (inches)	A	54	62	86	125	108
	B	54	62	86	90	90
	C	54	62	86	125	108
	D	54	62	86	125	108
	E	54	62	86	125	108

EnviroStyle							
Options		Width (inches) Standard Orientation					
<input type="checkbox"/> S*		13 - 17.875	18 - 27.875	28 - 49.875	50 - 69.875	70 - 89.875	90 - 103.25
<input type="checkbox"/> RR**							
Height (inches)	A	35	88	99	115	103	90
	B	35	35	35	35	35	35
	C	35	88	99	106	103	90
	D	35	88	99	115	103	90
	E	35	73	73	73	73	73

Feedback 1% (Fresh Fawn; Antler; Coconut Milk)							
Options		Width (inches) Standard Orientation					
<input checked="" type="checkbox"/> S*		18 - 36.875	37 - 52.875	53 - 72.875	73 - 87.875	88 - 102.875	103 - 113.875
<input type="checkbox"/> RR**							
Height (inches)	A	68	81	84	88	69	46
	B	37	37	37	37	37	37
	C	37	81	84	88	69	46
	D	68	81	84	88	69	46
	E	68	74	74	74	69	46

Feedback 1% (Farmhouse White; Frostine; Shiny Nickel; Americano; Mineral Point)							
Options		Width (inches) Standard Orientation					
<input checked="" type="checkbox"/> S*		13 - 25.875	26 - 43.875	44 - 64.875	65 - 79.875	80 - 98.875	99 - 111.875
<input type="checkbox"/> RR**							
Height (inches)	A	28	81	83	87	74	51
	B	28	38	38	38	38	38
	C	28	81	83	87	74	51
	D	28	81	83	87	74	51
	E	28	76	76	76	74	51

Feedback 3%							
Options		Width (inches) Standard Orientation					
<input checked="" type="checkbox"/> S*		13 - 25.875	26 - 50.875	51 - 64.875	65 - 79.875	80 - 91.875	92 - 111.875
<input type="checkbox"/> RR**							
Height (inches)	A	28	82	81	85	88	51
	B	28	39	39	39	39	39
	C	28	82	81	85	88	51
	D	28	82	81	85	88	51
	E	28	77	77	77	77	51

Feedback 5% (Shiny Nickel; Farmhouse White; Frostine; Americano; Mineral Point)														
Options		Width (inches) Standard Orientation												
<input checked="" type="checkbox"/> S*		13 - 17.875	18 - 26.875	27 - 36.875	37 - 45.875	46 - 58.875	59 - 67.875	68 - 75.875	76 - 82.875	83 - 98.875	99 - 105.875	106 - 110.875	111 - 120.875	121 - 124
<input type="checkbox"/> RR**														
Height (inches)	A	31	74	94	86	104	89	104	94	82	71	65	42	28
	B	31	41	41	41	41	41	41	41	41	41	41	41	28
	C	31	74	94	86	104	89	104	94	82	71	65	42	28
	D	31	74	94	86	104	89	104	94	82	71	65	42	28
	E	31	74	81	81	81	81	81	81	81	71	65	42	28

Feedback 5% (Fresh Fawn; Coconut Milk; Antler)															
Options		Width (inches) Standard Orientation													W (RR)
<input checked="" type="checkbox"/> S*		13 - 17.875	18 - 26.875	27 - 36.875	37 - 42.875	43 - 47.875	48 - 62.875	63 - 82.875	83 - 90.875	91 - 91.875	92 - 104.875	105 - 110.875	111 - 116.875	117 - 124	124.125
<input type="checkbox"/> RR**															
Height (inches)	A	33	76	102	82	100	106	97	96	60	73	65	54	28	28
	B	33	41	41	41	41	41	41	41	41	41	41	41	28	28
	C	33	76	102	82	100	106	97	96	60	73	65	54	28	28
	D	33	76	102	82	100	106	97	96	60	73	65	54	28	28
	E	33	76	81	81	81	81	81	81	60	73	65	54	28	28

Feedback 10%								
Options		Width (inches) Standard Orientation					W (RR)	
<input checked="" type="checkbox"/> S*		16 - 22.875	23 - 36.875	37 - 47.875	48 - 69.875	70 - 102.875	103 - 116	116.125 - 118.875
<input type="checkbox"/> RR**								
Height (inches)	A	67	76	82	95	83	51	51
	B	42	42	42	42	42	42	42
	C	42	76	82	95	83	51	51
	D	67	76	82	95	83	51	51
	E	67	76	82	84	83	51	51

Landon						
Options		Width (in) Standard Orientation				
<input type="checkbox"/> S*		17 - 36.875	37 - 51.875	52 - 68.875	69 - 81.875	82 - 96
<input type="checkbox"/> RR**						
Height (inches)	A	68	83	84	88	71
	B	27	27	27	27	27
	C	68	83	84	84	71
	D	68	83	84	88	71
	E	57	57	57	57	57

Chart Key	
A	No Valance / 2" Brackets
B	Small Square/Round Cassette
C	Medium Square/Round Cassette
D	Large Square/Round Cassette
E	Contour / Flat
*S-Seaming **RR-Railroading	

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

EasyTouch Cordless Lift Size Considerations

Solar Shade EasyTouch Cordless Lift: Maximum Shade Size

Muse 1%							
Options		Width (inches) Standard Orientation					
<input checked="" type="checkbox"/> S*	<input checked="" type="checkbox"/> RR**	16 - 29.875	30 - 44.875	45 - 56.875	57 - 72.875	73 - 86.875	87 - 102.875
Height (inches)	A	59	85	78	64	46	28
	B	22	22	22	22	22	22
	C	59	73	73	64	46	28
	D	59	85	78	64	46	28
	E	50	50	50	50	46	28

Muse 5%							
Options		Width (inches) Standard Orientation					
<input type="checkbox"/> S*	<input checked="" type="checkbox"/> RR**	17 - 32.875	33 - 38.875	39 - 60.875	61 - 78.875	79 - 91.875	92 - 106.875
Height (inches)	A	51	57	67	68	51	33
	B	26	26	26	26	26	26
	C	26	57	67	68	51	33
	D	51	57	67	68	51	33
	E	51	54	54	54	51	33

Mystify					
Options		Width (in) Std. Orientation			
<input checked="" type="checkbox"/> S*	<input type="checkbox"/> RR**	17 - 41.875	42 - 54.875	55 - 89.875	90 - 96
Height (inches)	A	82	109	86	59
	B	28	28	28	28
	C	82	85	85	59
	D	82	109	86	59
	E	61	58	58	58

SafeElements							
Options		Width (in) Standard Orientation					Width (in) RR
<input type="checkbox"/> S*	<input checked="" type="checkbox"/> RR**	17 - 39.875	40 - 53.875	54 - 70.875	71 - 89.875	90 - 95.25	95.375 - 100 - 113.875
Height (inches)	A	69	94	84	87	75	73 47
	B	31	31	31	31	31	31
	C	69	94	84	87	75	73 47
	D	69	94	84	87	75	73 47
	E	69	67	67	67	67	67 47

Santina						
Options		Width (in) Standard Orientation				
<input type="checkbox"/> S*	<input type="checkbox"/> RR**	16 - 32.875	33 - 46.875	47 - 64.875	65 - 83.875	84 - 91.75
Height (inches)	A	66	94	85	77	52
	B	16	16	16	16	16
	C	60	60	60	60	52
	D	66	94	85	77	52
	E	39	39	39	39	39

Viewpoint							
Options		Width (inches) Standard Orientation				Width (in) RR	
<input checked="" type="checkbox"/> S*	<input checked="" type="checkbox"/> RR**	12 - 17.875	18 - 85.875	86 - 93.875	94 - 113.875	114 - 115.875	116 - 121.875
Height (inches)	A	56	144	128	96	52	52
	B	49	49	49	49	49	49
	C	56	143	128	96	52	52
	D	56	144	128	96	52	52
	E	56	98	98	96	52	52

Chart Key	
A	No Valance / 2" Brackets
B	Small Square/Round Cassette
C	Medium Square/Round Cassette
D	Large Square/Round Cassette
E	Contour / Flat
*S-Seaming **RR-Railroading	

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations.

Size Considerations

Valance Type	Continuous Loop Lift or Enclosed Loop Lift: Maximum Shade Size												Fabric Turned Width for Height (Railroaded)																	
	Normal Fabric Orientation						Large Square/Round Cassette/Contour Valance/No Cassette/No Valance						1.5" Brackets Contour Valance/No Cassette/No Valance						Large Square/Round Cassette/Contour Valance/No Cassette/No Valance at Max Length						Large Square/Round Cassette/Contour Valance/No Cassette/No Valance at Max Width					
	Small Square/Round Cassette	Medium Square/Round Cassette	1.5" Brackets Contour Valance/No Cassette/No Valance	Large Square/Round Cassette/Contour Valance/No Cassette/No Valance	3" Fascia	4" Fascia	Small Square/Round Cassette	Medium Square/Round Cassette	1.5" Brackets Contour Valance/No Cassette/No Valance	Large Square/Round Cassette/Contour Valance/No Cassette/No Valance at Max Length	Large Square/Round Cassette/Contour Valance/No Cassette/No Valance at Max Width	3" Fascia	4" Fascia	Small Square/Round Cassette	Medium Square/Round Cassette	1.5" Brackets Contour Valance/No Cassette/No Valance	Large Square/Round Cassette/Contour Valance/No Cassette/No Valance at Max Length	Large Square/Round Cassette/Contour Valance/No Cassette/No Valance at Max Width	3" Fascia	4" Fascia										
Ball Collection	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height								
Feedback 10%	71	109	110	133	71	109	116	144	82	123	116	144	71	108	115	103	144	100	84	106	115	103								
Feedback 3%	70	97	107	128	70	97	124	144	79	123	124	144	70	97	110	111	144	108	80	114	144	108								
Feedback 5% (Fresh Fawn; Coconut Milk; Antler)	71	101	108	135	71	101	124	144	81	121	124	144	71	101	112	111	144	108	82	114	144	108								
Feedback 5% (Shiny Nickel; Farmhouse White; Frostine; Americano; Mineral Point)	71	101	108	135	71	101	124	144	81	121	124	144	71	101	112	111	144	108	82	114	144	108								
Fill BO	72	101	109	105	71	109	109	144	82	120	109	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Fill LF	94	118	108	144	79	128	108	144	94	119	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Flagstone	70	100	107	131	70	100	115	144	79	126	115	144	70	100	112	102	144	99	82	105	112	102								
Gabardine (Bare Dirt; Bayou Shore; Curry Cookie)	88	118	106	144	77	121	106	144	106	104	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Gabardine (Classic Khaki)	92	106	106	135	76	127	106	144	89	132	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Garden Path	76	70	83	108	71	102	108	144	87	84	107	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Harbor (Global Blue; Loam; Tranquil Twill; Cottontail)	70	135	70	144	70	144	70	144	70	144	70	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Harbor (Teton; Cascade)	70	78	70	119	70	114	70	144	70	93	70	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Hopewell	92	124	92	144	82	130	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Kyoto	71	112	79	144	71	112	79	144	79	138	79	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
London	71	85	78	121	71	85	96	144	81	101	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Linen (Achoite; Faded Taupe; Sandy Loam)	76	80	82	122	72	106	106	144	86	95	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Linen (Natural)	72	84	72	128	72	124	72	144	72	99	72	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Mountainside BO	65	124	88	128	58	95	92	144	89	117	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR								
Mountainside LF	82	141	92	144	72	114	92	144	92	132	92	144	74	84	87	82	74	84	87	82	74	84								
Muse 1%	60	75	74	109	54	86	116	124	77	89	116	112	60	75	74	106	54	86	77	89	139	100								
Muse 5%	61	81	74	119	59	85	116	136	77	97	116	122	61	81	76	106	59	85	77	97	141	100								

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Size Considerations

- This table provides the maximum shade size available by fabric, control type, and valance style
- Fabric turned width for height (railroaded) may curl along its edge; this is not a defect in the product
- Only the large cassette valance is available for the dual shade
- Small and medium cassette valances are not available

Valance Type		Normal Fabric Orientation						Fabric Turned Width for Height (Railroaded)						
		Enclosed Loop or Continuous Loop No Cassette/ No Valance		Enclosed Loop or Continuous Loop Large Square/Round Cassette		Enclosed Loop or Continuous Loop No Cassette/ No Valance		Enclosed Loop or Continuous Loop No Cassette/ No Valance at Max Width		Enclosed Loop or Continuous Loop Large Square/Round Cassette		Enclosed Loop or Continuous Loop Large Square/Round Cassette at Max Width		
Bali Collection	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Acadia BO	56	81	57	73	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Acadia LF	74	89	62	99	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Andes	92	122	92	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Basics	70	105	70	105	77	62	91	60	77	62	91	60	91	60
Baybridge	77	62	78	56	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Boyden	74	82	75	74	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Candid (Toasted Sugar)	73	111	74	104	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Candid (Flecked White)	82	112	75	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Candid (Speckled Black; Snowfall; Brown Influence; Smokey Taupe)	74	115	75	105	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Cascade	78	122	80	109	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Domain	78	110	79	99	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Dundee LF	92	123	92	109	83	84	98	82	83	84	98	82	98	82
EcoLiving	95	119	95	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EnviroStyle	94	122	94	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Estevan (Faded Wood; Fossil Stone; Subdued White; Strong Chocolate)	82	129	86	121	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Santina Fabric not available in Square Cassette and Flat Valance.

Size Considerations

Dual Shades or Enclosed Loop Dual Shades: Maximum Shade Size

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (Railroaded)					
	Enclosed Loop or Continuous Loop No Cassette/ No Valance		Enclosed Loop or Continuous Loop Large Square/Round Cassette		Enclosed Loop or Continuous Loop No Cassette/ No Valance		Enclosed Loop or Continuous Loop No Cassette/ No Valance at Max Width		Enclosed Loop or Continuous Loop Large Square/Round Cassette		Enclosed Loop or Continuous Loop Large Square/Round Cassette at Max Width	
	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Bali Collection												
Estevan (Garden)	90	112	76	126	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Everly	96	114	81	124	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Explorer	94	119	94	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Feedback 1% (Farmhouse White; Frostine; Shiny Nickel; Americano; Mineral Point)	71	86	71	86	71	86	62	89	71	86	66	82
Feedback 1% (Fresh Fawn; Antler; Coconut Milk)	71	86	71	86	71	86	62	89	71	86	66	82
Feedback 10%	71	109	71	109	71	108	73	91	71	108	74	89
Feedback 3%	70	97	70	97	70	97	61	96	70	97	66	86
Feedback 5% (Fresh Fawn; Coconut Milk; Antler)	71	101	71	101	71	101	72	86	71	101	72	86
Feedback 5% (Shiny Nickel; Farmhouse White; Frostine; Americano; Mineral Point)	71	101	71	101	71	101	72	86	71	101	72	86
Fiji BO	72	98	74	88	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Fiji LF	95	110	79	126	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Flagstone	70	100	70	100	70	100	71	82	70	100	71	82
Gabardine (Bare Dirt; Bayou Shore; Curry Cookie)	92	111	77	121	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Santina Fabric not available in Square Cassette and Flat Valance.

Size Considerations

Dual Shades or Enclosed Loop Dual Shades: Maximum Shade Size

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (Railroaded)					
	Enclosed Loop or Continuous Loop No Cassette/ No Valance		Enclosed Loop or Continuous Loop Large Square/Round Cassette		Enclosed Loop or Continuous Loop No Cassette/ No Valance		Enclosed Loop or Continuous Loop No Cassette/ No Valance at Max Width		Enclosed Loop or Continuous Loop Large Square/Round Cassette		Enclosed Loop or Continuous Loop Large Square/Round Cassette at Max Width	
	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Bali Collection												
Gabardine (Classic Khaki)	76	125	77	113	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Garden Path	77	68	78	61	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harbor (Global Blue; Loam; Tranquil Twill; Cottontail)	70	131	70	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harbor (Teton; Cascade)	70	75	70	68	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Hopewell	92	120	82	130	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Kyoto	71	112	72	102	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Landon	71	83	72	75	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Linen (Achroite; Faded Taupe; Sandy Loam)	76	77	77	70	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Linen (Natural)	72	81	72	73	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Mountainside BO	65	124	67	108	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Mountainside LF	82	141	83	127	74	84	87	82	74	84	87	82
Muse 1%	62	73	67	66	62	73	64	58	67	66	71	51
Muse 5%	63	79	68	71	63	79	65	63	68	71	72	55
Mystify	71	84	72	76	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Navigator BO (Ivory Cream; Barnhouse Beige; Candelabra; Black Ink; Denim Jacket; Discord)	79	108	79	108	80	105	80	105	80	105	80	105
Navigator BO (Midnight Plum; Cool Honeydew)	75	115	73	125	95	66	95	66	95	66	95	66

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Santina Fabric not available in Square Cassette and Flat Valance.

Size Considerations

Dual Shades or Enclosed Loop Dual Shades: Maximum Shade Size

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (Railroaded)					
	Enclosed Loop or Continuous Loop No Cassette/ No Valance		Enclosed Loop or Continuous Loop Large Square/Round Cassette		Enclosed Loop or Continuous Loop No Cassette/ No Valance		Enclosed Loop or Continuous Loop No Cassette/ No Valance at Max Width		Enclosed Loop or Continuous Loop Large Square/Round Cassette		Enclosed Loop or Continuous Loop Large Square/Round Cassette at Max Width	
	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Bali Collection												
Navigator LF (Ivory Cream; Barnhouse Beige; Candelabra; Black Ink; Denim Jacket; Discord)	93	122	93	122	95	105	95	105	95	105	95	105
Navigator LF (Midnight Plum; Cool Honeydew)	75	144	75	144	100	66	100	66	100	66	100	66
Ornamental BO	74	94	75	85	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Ornamental LF (James Bay Gray; Achroite; Beech Gray; Fossil Stone; Chalkboard)	78	98	80	88	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Ornamental LF (Paw)	80	102	81	92	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Rustic (Birchwood; Classic Beige)	70	109	70	98	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Rustic (Fresh White; Sand Dune; Spring Denim; Antique Silver)	70	90	70	82	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
SafeElements	70	86	71	82	70	86	70	72	70	72	75	65
Santina	67	56	69	50	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sovereign	73	114	73	114	73	109	77	101	73	109	83	90
Tahoe BO	56	84	58	74	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tahoe LF	74	88	63	97	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Viewpoint	82	107	75	115	83	106	83	106	76	107	89	95
Viva	94	121	95	107	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

Size Considerations

Cordless Lift: Maximum Shade Size

- This table provides the maximum shade size available by fabric, control type, and valance style
- Fabric turned width for height (Railroaded) may curl along its edge; this is not a defect in the product

Valance Type		Normal Fabric Orientation				Fabric Turned Width for Height (Railroaded)			
		Small Cassette Valance		Medium Cassette/Contour Valance/No Valance		Small Cassette Valance		Medium Cassette/Contour Valance/No Valance	
Bali Collection	Width	Height	Width	Height	Width	Height	Width	Height	
Acadia BO	78	51	78	120	NO RR	NO RR	NO RR	NO RR	
Acadia LF	78	70	78	120	NO RR	NO RR	NO RR	NO RR	
Andes	78	107	78	120	NO RR	NO RR	NO RR	NO RR	
Basics	70	120	70	120	78	61	78	61	
Baybridge	78	38	78	110	NO RR	NO RR	NO RR	NO RR	
Boyden	78	51	78	120	NO RR	NO RR	NO RR	NO RR	
Candid (Toasted Sugar)	78	74	78	120	NO RR	NO RR	NO RR	NO RR	
Candid (Fleeced White)	78	91	78	120	NO RR	NO RR	NO RR	NO RR	
Candid (Speckled Black; Snowfall; Brown Influence; Smokey Taupe)	78	74	78	120	NO RR	NO RR	NO RR	NO RR	
Cascade	78	78	78	120	NO RR	NO RR	NO RR	NO RR	
Domain	78	70	78	120	NO RR	NO RR	NO RR	NO RR	
Dundee LF	78	97	78	120	78	83	78	83	
EcoLiving	78	120	78	120	NO RR	NO RR	NO RR	NO RR	
EnviroStyle	78	120	78	120	NO RR	NO RR	NO RR	NO RR	
Estevan (Faded Wood; Fossil Stone; Subdued White; Strong Chocolate)	78	110	78	120	NO RR	NO RR	NO RR	NO RR	
Estevan (Garden)	78	90	78	120	NO RR	NO RR	NO RR	NO RR	
Everly	78	90	78	120	NO RR	NO RR	NO RR	NO RR	
Explorer	78	120	78	120	NO RR	NO RR	NO RR	NO RR	

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Size Considerations

Cordless Lift: Maximum Shade Size

- This table provides the maximum shade size available by fabric, control type, and valance style
 - Fabric turned width for height (Railroaded) may curl along its edge; this is not a defect in the product

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (Railroaded)					
	Small Cassette Valance		Medium Cassette/Contour Valance/No Cassette/No Valance		Small Cassette Valance		Medium Cassette/Contour Valance/No Cassette/No Valance		Small Cassette Valance		Medium Cassette/Contour Valance/No Cassette/No Valance	
Bali Collection	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Feedback 1% (Farmhouse White; Frostine; Shiny Nickel; Americano; Mineral Point)	78	73	78	120	78	120	78	73	78	73	78	115
Feedback 1% (Fresh Fawn; Antler; Coconut Milk)	78	73	78	120	78	120	78	73	78	73	78	115
Feedback 10%	78	80	78	120	78	120	78	80	78	80	78	107
Feedback 3%	78	76	78	120	78	120	78	76	78	76	78	115
Feedback 5% (Fresh Fawn; Coconut Milk; Antler)	78	80	78	120	78	120	78	80	78	80	78	115
Feedback 5% (Shiny Nickel; Farmhouse White; Frostine; Americano; Mineral Point)	78	80	78	120	78	120	78	80	78	80	78	115
Fiji BO	78	62	78	120	NO RR	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Fiji LF	78	90	78	120	NO RR	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Flagstone	78	85	78	120	78	120	78	85	78	85	78	106
Gabardine (Bare Dirt; Bayou Shore; Curry Cookie)	78	89	78	120	NO RR	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Size Considerations

Cordless Lift: Maximum Shade Size

- This table provides the maximum shade size available by fabric, control type, and valance style

- Fabric turned width for height (Railroaded) may curl along its edge; this is not a defect in the product

Valance Type	Normal Fabric Orientation			Fabric Turned Width for Height (Railroaded)		
	Small Cassette Valance	Medium Cassette/Contour Valance/No Cassette/No Valance	Small Cassette Valance	Medium Cassette/Contour Valance/No Cassette/No Valance	Small Cassette Valance	Medium Cassette/Contour Valance/No Cassette/No Valance
Bali Collection	Width	Height	Width	Height	Width	Height
Gabardine (Classic Khaki)	78	80	NO RR	NO RR	NO RR	NO RR
Garden Path	78	42	NO RR	NO RR	NO RR	NO RR
Harbor (Global Blue; Loam; Tranquil Twill; Cottontail)	70	84	NO RR	NO RR	NO RR	NO RR
Harbor (Teton; Cascade)	70	47	NO RR	NO RR	NO RR	NO RR
Hopewell	78	94	NO RR	NO RR	NO RR	NO RR
Kyoto	78	72	NO RR	NO RR	NO RR	NO RR
London	78	52	NO RR	NO RR	NO RR	NO RR
Linen (Achlorite; Faded Loam; Sandy Loam)	78	48	NO RR	NO RR	NO RR	NO RR
Linen (Natural)	72	51	NO RR	NO RR	NO RR	NO RR
Mountainside BO	78	100	NO RR	NO RR	NO RR	NO RR
Mountainside LF	78	113	78	83	78	83
Muse 1%	NA	NA	NA	NA	NA	NA
Muse 5%	78	49	78	49	78	107
Mystify	78	53	NO RR	NO RR	NO RR	NO RR
Navigator BO (Ivory Cream; Barnhouse Beige; Candelabra; Black Ink; Denim Jacket; Discord)	78	97	78	97	78	106
Navigator BO (Midnight Plum; Cool Honeydew)	75	97	75	66	78	66
Navigator LF (Ivory Cream; Barnhouse Beige; Candelabra; Black Ink; Denim Jacket; Discord)	78	120	78	106	78	106
Navigator LF (Midnight Plum; Cool Honeydew)	75	120	75	66	78	66
Ornamental BO	78	59	78	NO RR	NO RR	NO RR
Ornamental LF (James Bay Gray; Achroite; Beech Gray; Fossil Stone; Chalkboard)	78	62	78	NO RR	NO RR	NO RR


Valance Type	Normal Fabric Orientation			Fabric Turned Width for Height (Railroaded)		
	Small Cassette Valance	Medium Cassette/Contour Valance/No Cassette/No Valance	Small Cassette Valance	Medium Cassette/Contour Valance/No Cassette/No Valance	Small Cassette Valance	Medium Cassette/Contour Valance/No Cassette/No Valance
Bali Collection	Width	Height	Width	Height	Width	Height
Ornamental LF (Paw)	78	65	78	120	NO RR	NO RR
Rustic (Birchwood; Classic Beige)	70	69	70	120	NO RR	NO RR
Rustic (Fresh White; Sand Dune; Spring Denim; Antique Silver)	70	57	70	120	NO RR	NO RR
SafeElements	78	57	78	120	78	86
Santina	78	34	78	99	NO RR	NO RR
Sovereign	78	81	78	120	78	108
Tahoe BO	78	53	78	120	NO RR	NO RR
Tahoe LF	78	69	78	120	NO RR	NO RR
Viewpoint	78	84	78	120	78	107
Viva	78	95	78	120	NO RR	NO RR

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. NO RR signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.


Size Considerations

Enclosed Loop, Continuous Loop, Motorized Lift, Dual Shade, and Enclosed Loop Dual Shade: Mounting Depth Illustrations


The following diagrams illustrate the mounting depth requirements for shades mounted inside window casements.




Small Square Cassette Valance
1 3/8" Minimum Inside Mount




Medium Square Cassette Valance
1 3/4" Minimum Inside Mount




Large Square Cassette Valance
1 3/4" Minimum Inside Mount




Small Round Cassette Valance
1 3/8" Minimum Inside Mount




Medium Round Cassette Valance
1 3/4" Minimum Inside Mount




Large/Dual Round Cassette Valance
1 3/4" Minimum Inside Mount




No Valance*
3/4" Minimum Inside/Side Mount




No Valance*
4 1/8" Minimum Inside/Top Mount



Contour Valance
3 1/2" Minimum Inside Mount
(return can be trimmed)



Dual Shade—No Cassette Valance
2" Minimum Inside/Top Mount
3/4" Minimum Inside/Side Mount




Flat Valance
2 15/16" Minimum Inside Mount
(return can be trimmed)


Size Considerations

EasyTouch Cordless Lift: Mounting Depth Illustrations


The following diagrams illustrate the mounting depth requirements for shades mounted inside window casements.




Small Square Cassette Valance
1 3/8" Minimum Inside Mount




Medium Square Cassette Valance
1 3/4" Minimum Inside Mount




Large Square Cassette Valance
1 3/4" Minimum Inside Mount




Small Round Cassette Valance
1 3/8" Minimum Inside Mount




Medium Round Cassette Valance
1 3/4" Minimum Inside Mount




Large Round Cassette Valance
1 3/4" Minimum Inside Mount




Contour Valance
3 1/2" Minimum Inside Mount
(return can be trimmed)



No Valance*
3/4" Minimum Inside/Side Mount




No Valance*
Minimum Inside/Top Mount is
equal to 1/2 the roll diameter, plus 1 1/2"




Flat Valance
2 15/16" Minimum Inside Mount
(return can be trimmed)

Options


Cordless Lift: Mounting Depth Illustrations




Small Cassette Valance
1 1/2" Minimum
Inside Mount




Medium Cassette Valance
1 3/4" Minimum
Inside Mount



No Valance*
2" Minimum
Inside Mount



Contour Valance
3 1/2" Minimum
Inside Mount
(return can be trimmed)



Flat Valance
2 15/16" Minimum Inside Mount
(return can be trimmed)

*Largest possible measurement given will vary per fabric and window dimensions.

Shade Options (for surcharges and pricing refer to price charts)

The following is a list of options for roller and solar shades. Options available with select styles and colors. Limitations are based on shade width and height. See detailed descriptions on the following pages.

Control Type Options:

For surcharge, see price charts

- Continuous Loop Lift (U.S. ONLY)
- Enclosed Loop Lift (Canada ONLY)
- EasyTouch Cordless Lift
- Cordless lift
- Motorized lift (see motorization price charts)

Shade Options—No Charge

- Chain color (Black, Brown, Gray, Stainless Steel, Vanilla, and White)
- Chain guide color (Black, Brown, Gray, Vanilla, and White)
- Bay and corner windows
- Chain and Enclosed Loop Cover length depend on finished shade height. Customer can request a longer Enclosed Loop Cover or chain at time of order
- Chain location


Shade Options—No Charge

- Fabric turned 90° (width for height)
- Hold down brackets
- Projection brackets 3 1/4" and 4"
- Reverse roll
- Returns for contour valance
- Returns for flat valance
- Reverse fabric
- Cassette valance inserts (different than shade)
- Cordless lift: cord ring, clear hem grip

Shade Options—Surcharge

- Contour valance
- Fabric-Wrapped Square or Round Cassette Valance
- Dual Shade (U.S. ONLY) or Enclosed Loop Dual Shade (Canada ONLY)
- Flat valance
- Wood cornice and valance (see cornice and valance price charts)

Reverse Roll




• No charge

- Standard roll is where fabric rolls over the tube to the back
- Reverse roll is where the fabric rolls over the tube to the front
- Reverse roll not available with cassette valance, flat valance or contour valance
- Roll direction cannot be changed after shade is manufactured

NOTE: For optimal privacy and light control, standard roll should be used.

Projection Brackets



• No charge

- Available with EasyTouch Cordless Lift, Enclosed Loop Lift, Continuous Loop Lift, and motorized lift with cassette on outside mounts
- Available with cordless lift on outside mounts
- Two sizes: 3 1/4" and 4"

Options

EasyTouch Cordless Lift



- **For surcharge, see price charts**
- Proprietary lift system with precision placement - raise and lower the shade by moving the hem bar exactly where you want it
- Light and smooth lift for all shade sizes
- Aesthetically beautiful mounting hardware that hides mechanicals
- Shade mounting is spring loaded on each end and will self-center between brackets when installed
- Pull force can be manually adjusted
- A safer alternative for homes with children or pets
- Clear hem grip included
- Optional fabric wrapped square or round cassette valance, flat valance or wood cornice
- Outside mount is recommended for maximum light control



Inside Mount Light Gap
(Refer to light gap chart.)

Cordless Lift




- **For surcharge, see price charts**
- Shade raises on its own after you pull down slightly and release the handle. To lower, pull the handle down to your desired position.
- Sleek look with no chains
- A safer alternative for homes with children or pets
- Shade raises and lowers smoothly and easily due to a unique dual speed braking system (shades less than 24" do not have a dual brake)
- Tension can be manually adjusted so shade always raises at desired speed
- Optional clear hem grip
- Optional fabric wrapped round cassette valance, contour valance, flat valance or wood cornice
- Outside mount is recommended for maximum light control
- Cordless lift is not available with Muse 1%
- Optional cord ring pull in silver. Cord ring pull is compatible with optional Sky Pole, to maneuver cordless shades in hard-to-reach areas



Inside Mount Light Gap
(Refer to light gap chart.)

Options

Enclosed Loop Lift (Canada ONLY)



- **No charge**
- Spring idle end standard; stationary idle end available
- Beaded chain and clutch system makes raising and lowering shade easy
- Chain and Enclosed Loop Cover length depend on finished shade height. Customer can request a longer Enclosed Loop Cover at time of order
- Four clutch sizes depending on shade size
- Beaded chain remains at same length, regardless of shade position
 - Raise the shade by moving the plastic grip toward the top of the window, then hold down the up-arrow button, while simultaneously pulling the grip down. Once you are at the bottom, release the button, reset the grip at the top, and repeat until your shade is at the desired height. To lower the shade, hold the down-arrow button and follow the same instructions
- Enclosed Loop Cover colors are selectable (white, cream, gray)
- Choose left or right chain location
- Optional fabric wrapped square or round cassette valance, flat valance or wood cornice
- Outside mount is recommended for maximum light control



Inside Mount Light Gap
(Refer to light gap chart.)

Continuous Loop Lift (U.S. ONLY)




- **No charge**
- Spring idle end standard; stationary idle end available
- Beaded chain and clutch system makes raising and lowering shade easy
- Bead chain length is approximately $\frac{7}{8}$ of the length of shade; customer can request a longer chain length at time of order
- Four clutch sizes depending on shade size
- Beaded chain remains at same length, regardless of shade position
- Color coordinated plastic bead chains and stainless steel bead chains are available (colors include: Black, Brown, Gray, Stainless Steel, Vanilla, and White)
- Safety chain guide provides the ability to keep the chain out of the reach of children and pets to enhance safety
NOTE: Chain guide must be installed to operate shade.
- Choose left or right chain location
- Optional fabric wrapped square or round cassette valance, contour valance, flat valance or wood cornice
- Outside mount is recommended for maximum light control



Inside Mount Light Gap
(Refer to light gap chart.)

Options

Motorized Lift




- See motorization product information guide for additional options, sizing, and pricing
- Allows for easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Motorized lift shades are cordless lift and are a safer choice for homes with children or pets
- Low-voltage motorization requires no costly electrical hard-wiring
- Available with multiple power source options and various control types
- Line voltage for light commercial application must be installed by a certified electrician
- Hold down brackets not available
- Available with standard or reverse roll; cassette only available with standard roll
- Optional fabric wrapped square or round cassette valance, contour valance, flat valance or wood cornice
- Motor located on the left or right side; standard on the right

NOTE: Limited lifetime warranty—see motorization product information guide for motorization warranty details.

Options

Dual Shades (U.S. ONLY) or Enclosed Loop Dual Shades (Canada ONLY)



Dual Shade with Large Cassette Valance

For surcharge, see price charts

Dual shades create versatile light control and privacy levels for any interior. The dual shade design integrates any two fabrics from the solar and roller collections, which can be independently lowered or raised as needed.

Combine the sheer, light-filtering, room-darkening, or blackout fabrics of your choice. Raise or lower each shade independently depending on time of day or need for privacy. Add a roller shade fabric to complement the room décor.

- Features the same Continuous Loop (U.S. ONLY), Enclosed Loop (Canada ONLY), and Motorized Lift operation as our roller and solar shades
- Select fabrics available in sliding panels and vertical collections for whole-décor coordination

Recommendations


- Use the back shade or shade closest to the window for light regulation (recommended: solar, sheer, and blackout fabrics)
- For the front shade, select roller fabrics to match the room décor and maintain privacy
- Outside mount is recommended for maximum light control
- All Dual Shades can be Continuous Loop Lift (U.S. only), Enclosed Loop Lift (Canada only), or low-voltage Motorized Lift
- Only stainless steel chains are available in Canada; stainless steel and color-coordinated bead chains are available in the US in Black, Brown, and White
- Dual Shades can be configured with the large square or round fabric wrapped cassette, 7½" Noble and Regal wood cornices
- 5½" Noble and Regal wood cornices are available only when dual shade has no cassette with inside mount and cornices are outside mount
- Curved, classic, and symphony valances are not available
- EasyTouch Cordless Lift and Cordless Lift systems are not available
- Contour valance and flat valance are not available
- Hold down brackets are not recommended for dual shades
- For motorized lift shades, the multi-channel remote control is recommended

Shade Configuration without Cassette Valance

- Front shade (closest to room) is always a reverse roll, providing a consistent, even look to the shade
- The back dual shade (shade closest to the window) can be a standard roll or reverse roll
- The front and back shade beaded chain can be positioned either left or right pull

Shade Configuration with Cassette Valance

- Because two shades must fit into a single cassette valance, the dual shade requires the large cassette valance; small and medium cassette valances are not available
- The fabric for the fabric-wrapped cassette valance is selectable, either front or back shade fabric
- Front and back shades are standard roll
- The front and back shade beaded chain can be positioned either left or right pull



Inside Mount Light Gap
(Refer to light gap chart.)


		Standard Roll	Reverse Roll	Left Control	Right Control	Motorized Lift
No Cassette	Front shade		•	•	•	•
	Back shade	•	•	•	•	•
Large Cassette	Front shade	•		•	•	
	Back shade	•		•	•	

To Price Your Order for Dual Shade

1. Select front shade control type (Enclosed Loop, Continuous Loop, or motorized lift), size, color, and options.
2. Select back shade control type (Enclosed Loop, Continuous Loop, or motorized lift), size, color, and options.
3. Add the front shade with options and the back shade with options.
4. If desired, add large cassette.
5. Add the dual shade surcharge (see price charts for dual shades).

Options

Square Fabric Wrapped Cassette Valance



- **For surcharge, see price charts**
- Fabric-wrapped square cassette (available for a surcharge) presents a sleek, modern design
- Valance fabric is not oriented to the shade fabric (e.g., on a patterned fabric, the pattern of the shade fabric and that of the valance fabric will not necessarily align)
- Not available with Santina or Andes collections


NOTE: The square cassette valance must be ordered at the same time as the shade. The cassette valance cannot be mounted with more than one shade.

Square Cassette Valance Availability

The square cassette valance is determined by multiple factors. Available square cassette sizes by shade type are shown below.

	Small	Medium	Large
EasyTouch Cordless Lift	•	•	•
Enclosed Loop or Continuous Loop Lift	•	•	•
Motorized Lift	•	•	•
Dual Shade or Enclosed Loop Dual Shade			•

Round Fabric Wrapped Cassette Valance



- **For surcharge, see price charts**
- A curved, sleek, aluminum-extruded, fabric-covered valance is available as a surcharge option
- Valance fabric is not oriented to the shade fabric (e.g., on a patterned fabric, the pattern of the shade fabric and that of the valance fabric will **not** necessarily align)


NOTE: The curved cassette valance must be ordered at the same time as the shade. The cassette valance cannot be mounted with more than one shade.

Cassette Valance Availability

The cassette valance size is determined by multiple factors. Available cassette sizes by shade type are shown below

	Small	Medium	Large
EasyTouch Cordless Lift	•	•	•
Enclosed Loop or Continuous Loop Lift	•	•	•
Motorized Lift	•	•	•
Cordless Lift	•	•	
Dual Shade or Enclosed Loop Dual Shade			•

Contour Valance




- **For surcharge, see price charts**
- A contoured PVC valance is available for all shades
- Spline and returns are color coordinated
- Custom length returns are available from 2" to 5¼"
- The contour valance is not available with the Dual Shade or reverse roll
- Maximum width of the contour valance depends on the maximum width of the chosen fabric and if the fabric can be rotated
- A valance only option is available for select lift systems; single valance is available up to 144" in width to cover multiple shades with a single valance
- Valance fabric is not oriented to the shade fabric (e.g., on a patterned fabric, the pattern of the shade fabric and that of the valance fabric will **not** necessarily align)

NOTE: Returns can be trimmed to desired length with scissors or a utility knife.

Not available for railroading on contour valances: Tahoe BO, Tahoe LF, Kyoto, Fiji BO, Fiji LF, Andes, EcoLiving, Boyden, Candid, SafeElements, EnviroStyle, Acadia BO, Acadia LF, Harbor, Santina, Cascade

Options

Flat Valance




- Modern 5" high flat profile
- Custom length returns are available from 2"– 5¼"
- A Flat PVC fabric-wrapped valance is available for most shades
- Spline and returns are color coordinated
- The flat valance is not available with dual shade or reverse roll
- Maximum width of the flat valance depends on the maximum width of the chosen fabric and if the fabric can be rotated
- Valance fabric is not orientated to the shade fabric (e.g., on a patterned fabric, the pattern of the shade fabric and that of the valance fabric will not necessarily align). Not available in Santina fabric.
- Not available for railroading on flat valances: Tahoe BO, Tahoe LF, Kyoto, Fiji BO, Fiji LF, Andes, EcoLiving, Boyden, Candid, SafeElements, EnviroStyle, Acadia BO, Acadia LF, Harbor, Santina, Cascade


NOTE: Returns can be trimmed to desired length with scissors or a utility knife.

Options

Corner Windows




- **No charge**
- Made as individual shades
- Each shade has its own control; we recommend opposite corners
- Indicate for each shade whether left or right, and butt or bypass
- Bypass shade is mounted into the corner; butt shade is butted to the other shade
- Manufacturer takes appropriate deductions for proper fit; **DO NOT** order as a corner shade if you do not want manufacturer to take deductions
- Valances create larger gap between shades
- Not available with side channels



Measuring Information

Mounting on a Wall or Molding

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.



Mounting Above the Molding


Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.


Options

Bay Windows



- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; **DO NOT** order as a bay window shade if you do not want manufacturer to take deductions
- Not available with side channels
- **Valances will create a larger gap between shades**

Measuring Information: Three-Sided Bay Window




Measure:

- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1:** Width of the center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-R:** Angle between the (C1) and (R) windows.
- Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

Measuring Information: Four-Sided Bay Window



Measure:

- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1, C2:** Width of each center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-C2:** Angle between the (C1) and (C2) windows.
- Angle C2-R:** Angle between the (C2) and (R) windows.
- Projection (P):** If needed: The depth of the trim or molding the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated. For additional windows on bays with up to five sides, continue with number progression for center shade sizes (C1, C2, C3...) and angles (angle C1-C2, angle C2-C3...) as needed. Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, trace on paper, and fax to customer service.

The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).

General Information

EasyTouch Cordless Lift Shade Product Detail

Projection Bracket (optional)

- Medium 3¼"
- Long 4"

Flat Valance (optional)

- Fabric covered to match shade

Flat Valance Returns

- Color coordinated and fabric covered to match shade

Contour Valance (optional)

- Fabric covered to match shade

Contour Valance Returns

- Color coordinated and fabric covered to match shade

Square Cassette Valance (optional)

- Fabric wrapped aluminum square cassette presents a sleek modern design
- Shade is assembled in the aluminum cassette valance, one piece installation with brackets
- Square end caps color coordinated to fabric
- Cassette must be ordered with shade

Round Cassette Valance (optional)

- Cassette valance is a sleek, aluminum-extruded cassette system covered in fabric to match shade
- End caps color coordinated to fabric
- Cassette valance has shade assembled in the valance

Mounting Bracket

- Universal bracket for control and idle end
- Color coordinated to shade fabric can be top, back, or side mounted
- Aesthetically beautiful mounting hardware that covers and hides shade mechanics

Self-Centering Plunger

- Self-centering for easy install

Shade Fabric

- Roller styles ranging from light- and dark-colored solids to beautiful jacquard weaves
- Solar fabric ranges from 1% to 10% openness

Hold Down Bracket (optional)

- Secures shade to door, wall, or window sill
- Clear plastic


Hem Bar

- Fabric-wrapped hem bar
 - Front—fabric covered
 - Back—color coordinated to shade fabric
 - Clear hem grip included

NOTE: Cordless lift shades should only be used on windows where consumers can comfortably raise and lower the shade with their hand and have easy access. Very high or hard-to-reach should use Enclosed Loop Lift, Continuous Loop Lift, or motorized lift shades, rather than cordless lift.

General Information


Cordless Lift Shade Product Detail



NOTE: Cordless lift shades should only be used on windows where consumers can comfortably raise and lower the shade with their hand and have easy access. Very high or hard-to-reach should use Enclosed Loop Lift, Continuous Loop Lift, or motorized lift shades, rather than cordless lift.

General Information

Continuous Loop Lift Shade Product Detail (U.S. ONLY)



General Information

Enclosed Loop Dual Shade Product Detail (Canada ONLY)

Dual Shade Shown with Square Cassette Valance

Cassette Valance Brackets

- Shade cannot be side mounted
- Hidden snap-in design
- Facilitates easy installation and removal of shade

End Cover for Cassette Valance

- Conceals and coordinates bracket hardware
- Five colors: Black, Brown, Gray, Vanilla, and White
- Color coordination is matched to front shade

Beaded Chains

- Stainless steel chain is available
- Chains can be the same side or opposite sides of front and back shade

Chain Guide

- Holds chain taut for enhanced safety in homes with children or pets
- Chain guide must be installed for operation
- Colors are selectable (clear or white)

Square Cassette Valance (optional)

- Fabric wrapped aluminum square cassette presents a sleek modern design
- Shade is assembled in the aluminum cassette valance, one piece installation with brackets
- Square end caps color coordinated to fabric
- Order Large with Dual Shade

Shade Fabric

- Roller and solar styles ranging from light- and dark-colored solids to beautiful jacquard weaves
- Solar fabric ranges from 1% to 12% openness

Hem Bar

- Front of hem bar—fabric covered
- Back of hem bar—color coordinated to shade fabric

Round Cassette Valance (optional)

- Cassette valance, curved aluminum and fabric wrapped with shade fabric
- Shade is assembled in the aluminum cassette valance, one piece installation with brackets
- End caps color coordinated to fabric
- Order Large with Dual Shade

Dual Shade Shown without Cassette Valance

Dual Shade Bracket (without cassette valance)

- Side, ceiling, or back mount
- Color coordinated to shade fabric

Bracket Cover (without cassette valance)

- Conceals and coordinates bracket hardware
- Four colors: Black, Gray, Vanilla, and White
- Color coordination is matched to front shade

Beaded Chains

- Stainless steel chain is available
- Chains can be the same side or opposite sides of front and back shade

Hem Bar

- Front of hem bar—fabric covered
- Back of hem bar—color coordinated to shade fabric

Shade Fabric

- Roller and solar styles ranging from light and dark colored solids to beautiful jacquard weaves
- Solar fabric ranges from 1% to 12% openness

Enclosed Loop Cover

- Colors are selectable for front or back shade (White, Cream, Gray)

Control Lengths for Enclosed Loop Lift Cover

Finished Shade Height (inches)	Enclosed Loop Cover Length (inches)
up to 36	18
36½ - 48	24
48½ - 60	36
61½ - 72	48
72½ - 84	60

Finished Shade Height (inches)	Enclosed Loop Cover Length (inches)
84½ - 96	72
96½ - 108	84
108½ - 120	96
120½ - 144	108

NOTE: Enclosed Loop Cover in relation to the final shade length will vary between +/- 3 to 6 in. based on size of shade.

General Information

Dual Shade Product Detail (U.S. ONLY)

Dual Shade Shown with Square Cassette Valance

Cassette Valance Brackets

- Shade cannot be side mounted
- Hidden snap-in design
- Facilitates easy installation and removal of shade

End Cover for Cassette Valance


- Conceals and coordinates bracket hardware
- Five colors: Black, Brown, Gray, Vanilla, and White
- Color coordination is matched to front shade

Beaded Chains

- Stainless steel chain is available
- Chains can be the same side or opposite sides of front and back shade

Enclosed Loop Cover

- Colors are selectable for front or back shade (white, cream, gray)



Square Cassette Valance (optional)

- Fabric wrapped aluminum square cassette presents a sleek modern design
- Shade is assembled in the aluminum cassette valance, one piece installation with brackets
- Square end caps color coordinated to fabric
- Order Large with Dual Shade

Shade Fabric

- Roller and solar styles ranging from light- and dark-colored solids to beautiful jacquard weaves
- Solar fabric ranges from 1% to 12% openness

Hem Bar

- Front of hem bar—fabric covered
- Back of hem bar—color coordinated to shade fabric

Round Cassette Valance (optional)

- Cassette valance, curved aluminum and fabric wrapped with shade fabric
- Shade is assembled in the aluminum cassette valance, one piece installation with brackets
- End caps color coordinated to fabric
- Order Large with Dual Shade

Dual Shade Shown without Cassette Valance

Dual Shade Bracket


- (without cassette valance)
- Side, ceiling, or back mount
 - Color coordinated to shade fabric

Bracket Cover

- (without cassette valance)
- Conceals and coordinates bracket hardware
 - Four colors: Black, Gray, Vanilla, and White
 - Color coordination is matched to front shade

Beaded Chains

- Stainless steel chain is available
- Chains can be the same side or opposite sides of front and back shade



Hem Bar

- Front of hem bar—fabric covered
- Back of hem bar—color coordinated to shade fabric

Chain Guide

- Holds chain taut for enhanced safety in homes with children or pets
- Chain guide must be installed for operation
- Colors are selectable (Clear or White)

Shade Fabric

- Roller and solar styles ranging from light and dark colored solids to beautiful jacquard weaves
- Solar fabric ranges from 1% to 12% openness



Bali is a brand of Springs Window Fashions, the Best Experience Company

Bali and the Bali logo are registered trademarks of Springs Window Fashions, LLC.

(03/26) 26-772600