

CORDLESS FAUX WOOD, VINYL, CELLULAR, AND VERTICALS

Product Information Guide

How to Measure

Inside Mount2

Outside Mount: Horizontal Blinds and Cellular Shades2

Outside Mount: Vertical Blinds2

Cordless Faux Wood Blinds

Product Detail3

Size Considerations3

Valance Options3

Cordless Vinyl Blinds

Product Detail4

Size Considerations4

Cordless Cellular Shades

Product Detail5

Size Considerations5

Vertical Blinds

Product Detail6

Size Considerations6



NOTE: For orders of 50 blinds or more, please call customer service for estimated delivery time.

How to Measure


Measure each window individually as size variances are common. Record width first, then height (also referred to as length) to the nearest 1⁄8". Measure width from left to right, height from top to bottom, using a steel tape measure. Do not use a cloth tape.

Inside Mount

Inside mount blinds are installed inside the window casing. **Window casing must be at least the listed depths for inside mount blinds.**

		
Product Type	Minimum Depth Mount (inches)	Depth Needed for Full Recess (inches)
Cellular	1½	2⅝
Faux Wood Blind with No Valance	1¼	3
Faux Wood Blind with Decorative Valance	1¼	4¼
Verticals—Flush Track	2¾	4⅝
Verticals—Flush Vane	3¾	4⅝
Vinyl	¾	1¾

1. Measure the exact inside width of the window casing from one inside edge to the other in three different places. Record the narrowest measurement.
2. Measure the exact height in three different places from top edge of opening to top of sill. Record the longest measurement.
3. Measure the window diagonally in two places as shown. If the two diagonal dimensions are not equal, we recommend an outside mount application for optimal function and aesthetics.
4. Do not take deductions. Allowances are made at the factory to ensure a perfect fit.



Outside Mount: Horizontal Blinds and Cellular Shades


Outside mount blinds are installed outside the window casing, covering an area larger than the window itself.

1. Measure the exact width to be covered. If window opening allows, overlap by at least 1½" on each side (3" total overlap) to ensure light control and privacy.
2. Measure the exact height to be covered, including desired overlap (typically from top edge of molding to bottom edge, or to top of sill if there is one).
3. The factory makes NO allowances on outside mount.

Outside Mount: Vertical Blinds


Outside mount blinds are installed outside the window casing, covering an area larger than the window itself.

1. Measure the exact width of the window, including the frame if there is one. Add 3" for each side (6" total overlap) to ensure light control and privacy.
2. Measure the exact height of the window from top edge of molding to bottom edge, or total top of sill if there is one. Add 3" to allow for adequate mounting area above the window.
3. If blind extends to the floor (e.g., to cover patio door), measure as in step two. Then add 3" to allow for adequate mounting area above the window and deduct ½" for clearance so the vanes do not touch the floor.
4. The factory makes NO allowances on outside mount.



Cordless Faux Wood Blinds

Product Detail



Size Considerations

Minimum Blind Width (inches)	15½ inside mount* 15 outside mount
Maximum Blind Width (inches)	78⅞ inside mount* 78 outside mount
Minimum Blind Height (inches)	24
Maximum Blind Height (inches)	78

*½" deduction is taken on all inside mount blinds.


NOTE: There may be extra slats that rest on the bottomrail. Blinds are built to ordered length -0/+1 inch.

Finished Blind Width (inches)	Number of Ladders	Number of Lifts
15 to 18	2	2
18½ to 24	2	2
24½ to 30	3	2
30½ to 36	3	2
36½ to 42	4	4
42½ to 48	4	4
48½ to 54	5	4
54½ to 60	5	4
60½ to 66	6	4
66½ to 72	6	4
72½ to 78	7	4

NOTE: On all inside mount blinds, factor in the ½" deduction BEFORE determining ladder and lift quantity.

Valance Option


- Available at an additional charge
- ¾" to 3½" returns available on outside mount (2¾" default)
- ¾" to 1¾" returns available on inside mount (¾" default)



NOTE: For orders of 50 blinds or more, please call customer service for estimated delivery time.

Cordless Vinyl Blinds

Product Detail



Size Considerations

Minimum Blind Width (inches)	16½ inside mount* 16 outside mount
Maximum Blind Width (inches)	72½ inside mount* 72 outside mount
Minimum Blind Height (inches)	24
Maximum Blind Height (inches)	84

*½" deduction is taken on all inside mount blinds.


NOTE: There is a 1" length tolerance. There may be extra slats that rest on the bottomrail.

Finished Blind Width (inches)	Number of Ladders	Number of Lifts
16 to 23	2	2
23½ to 30	2	2
30½ to 37	3	2
37½ to 44	3	2
44½ to 51	4	4
51½ to 58	4	4
58½ to 65	5	3
65½ to 72	5	3

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

Cordless Cellular Shades

Product Detail



Size Considerations


Minimum Shade Width (inches)	18½ inside mount* 18 outside mount
Maximum Shade Width (inches)	72½ inside mount* 72 outside mount
Shade Height (inches)	48, 60, and 72

*½" deduction is taken on all inside mount blinds.

NOTE: Shades are available in three heights, and length will not be adjusted.

Vertical Blinds

Product Detail



Size Considerations

Minimum Blind Width (inches)	13¼ inside mount* 13 outside mount
Maximum Blind Width (inches)	120¼ inside mount* 120 outside mount
Minimum Blind Height (inches)	6
Maximum Blind Height (inches)	104

*¼" deduction is taken on all inside mount blinds.

NOTE: All measurements are exact.

Number of Vanes	Clear Opening (inches)	Finished Blind Width (inches)	Number of Vanes	Clear Opening (inches)	Finished Blind Width (inches)
5	12	16	22	57	69¼
6	14¾	19⅞	23	59⅞	72⅞
7	17⅞	22¼	24	62¼	75¾
8	20	25⅞	25	65¼	79
9	22⅞	28½	26	68	82¼
10	25¼	31⅞	27	69¾	85¼
11	28¼	34⅞	28	72⅞	88⅞
12	30⅞	38	29	74¾	92
13	33¼	41⅞	30	77¼	94¼
14	35⅞	44¼	31	79¾	98½
15	38½	47⅞	32	82¼	101¾
16	41⅞	50½	33	85	104⅞
17	43¾	53⅞	34	89⅞	108
18	46⅞	56¾	35	92⅞	111¼
19	49	59⅞	36	95⅞	114½
20	51¾	63	37	98⅞	117¾
21	54⅞	66⅞	38	99⅞	120

bali essentials

Bali Essentials is a brand of Springs Window Fashions, the Best Experience Company

Bali Essentials and the Bali Essentials logo are registered trademarks of Springs Window Fashions, LLC.