

# Bali® Vertical Blinds



## Product Information Guide and Price List for **Fabric, Sheer, and Vinyl Vertical Blinds** United States **March 2019**

## Table of Contents

### General Information

Sheer Enchantment Vertical Blinds Suggested Color Coordination . . . . .	19
Clear Opening: How to Measure for Uncovered Window: Fabric and Vinyl Vertical Blinds . . . . .	20
Vane Stacking Chart: Magnum™ G-98—3½": Fabric and Vinyl Vertical Blinds . . . . .	20
Vane Stacking Chart: DuraLite™ G-85—3½": Fabric and Vinyl Vertical Blinds . . . . .	21
Fabric and Vinyl Vertical Vane Stacking Chart: One Touch® Control (Magnum and DuraLite): Fabric and Vinyl Vertical Blinds . . . . .	22
Sheer Enchantment® Vertical Blinds Product Detail . . . . .	23
Magnum G-98 Headrail Product Detail . . . . .	24
DuraLite G-85 Headrail Product Detail . . . . .	25

### Price Charts and Options Pricing

Price Group A: Magnum Headrail . . . . .	27
Price Group A: DuraLite Headrail . . . . .	27
Price Group A: Valance Surcharges . . . . .	27
Price Group B: Magnum Headrail . . . . .	28
Price Group B: DuraLite Headrail . . . . .	28
Price Group B: Valance Surcharges . . . . .	28
Price Group C: Magnum Headrail . . . . .	29
Price Group C: DuraLite Headrail . . . . .	29
Price Group C: Valance Surcharges . . . . .	29
Price Group C: Stay Clear™ Channel Panel Surcharges . . . . .	29
Price Group D: Magnum Headrail . . . . .	30
Price Group D: DuraLite Headrail . . . . .	30
Price Group D: Valance Surcharges . . . . .	30
Price Group D: Stay Clear Channel Panel Surcharges . . . . .	30
Price Group E: Magnum Headrail . . . . .	31
Price Group E: DuraLite Headrail . . . . .	31
Price Group E: Valance Surcharges . . . . .	31
Price Group E: Stay Clear Channel Panel Surcharges . . . . .	31
Price Group F: Magnum Headrail . . . . .	32
Price Group F: DuraLite Headrail . . . . .	32
Price Group F: Valance Surcharges . . . . .	32
Price Group F: Stay Clear Channel Panel Surcharges . . . . .	32
Price Group G . . . . .	33
Price Group H . . . . .	33
Replacement Headrail Pricing . . . . .	34
Replacement Sheer Enchantment Fabric Pricing . . . . .	34
Replacement Dauphine Valance: Shirred Fabric Only Pricing . . . . .	34
Replacement Dauphine Valance with Shirred Fabric Pricing . . . . .	34
Replacement Round-Corner and Double Round-Corner Valance Pricing . . . . .	34
Everglide® Headrail System (for curved and replacement angled headrails) . . . . .	34
Options Pricing . . . . .	35

## Features

### Sheer Enchantment® Vertical Blinds

With flowing sheer material layered over room-darkening vinyl vanes, Bali Sheer Enchantment Vertical Blinds offer the best combination of comfort and control. Plus, Sheer Enchantment fabrics are easily removed and machine washable.

- Fabric easily installed and removed—no need to take down entire blind
- Easily replace original fabric with different style or color when décor changes
- Fabric is machine washable
- Color-coordinated snaps and thread for a finished appearance
- Heavy-duty aluminum headrail with stainless steel pantograph system ensures smooth operation, and proportional spacing of vanes
- Available as both inside and outside mount
- Cord and chain control only
- Stems are removable for easy replacement in the home

### Vane Styles and Information: Sheer Vertical Blinds

Collection Name	Price Group	Color to Streetside	Light Control
Sheer			
Akbar	H	Same front and back	Sheer/room darkening
Edon	H	Same front and back	Sheer/room darkening
Illuminate	G	Same front and back	Sheer/room darkening
Impressions II	G	Same front and back	Sheer/room darkening
Kobe	H	Same front and back	Sheer/room darkening

### Light Control Levels

**Sheer:** Allows light to enter the room where light control and privacy are not a concern. Objects in the room can be seen quite clearly through blinds.

**Room Darkening\*:** Significantly dims light entering the room. Deeper fabric colors offer more light control and moderate privacy.

\*These fabrics are translucent and their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully closed or open.

## Features

### Fabric and Vinyl Vertical Blinds

- Choose from a variety of crown or S-shaped vinyl vanes
- Many vinyl styles coordinate with Bali® 2" custom vinyl horizontal blinds
- Choose fabric vanes for a softer look; insert into channel panel for more light control and privacy
- Several fabric styles coordinate with Bali pleated shades and Bali roller shades
- Choice of headrails

### Vane Styles and Information: Fabric and Vinyl Vertical Blinds

Collection Name	Price Group	Color to Streetside	Light Control	Available with Channel Panel	Flame Resistant NFPA 701	Coordinates with
<b>Fabric</b>						
Cascade*	C	Same front and back	Sheer/light filtering	Yes		Roller shades
Fiddlestix*	F	Same front and back	Light filtering	Yes		Roller shades, pleated shades
Keepsake*	F	White	Room darkening			
Linen*	D	Neutral	Light filtering	Yes		Roller shades
Monroe*	E	Same front and back	Sheer/light filtering	Yes		
Panorama*	F	White	Room darkening			Roller shades
Runway	E	Same front and back	Light filtering/room darkening	Yes		Roller shades
Shoreline*	C	Same front and back	Sheer/light filtering	Yes		Roller shades
Spencer**	C	Same front and back	Light filtering	Yes	Yes	Pleated shades
Thatch*	D	Neutral	Light filtering	Yes		Roller shades
Tufte*	E	Same front and back	Sheer/light filtering	Yes		Pleated shades
<b>S-Shaped Vinyl</b>						
Buckskin	E	Neutral	Room darkening		Yes	2" vinyl
Lighthouse	D	Neutral	Room darkening		Yes	
Pembrook	D	Neutral	Room darkening		Yes	2" vinyl
Presidential	D	Neutral	Room darkening		Yes	2" vinyl
Quatico	C	Neutral	Room darkening		Yes	2" vinyl
<b>Crown Vinyl</b>						
Alexandria	C	Neutral	Room darkening		Yes	
Americana	B	Neutral	Room darkening		Yes	2" vinyl
Channel Panel	B	Same front and back	Room darkening	Yes		
Dazzle	C	Neutral	Room darkening		Yes	2" vinyl
Dorado	E	Neutral	Room darkening		Yes	
Estate	D	Neutral	Room darkening		Yes	
Foundations	A	Neutral	Room darkening		Yes	2" vinyl
Laguna	D	Neutral	Room darkening		Yes	
Nevada	B	Neutral	Room darkening		Yes	
Parisian	B	Neutral	Room darkening		Yes	
Premium Faux Wood	C	Same front and back	Room darkening		Yes	Premium faux wood
Quinn	B	Neutral	Room darkening		Yes	
Sequoia	C	Neutral	Room darkening		Yes	2" vinyl
Stucco	A	Neutral	Room darkening		Yes	

\*Oeko-Tex® Fabric

\*\*Flame Resistant NFPA 701

### Light Control Levels

**Sheer:** Allows light to enter the room where light control and privacy are not a concern. Objects in the room can be seen quite clearly through blinds.



**Light Filtering\*:** Gently diffuses incoming light to provide some light control and moderate privacy.

**Room Darkening\*:** Significantly dims light entering the room. Deeper fabric colors offer more light control and moderate privacy.

\*These fabrics are translucent and their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully closed or open.

## Features

### Installation Types



1. Inside Mount—Ceiling or Top of Window Frame (standard)  
Up to a  $\frac{5}{8}$ " manufacturing height deduction is taken for blinds being installed as inside, ceiling mount without a valance.
2. Inside Mount—Wall or Back of Window Frame  
A  $1\frac{1}{8}$ " manufacturing height deduction is taken for blinds being installed as inside mount using the L-bracket for a wall mount. An additional  $\frac{1}{4}$ " manufacturing height deduction is taken if a valance is included, to accommodate the height of the valance clip.
3. Outside Mount—Wall or Back (standard)  
No manufacturing height deduction is taken.
4. Outside Mount—Ceiling or Top (option)  
No manufacturing height deduction taken.

### Oeko-Tex® Standard 100 Certified Fabrics

Oeko-Tex Standard 100 certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.




### NFPA 701



NFPA 701 Flame resistance test, the standard method of fire tests for flame propagation of textiles and films by the National Fire Protection Agency.

## Features

### Vane Features



**Vane View:** Side the color or texture is facing when vanes are rotated open so you can see through the vanes to the street.



#### Vinyl Styles

- All vinyl vanes offer value, durability, easy cleaning and superior light control
- Choose from embossed or smooth crown or S-shaped
- Embossed vinyl vanes
- Embossed textures offered in solids or prints with the look of jacquard or linen fabrics, wood, or stucco
- Coordinating 2" horizontal vinyl blinds available for many styles
- For pricing on 2" horizontal vinyl, see the 2" horizontal vinyl product information guide and price list

#### Vinyl Crown Vanes

- Traditional curved vanes

#### Vinyl S-Shaped Vanes

- Provide a more drapery like look to your vertical blind
- Provide better closure for more light control and privacy
- Valances are made with crown PVC of the same texture and color; dye lot cannot be guaranteed
- S-shaped vanes are not reversible; you must order either right or left vane view; our recommendation for vane view (which side the color/texture is facing when vanes are rotated open so you can see through the vanes out the window) is:
  - Right stack and split stack—left
  - Left stack—right
- For paired, bay, or corner blinds, all blinds need to be ordered with the same vane view

See illustrations on how S-shaped vanes will hang.

#### Fabric Vanes

- Designer fabric vane styles range from sheer to room darkening in a variety of weaves and materials
- Free-hanging vanes come with sewn-in bottom weights and optional chain and clips
- For increased privacy and room darkening, fabric vanes can be inserted into Stay Clear™ channel panels; the clear edge channels hold fabric securely and will not yellow over time; the opaque vinyl vanes provide additional privacy and light control; see price charts for replacement pricing
- Coordinating pleated, roller shade fabric, and sliding panels are available for selected styles
- Available in 3½" fabric styles

#### Additional Information




1. Due to the nature of vane materials (both fabric and vinyl prints), colors may vary slightly from dye lot to dye lot. Exact matches cannot be guaranteed.
2. Due to the random design of some vane patterns, exact alignment of the pattern across the blind is not possible.

## Size Considerations

### Sheer Enchantment® Vertical Blinds

Width		Height	
Min (inches)	Max (inches)	Min (inches)	Max (inches)
17	191	19	104

### Depth Requirements for Inside Mount: Sheer Enchantment Vertical Blinds

 <p>Partially recessed headrail in window casing/molding</p> <p><b>Minimum Depth Partially Recessed Mount (inches)</b></p>	<p><b>Depth Needed for Flush Mount Headrail (inches)</b></p>	<p><b>Depth needed for Flush Mount Vane (inches)</b></p>	<td>  <p>Fully recessed headrail in window casing/molding</p> <p><b>Depth needed for Flush Mount Valance (inches)</b></p> </td>	 <p>Fully recessed headrail in window casing/molding</p> <p><b>Depth needed for Flush Mount Valance (inches)</b></p>
2 3/8	3	3 3/4	6 3/8	

**Partially Recessed:** A partially recessed window treatment is where the depth of the window casing is less than the space necessary for a flush mount.

**Flush Mount:** If the window casing is deep enough to mount the entire blind inside of it, this is called a flush mount.

### Fabric and Vinyl Vertical Blinds

	Width			Height	
	Minimum Single Stack (inches)	Minimum Split Stack (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
Magnum™	9	17	191	12	192
DuraLite™	9	12	178 3/4	12	144
One Touch®	9	N/A	144	12	96



One Touch Control: 10,080 square inches maximum overall size; Minimum wand length is 33".

### Factory Deductions

Mount	Mount Bracket Location	Valance	Height Deduction Magnum (inches)	Height Deduction DuraLite (inches)
Outside	All types	Yes/no	0	0
Inside	Ceiling or top	No	1/2	1/2
Inside	Ceiling or top	Yes	5/8	1/2
Inside	Wall or back	No	7/8	7/8
Inside	Wall or back	Yes	1 1/8	1 1/8

Mount	Width Deductions (inches)
Outside	0
Inside	1/4

### Depth Requirements for Inside Mount: Fabric and Vinyl Vertical Blinds

	Headrail Dimensions (inches)	 <p>Partially recessed headrail in window casing/molding</p> <p><b>Minimum Depth Mount (inches)</b></p>	 <p>Fully recessed headrail in window casing/molding</p> <p><b>Flush with Casing (inches)</b></p>	<p><b>Depth Needed for Flush Mount Vane (inches)</b></p>	<p><b>Depth Needed for Flush Mount Valance (inches)</b></p>
Magnum	1 1/8 x 1 3/8	2 3/8	2 11/16	3 3/4	3 3/4
DuraLite	1 5/16 x 1 1/2	2 3/8	2 3/4	3 3/4	3 3/4

## Options

### Sheer Enchantment® Vertical Blinds

See pricing section for pricing and/or surcharges. The following is a list of options for Sheer Enchantment Blinds. All options are available in all styles and colors. Limitations will be based on fabric width. See detailed descriptions on the following pages.

#### Control Type Options

- Standard cord/chain controls

#### Blind Options—No Charge

- Bay and corner windows
- Round-corner valance
- Double round-corner valance
- Dauphine® valance—standard
- Paired blinds

#### Blind Options—Surcharge

- Wood cornices and valances; see cornice and valance product information guide and price list)

### Fabric and Vinyl Vertical Blinds

See pricing section for pricing and/or surcharges. The following is a list of options for vertical blinds. All options are available in all styles and colors. See detailed descriptions on the following pages.

#### Control Type Options

- Cord/chain controls
- One Touch® control (standard)

#### Blind Options—No Charge

- Bay and corner windows
- Bottom chain and clips (fabric)
- Bottom chain (vinyl)
- Cut-outs
- Paired blinds
- Projection bracket:  $4\frac{3}{8}$ "
- Square-corner valance
- Stay Clear™ channel panels


#### Specialty Shape Options

- Angled top

#### Options—Surcharge

- Round-corner valance
- Double round-corner valance
- Wood cornices and valances; see cornices and valance product information guide and price list)

### Fabric and Vinyl Vertical Blinds Headrail System



#### G-98 Magnum™

The anodized aluminum Magnum headrail system traverses vanes smoothly through the consecutive action of stainless steel pick-up tails. Magnum carriers are wheeled for smooth traversing and are self-aligning.


#### G-85 DuraLite™

DuraLite headrails traverse vanes smoothly with a thermoplastic strap system. DuraLite steel headrail is offered in an ivory painted finish. DuraLite carriers are wheeled for smooth traversing.

**NOTE:** The design of all headrails allow for reversible installation, providing versatile placement of controls on either the left or right.

## Options

### Control Options



#### Cord and Chain

- **No charge**
- Cord controls vane traverse
- Chain controls vane rotation

#### One Touch® Wand Control—Standard

- **No charge**
- A slender wand controls vane rotation and traversing
- Simple, convenient, safe (no cords and chains)
- Recommended for homes with children or pets
- Available with single stack only; no split stack or opposite stack
- Not available with Sheer Enchantment®

Width		Height	
Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
9	144	12*	96

Maximum overall size: 10,080 square inches (width x height)

#### Wands for Blinds Mounted to Floor Level

If the vertical blind covers a patio door or the bottom of the vertical reaches the floor, the following chart indicates wand length. If the headrail distance from the floor is greater than 85" or there is any furniture in front of the blind, specify a 48" or 60" wand for easy accessibility.


Blind Height (inches)	Wand Height (inches)
77 or less*	33
77½ to 92	48
92½ to 96	60

\*If blind is less than 35", wand will be longer than vanes.

The standard cord and chain control is recommended.

#### Wands for Blinds Mounted Above Floor Level

Keep in mind that the wand length is determined by the **finished blind height**.



### Stacking Options



Split Stack  
Left Controls  
(right controls available)



Left Stack  
Same Side Stack  
and Controls




Right Stack Same Side  
Stack and Controls



Opposite Stack  
and Controls


## Options

### Cut-Out Blinds



- **No charge**
- Order when air conditioner, heating register or other object would interfere with vanes
- Blind must stack away from cut-out area
- Specify size and base price by maximum width and height of blind
- Submit drawing to identify size and location of cut-out (see example)
- Minimum cut-out width: 3½"
- Cut-out must be a full vane width and may be wider than ordered
- Not available with bottom chain
- Not available with Sheer Enchantment®


### Bottom Chain



Bottom Chain  
Vinyl Vanes  
(Must be requested at time of order.)

- **No charge**
- Optional, must be requested at time of order
- Not available with channel panel or S-shaped vanes
- Not available with Sheer Enchantment

Vane Style	Standard/Option	Description
Fabric	Standard	3-sided sewn-in weight
Fabric	Option	Single nickel-plated chain at back of vanes with clips
Vinyl	Standard	No bottom chain
Vinyl	Option	Single nickel-plated chain in the middle of vanes
Channel Panel	Standard	No bottom weights or chain




Backside  
of Vanes  
Shown

Bottom Chain and  
Clip Fabric Vanes  
(Free hang only.)

## Options

### Stay Clear™ Channel Panel for Fabric Vanes



- **See surcharge on price charts**
- Vane material inserted into extruded channel panel with clear edges; see blind features for fabric styles available
- Offers improved privacy, room darkening and a neutral color appearance from exterior of window
- Channel panel colors
  - Ivory—7137
  - White—7136
- Not available with bottom chain
- See appropriate price charts for replacement vane pricing
- Not available with Sheer Enchantment®


### Paired Blinds



- Price as two separate blinds
- The appearance of a split stack blind can be achieved by pairing blinds; the center opening point can be either on center or off center
- Paired blinds can also be used when the required width is larger than the maximum width available for a single blind
- Specify paired blinds on your order
- Control locations must be same as stack
- Recommend ordering as stack left/controls left and stack right/controls right
- Square-corner valance with dust cover only for vinyl and fabric verticals
- Available with one-way cord and chain only

### Replacement Vane Ordering

See the column at the far right of each price chart, for individual vane pricing based on material desired.



#### How to Measure a Replacement Vane

- Use the price charts for individual vane pricing
- Determine which chart based on material desired
- Locate height of your vane on the left side of the chart
- Use the price on the right side of chart that coincides with the height of vane desired

#### How to Measure a Replacement Existing Vane, No Changes

- Measure the vane(s) from tip to tip to determine the exact length/height (FLL)
- No additional deductions will be taken by manufacturing; vanes will be manufactured to the exact size you provide
- Submit the measurement as exact height

#### How to Measure a Replacement Existing Vane, Changing the Height of the Vanes

- Measure from top of mounted headrail to bottom of location to be covered
- Record this measurement; this is the finished blind length/height (FBL)
- Manufacturing will take appropriate deduction so vanes will cover desired area

**NOTE:** Free hang fabric vanes include bottom weights. Bottom chains for vinyl vanes are optional; must be specified at time of order.

## Options

### Sheer Enchantment® Hem Style



- 4" drapery hem is standard

### Sheer Enchantment Dauphine® Valance



- **No charge**
- Fabric is Shirred for a soft look
- Snap-in brackets for easy installation
- Threader cap provides no-snag shirring of sheer fabric
- Notched for minimum 2½" returns and will extend to 7½" using the additional return slides which are included




## Options

### Round-Corner Valance



Round-Corner Valance

Double Round-Corner Valance



Round-Corner Valance  
with Dust Cover

#### Outside Mount Only


- For surcharge, see price charts
- The round-corner valance system features the Stay-Clear™ channel panel guaranteed not to yellow; accommodates vinyl and fabric vanes as inserts; S-shaped style vanes use matching crown profile for valance insert; includes dust cover
- Also available with Sheer Enchantment®
- Create a layered look with a double round-corner valance
- Both valances include 5½" returns

Maximum Valance Size Limitations				
	Valance		Returns	
	Maximum PVC (inches)	Maximum Fabric (inches)	Minimum (inches)	Maximum (inches)
Square-Corner Valance	191	191	3	8
Round-Corner Valance	175	191	5½	8
Double Round-Corner Valance	175	191	5½	8

- Round-corner valance height 3¾"
- Double round-corner valance height 6½"


**NOTE:** Top hem of blind will be visible below the round-corner valance.

### Square-Corner Valance




- **No charge**
- The square-corner valance is an extruded vinyl Stay-Clear channel panel, which is sized to hold 3½" wide vane material; it includes two 5½" returns
- Valances greater than 191" must have a dust cover
- Not available with Sheer Enchantment

Square-Corner Valance  
without Dust Cover



5½" Return

Square-Corner Valance  
with Dust Cover




### Additional Options


- For pricing, see cornice and valance product information guide and price list
- Enhance the beauty of your blind with a decorative valance or cornice



3" Standard Valance



3½" Premium  
Traditional Valance














3¼"  
Eloquence Valance



5½" and 7½"  
Regal Wood Cornice

## Options

### Installation Hardware: Vertical and Sheer Vertical Blinds

	G-98 Magnum™	G-85 DuraLite™	Sheer Verticals	
Track Clip for Inside or Ceiling Mount				Dauphine® Valance Bracket 
L-Bracket for Outside or Wall Mount				Dauphine Valance Bracket 
Optional Flat Projection Bracket (NOTE: Attaches to angle bracket with nut/bolt pairs. Must be requested at time of order.)				

### Number of Mounting Brackets: Vertical and Sheer Vertical Blinds

Sheer Verticals: Number of Headrail and Dauphine Valance Mounting Brackets

Blind Width (inches)	17 to 54	54 $\frac{1}{16}$ to 81	81 $\frac{1}{16}$ to 108	108 $\frac{1}{16}$ to 135	135 $\frac{1}{16}$ to 162	162 $\frac{1}{16}$ to 191
Number of Brackets	2	3	4	5	6	7

Magnum G-98 Headrail


Blind Width (inches)	9 to 50	50 to 90	91 to 130	131 to 170	171 to 191
Number of Brackets	2	3	4	5	6

DuraLite G-85 Headrail

Blind Width (inches)	9 to 62	63 to 98	99 to 134	135 to 170	171 to 178 $\frac{3}{4}$
Number of Brackets	2	3	4	5	6

## Options

### Bay and Corner Windows




- No additional charge
- Minimal corner gaps
- Square-corner valance with dust cover only
- Chain and cord only
- Each blind is controlled separately
- List each track width and height on separate lines
- Price as separate blinds
- If no deductions are required, do not order as bay or corner
- Not available with cornices
- Sheer vertical—Dauphine® Valance only

#### Measuring Information

##### Corner Window

Measure: Width of each window from corner to the point you would like to cover and indicate which is the butted blind and bypass blind.



##### Three-Sided Bay Window


Measure:

- A and C: Width of side windows from the corners to the point you would like the blind to cover.  
 B: Width of the center window from corner to corner.  
 Angle A-B: Angle between windows (A) and (B).  
 Angle B-C: Angle between windows (B) and (C).

##### Four-Sided Bay Window

Measure:


- A and D: Width of side windows from the corners to the point you would like the blind to cover.  
 B and C: Width of each window from corner to corner.  
 Angle A-B: Angle between windows (A) and (B).  
 Angle B-C: Angle between windows (B) and (C).  
 Angle C-D: Angle between windows (C) and (D).



##### Five-Sided Bay Window


Measure:

- A and E: Width of side windows from the corners to the point you would like the blind to cover.  
 B, C, and D: Width of each center window from corner to corner.  
 Angle A-B: Angle between windows (A) and (B).  
 Angle B-C: Angle between windows (B) and (C).  
 Angle C-D: Angle between windows (C) and (D).  
 Angle D-E: Angle between windows (D) and (E).



## Options

### Specialty Shapes: Angled Window Headrail



- **For surcharges, see options pricing**
- Ideal for sloping, cathedral-type windows
- Only available in single stack cord control vertical blinds
- Vane stack and cord control must be at the highest point of the window
- Exact dimensions must accompany orders to ensure proper fit
- Steepest slope possible is 55°
- Maximum size: 144" wide x 144" long, depending on angle
- Minimum low end is 6"
- Available on Everglide® Headrail only
- Square-corner valance with dust cover only; must be mitered at time of installation
- Bottom chains are not available
- Not available with Sheer Enchantment®

### Measuring Angled Window Outside Mount

1. Measure exact width and height of the area to be covered. It is recommended that blinds overlap window frame or opening by 1½" on each side.
2. Measure height of the opening on the left side and mark this dimension "left". Allow for overlap as desired: 1½" on the top and bottom is recommended.
3. Measure height of opening on right side and mark this dimension "right". Allow for the same overlap as left side.
4. Factory will determine the angle from these three dimensions.

## General Information

### Sheer Enchantment® Vertical Blinds Vane Stacking Chart: Outside Mount

Number of Vanes	Single Stack		Split-Stack		Number of Vanes	Single Stack		Split-Stack		Number of Vanes	Single Stack		Split-Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)		CO (inches)	FBW (inches)	CO (inches)	FBW (inches)		CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
6	14 $\frac{1}{8}$	19 $\frac{1}{8}$	11 $\frac{1}{8}$	17	25	65 $\frac{1}{4}$	79 $\frac{1}{8}$			44	115 $\frac{1}{4}$	139 $\frac{1}{4}$	112	136 $\frac{1}{8}$
7	17 $\frac{1}{2}$	22 $\frac{1}{4}$			26	67 $\frac{7}{8}$	82 $\frac{1}{2}$	64 $\frac{1}{4}$	80	45	118 $\frac{3}{8}$	142 $\frac{3}{8}$		
8	20 $\frac{1}{8}$	25 $\frac{1}{8}$	16 $\frac{3}{8}$	23 $\frac{1}{4}$	27	70 $\frac{1}{2}$	85 $\frac{1}{4}$			46	121	145 $\frac{1}{2}$	117 $\frac{3}{8}$	142 $\frac{1}{2}$
9	22 $\frac{1}{4}$	29			28	73 $\frac{1}{4}$	88 $\frac{1}{8}$	69 $\frac{1}{2}$	86 $\frac{1}{4}$	47	123 $\frac{3}{8}$	148 $\frac{3}{8}$		
10	25 $\frac{3}{8}$	32 $\frac{1}{2}$	21 $\frac{1}{4}$	29 $\frac{1}{8}$	29	75 $\frac{3}{8}$	92			48	126 $\frac{3}{8}$	151 $\frac{1}{4}$	122 $\frac{3}{4}$	149 $\frac{1}{4}$
11	28 $\frac{1}{8}$	35 $\frac{1}{2}$			30	78 $\frac{5}{8}$	95 $\frac{1}{8}$	74 $\frac{1}{8}$	92 $\frac{1}{2}$	49	129	155		
12	30 $\frac{3}{4}$	38 $\frac{1}{2}$	27	35 $\frac{1}{8}$	31	81 $\frac{1}{4}$	98 $\frac{1}{4}$			50	131 $\frac{1}{8}$	158 $\frac{1}{8}$	128	155 $\frac{1}{2}$
13	33 $\frac{1}{2}$	41 $\frac{1}{8}$			32	83 $\frac{1}{2}$	101 $\frac{1}{8}$	80 $\frac{1}{4}$	98 $\frac{1}{8}$	51	134 $\frac{1}{4}$	161 $\frac{1}{4}$		
14	36 $\frac{1}{8}$	44 $\frac{1}{4}$	32 $\frac{1}{2}$	42 $\frac{1}{8}$	33	86 $\frac{1}{2}$	104 $\frac{1}{8}$			52	137	164 $\frac{1}{4}$	133 $\frac{3}{4}$	161 $\frac{1}{4}$
15	38 $\frac{3}{4}$	47 $\frac{1}{8}$			34	89 $\frac{1}{8}$	107 $\frac{1}{4}$	85 $\frac{1}{2}$	105 $\frac{1}{8}$	53	139 $\frac{3}{8}$	167 $\frac{1}{2}$		
16	41 $\frac{1}{8}$	51	37 $\frac{1}{4}$	48 $\frac{1}{2}$	35	91 $\frac{1}{4}$	110 $\frac{1}{8}$			54	142 $\frac{1}{4}$	170 $\frac{1}{8}$	138 $\frac{3}{8}$	168 $\frac{1}{8}$
17	44	54 $\frac{1}{4}$			36	94 $\frac{1}{2}$	114	90 $\frac{1}{4}$	111 $\frac{1}{8}$	55	144 $\frac{1}{8}$	173 $\frac{1}{8}$		
18	46 $\frac{1}{8}$	57 $\frac{1}{8}$	43	54 $\frac{1}{4}$	37	97 $\frac{1}{8}$	117 $\frac{1}{8}$			56	147 $\frac{1}{8}$	177	143 $\frac{3}{8}$	174 $\frac{1}{8}$
19	49 $\frac{1}{8}$	60 $\frac{1}{2}$			38	99 $\frac{1}{4}$	120 $\frac{1}{8}$	96 $\frac{1}{8}$	117 $\frac{3}{4}$	57	150 $\frac{1}{4}$	180 $\frac{1}{8}$		
20	52	63 $\frac{3}{8}$	48 $\frac{1}{4}$	61	39	102 $\frac{3}{8}$	123 $\frac{1}{2}$			58	152 $\frac{1}{2}$	183 $\frac{1}{4}$	149 $\frac{1}{8}$	180 $\frac{1}{8}$
21	54 $\frac{1}{2}$	66 $\frac{1}{4}$			40	105 $\frac{1}{8}$	126 $\frac{1}{8}$	101 $\frac{1}{8}$	124	59	155 $\frac{1}{2}$	186 $\frac{1}{8}$		
22	57 $\frac{1}{8}$	70	53 $\frac{1}{8}$	67 $\frac{1}{8}$	41	107 $\frac{3}{4}$	129 $\frac{1}{4}$			60	158 $\frac{1}{4}$	189 $\frac{1}{8}$	154 $\frac{1}{2}$	187
23	60	73 $\frac{1}{8}$			42	110 $\frac{3}{8}$	132 $\frac{1}{8}$	106 $\frac{1}{8}$	130 $\frac{1}{4}$	61	159 $\frac{1}{8}$	191		
24	62 $\frac{1}{2}$	76 $\frac{1}{4}$	58 $\frac{1}{8}$	73 $\frac{1}{8}$	43	113	136			62			157 $\frac{1}{8}$	191

CO = Clear Opening      FBW = Finished Blind Width      FBW—CO = Stack

### Sheer Enchantment Vertical Blinds Vane Stacking Chart: Inside Mount

Number of Vanes	Single Stack		Split-Stack		Number of Vanes	Single Stack		Split-Stack		Number of Vanes	Single Stack		Split-Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)		CO (inches)	FBW (inches)	CO (inches)	FBW (inches)		CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
7	10 $\frac{1}{8}$	19 $\frac{1}{4}$			26	61 $\frac{1}{8}$	79 $\frac{1}{8}$	59	76 $\frac{1}{2}$	45	112 $\frac{1}{8}$	139 $\frac{1}{8}$		
8	13 $\frac{1}{4}$	22 $\frac{1}{2}$	11 $\frac{1}{8}$	19 $\frac{1}{4}$	27	63 $\frac{1}{2}$	82 $\frac{1}{4}$			46	114 $\frac{1}{4}$	142 $\frac{1}{2}$	112 $\frac{1}{8}$	139 $\frac{1}{8}$
9	15 $\frac{1}{2}$	25 $\frac{1}{2}$			28	66 $\frac{1}{8}$	85 $\frac{1}{2}$	64 $\frac{1}{4}$	82 $\frac{1}{4}$	47	117 $\frac{1}{2}$	145 $\frac{1}{4}$		
10	18 $\frac{1}{2}$	28 $\frac{1}{2}$	16 $\frac{1}{8}$	26	29	69 $\frac{1}{4}$	88 $\frac{1}{8}$			48	120 $\frac{1}{8}$	148 $\frac{1}{8}$	117 $\frac{1}{2}$	146 $\frac{1}{4}$
11	21 $\frac{1}{4}$	31 $\frac{1}{8}$			30	71 $\frac{1}{8}$	91 $\frac{1}{4}$	69 $\frac{1}{8}$	89 $\frac{1}{8}$	49	122 $\frac{1}{4}$	152		
12	24	35	21 $\frac{1}{4}$	32 $\frac{1}{8}$	31	74 $\frac{1}{2}$	94 $\frac{1}{8}$			50	125 $\frac{1}{8}$	155 $\frac{1}{8}$	122 $\frac{3}{4}$	152 $\frac{1}{2}$
13	26 $\frac{1}{8}$	38 $\frac{1}{8}$			32	77 $\frac{1}{8}$	98	74 $\frac{1}{8}$	95 $\frac{1}{8}$	51	128 $\frac{1}{8}$	158 $\frac{1}{8}$		
14	29 $\frac{1}{4}$	41 $\frac{1}{4}$	27	38 $\frac{1}{8}$	33	80 $\frac{1}{4}$	101 $\frac{1}{8}$			52	130 $\frac{1}{4}$	161 $\frac{1}{2}$	128	158 $\frac{1}{4}$
15	31 $\frac{1}{8}$	44 $\frac{1}{8}$			34	82 $\frac{1}{2}$	104 $\frac{1}{4}$	80 $\frac{1}{4}$	102 $\frac{1}{8}$	53	133 $\frac{1}{2}$	164 $\frac{1}{4}$		
16	34 $\frac{1}{8}$	47 $\frac{1}{8}$	32 $\frac{1}{4}$	44 $\frac{1}{8}$	35	85 $\frac{1}{2}$	107 $\frac{1}{8}$			54	136 $\frac{1}{8}$	167 $\frac{1}{8}$	133 $\frac{3}{8}$	165 $\frac{1}{8}$
17	37 $\frac{1}{4}$	50 $\frac{1}{4}$			36	88 $\frac{1}{4}$	111 $\frac{1}{8}$	86	108 $\frac{1}{8}$	55	138 $\frac{1}{4}$	171		
18	39 $\frac{1}{8}$	53 $\frac{1}{8}$	37 $\frac{1}{4}$	51 $\frac{1}{4}$	37	90 $\frac{1}{8}$	114 $\frac{1}{4}$			56	141 $\frac{1}{8}$	174 $\frac{1}{8}$	138 $\frac{3}{8}$	171 $\frac{1}{8}$
19	42 $\frac{1}{2}$	57			38	93 $\frac{1}{2}$	117 $\frac{1}{8}$	91 $\frac{1}{8}$	114 $\frac{1}{4}$	57	144	177 $\frac{1}{4}$		
20	45 $\frac{1}{8}$	60 $\frac{1}{8}$	43	57 $\frac{1}{2}$	39	96 $\frac{1}{8}$	120 $\frac{1}{2}$			58	146 $\frac{1}{8}$	180 $\frac{1}{2}$	144	177 $\frac{1}{8}$
21	47 $\frac{3}{4}$	63 $\frac{1}{4}$			40	98 $\frac{3}{4}$	123 $\frac{1}{8}$	96 $\frac{1}{8}$	121	59	149 $\frac{1}{2}$	183 $\frac{1}{8}$		
22	50 $\frac{1}{2}$	66 $\frac{1}{2}$	48 $\frac{1}{4}$	63 $\frac{1}{4}$	41	101 $\frac{1}{2}$	126 $\frac{1}{8}$			60	152 $\frac{1}{8}$	186 $\frac{1}{4}$	149 $\frac{1}{8}$	184
23	53 $\frac{1}{8}$	69 $\frac{1}{8}$			42	104 $\frac{1}{8}$	130	101 $\frac{1}{2}$	127 $\frac{1}{4}$	61	154 $\frac{1}{4}$	189 $\frac{1}{8}$		
24	55 $\frac{1}{2}$	72 $\frac{1}{8}$	53 $\frac{1}{8}$	70 $\frac{1}{8}$	43	106 $\frac{1}{8}$	133 $\frac{1}{8}$			62	155 $\frac{1}{8}$	191	154 $\frac{1}{8}$	190 $\frac{1}{4}$
25	58 $\frac{1}{2}$	76			44	109 $\frac{1}{2}$	136 $\frac{1}{4}$	106 $\frac{1}{8}$	133 $\frac{1}{8}$	64			154 $\frac{1}{8}$	191

CO = Clear Opening      FBW = Finished Blind Width      FBW—CO = Stack

## General Information


### Sheer Enchantment® Vertical Blinds Suggested Color Coordination

Fabric Name	Fabric Content	Color Name	Color Number	Recommended Vane, Bead Chain, and Cord Weight Color
Akbar	100% polyester	Oasis	2760	Ivory
Edon	100% polyester	Cream	2222	Ivory
		Pearl	2221	White
		Snow	2220	White
Illuminate	100% polyester	Champagne	1720	Ivory
		Marble	1722	Ivory
		Snow White	1724	White
		White	1725	White
Impressions II	100% polyester	Marble	1740	Ivory
		White	1741	White
		Winter	1742	White
Kobe	100% polyester	Marble	2080	Ivory


## General Information

### Clear Opening: How to Measure for Uncovered Window: Fabric and Vinyl Vertical Blinds

Stack Left Finished Blind Width (FBW)



Split Stack Finished Blind Width (FBW)  
(recommended for balanced appearance)



Determine headrail type and the clear opening width for split stack, stack right or stack left (see diagrams)—the additional 3" shown for privacy is recommended if ordering a right or left stack.

1. Match the clear opening width with dimension found under "CO" column below. For even spacing, round up width measurement to the next size in the stack chart. Split stack will have even numbers of vanes.
2. Order the corresponding dimension found in the "FBW" (finished blind width) column below.

**EXAMPLE:** Stack left—if determined width for clear opening window view is 54 $\frac{3}{8}$ ", order width needed to provide full unobstructed view is 63 $\frac{3}{8}$ ".

**NOTE:** For stack right or stack left blinds add an additional 3" to the clear opening before calculating the finished blind width. For One Touch® control see appropriate stacking charts for single stack blinds on the following pages.

### Vane Stacking Chart: Magnum™ G-98—3 $\frac{1}{8}$ " : Fabric and Vinyl Vertical Blinds

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	7 $\frac{1}{4}$	10 $\frac{1}{4}$		
4	10	13 $\frac{1}{8}$	8 $\frac{1}{2}$	13 $\frac{1}{2}$
5	12 $\frac{7}{8}$	16 $\frac{1}{2}$		
6	15 $\frac{1}{2}$	19 $\frac{5}{8}$	14	19 $\frac{3}{4}$
7	18 $\frac{5}{8}$	22 $\frac{3}{4}$		
8	21 $\frac{1}{8}$	25 $\frac{5}{8}$	19 $\frac{1}{2}$	26
9	23 $\frac{3}{8}$	29		
10	26 $\frac{1}{4}$	32 $\frac{1}{8}$	25 $\frac{1}{8}$	32 $\frac{1}{4}$
11	29 $\frac{1}{8}$	35 $\frac{1}{8}$		
12	32 $\frac{1}{4}$	38 $\frac{1}{4}$	30 $\frac{5}{8}$	38 $\frac{5}{8}$
13	35	41 $\frac{3}{8}$		
14	37 $\frac{3}{4}$	44 $\frac{1}{2}$	36 $\frac{1}{4}$	44 $\frac{5}{8}$
15	40 $\frac{1}{2}$	47 $\frac{5}{8}$		
16	43 $\frac{3}{8}$	50 $\frac{3}{4}$	41 $\frac{3}{4}$	50 $\frac{7}{8}$
17	46 $\frac{1}{8}$	53 $\frac{3}{8}$		
18	48 $\frac{3}{8}$	57	47 $\frac{3}{8}$	57 $\frac{1}{8}$
19	51 $\frac{1}{8}$	60		
20	54 $\frac{3}{8}$	63 $\frac{1}{8}$	52 $\frac{7}{8}$	63 $\frac{1}{4}$
21	57 $\frac{1}{4}$	66 $\frac{1}{4}$		
22	60	69 $\frac{1}{8}$	58 $\frac{3}{8}$	69 $\frac{1}{2}$
23	62 $\frac{3}{4}$	72 $\frac{1}{2}$		
24	65 $\frac{1}{2}$	75 $\frac{5}{8}$	64	75 $\frac{3}{4}$
25	68 $\frac{1}{4}$	78 $\frac{3}{4}$		
26	71 $\frac{1}{8}$	80 $\frac{5}{8}$	69 $\frac{1}{2}$	82
27	73 $\frac{3}{8}$	85		
28	76 $\frac{1}{8}$	88	75	88 $\frac{1}{8}$
29	79 $\frac{1}{8}$	91 $\frac{1}{8}$		
30	82 $\frac{1}{4}$	94 $\frac{1}{4}$	80 $\frac{5}{8}$	94 $\frac{3}{8}$
31	85	97 $\frac{3}{8}$		
32	87 $\frac{3}{4}$	100 $\frac{1}{2}$	86 $\frac{1}{8}$	100 $\frac{5}{8}$

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
33	90 $\frac{1}{2}$	103 $\frac{3}{8}$		
34	93 $\frac{1}{4}$	106 $\frac{1}{4}$	91 $\frac{1}{4}$	106 $\frac{1}{8}$
35	96 $\frac{1}{8}$	109 $\frac{1}{8}$		
36	98 $\frac{3}{4}$	112 $\frac{1}{2}$	97 $\frac{1}{4}$	113
37	101 $\frac{1}{8}$	116		
38	104 $\frac{3}{8}$	119 $\frac{1}{8}$	102 $\frac{1}{8}$	119 $\frac{1}{4}$
39	107 $\frac{1}{8}$	122 $\frac{1}{4}$		
40	109 $\frac{3}{8}$	125 $\frac{3}{8}$	108 $\frac{3}{8}$	125 $\frac{1}{2}$
41	112 $\frac{1}{4}$	128 $\frac{1}{2}$		
42	115 $\frac{1}{2}$	131 $\frac{1}{8}$	113 $\frac{3}{8}$	131 $\frac{1}{4}$
43	118 $\frac{1}{4}$	134 $\frac{3}{4}$		
44	121 $\frac{1}{8}$	137 $\frac{1}{8}$	119 $\frac{1}{2}$	138
45	123 $\frac{3}{4}$	140 $\frac{1}{8}$		
46	126 $\frac{1}{8}$	144	125	144 $\frac{1}{8}$
47	129 $\frac{3}{8}$	147 $\frac{1}{8}$		
48	132 $\frac{1}{8}$	150 $\frac{1}{4}$	130 $\frac{3}{8}$	150 $\frac{1}{8}$
49	134 $\frac{7}{8}$	153 $\frac{3}{8}$		
50	137 $\frac{3}{8}$	156 $\frac{1}{2}$	136 $\frac{1}{8}$	156 $\frac{1}{8}$
51	140 $\frac{1}{2}$	159 $\frac{1}{8}$		
52	143 $\frac{1}{4}$	162 $\frac{1}{4}$	141 $\frac{1}{4}$	162 $\frac{1}{8}$
53	146	165 $\frac{1}{4}$		
54	148 $\frac{3}{4}$	168 $\frac{1}{8}$	147 $\frac{1}{4}$	169
55	151 $\frac{1}{8}$	172		
56	154 $\frac{3}{8}$	175 $\frac{1}{8}$	152 $\frac{1}{4}$	175 $\frac{1}{4}$
57	157 $\frac{1}{8}$	178 $\frac{1}{4}$		
58	159 $\frac{3}{8}$	181 $\frac{1}{8}$	158 $\frac{1}{4}$	181 $\frac{1}{2}$
59	162 $\frac{1}{8}$	184 $\frac{1}{2}$		
60	165 $\frac{1}{2}$	187 $\frac{1}{8}$	163 $\frac{3}{8}$	187 $\frac{1}{4}$
61	168 $\frac{1}{8}$	190 $\frac{1}{8}$		
62	168 $\frac{1}{8}$	191	166 $\frac{1}{2}$	191

CO = Clear Opening      FBW = Finished Blind Width      FBW—CO = Stack

## General Information

### Vane Stacking Chart: DuraLite™ G-85—3½": Fabric and Vinyl Vertical Blinds

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	6⅞	10⅞		
4	9½	13¼	7¼	12½
5	12⅞	16⅞		
6	14¾	19½	12½	18¾
7	17⅞	22⅞		
8	20	25¾	17¾	25
9	22¾	28⅞		
10	25⅞	32	23	31¼
11	28	35⅞		
12	30⅞	38¾	28⅞	37½
13	33¼	41⅞		
14	35⅞	44½	33⅞	43¾
15	38½	47⅞		
16	41⅞	50¾	38⅞	50
17	43¾	53⅞		
18	46⅞	57	44⅞	56¼
19	49	60⅞		
20	51⅞	63¾	49⅞	62½
21	54⅞	66⅞		
22	57	69½	54⅞	68¾
23	59⅞	72⅞		
24	62¼	75¾	60	75
25	64⅞	78⅞		
26	67½	82	65¼	81¼
27	70⅞	85⅞		
28	72¾	88¾	70½	87½
29	75⅞	91⅞		
30	78	94½	75¾	93¾
31	80⅞	97⅞		
32	83¼	100¾	81	100

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
33	85⅞	103⅞		
34	88½	107	86¼	106¼
35	91⅞	110⅞		
36	93⅞	113¾	91½	112½
37	96½	116⅞		
38	99⅞	119½	96¾	118¾
39	101¾	122⅞		
40	104⅞	125¾	102	125
41	107	128⅞		
42	109⅞	132	107⅞	131¼
43	112¼	135⅞		
44	114⅞	138¾	112⅞	137½
45	117½	141⅞		
46	120⅞	144½	117⅞	143¾
47	122¾	147⅞		
48	125½	150⅞	123⅞	150
49	128⅞	153⅞		
50	130¾	157	128⅞	156¼
51	133⅞	160⅞		
52	136	163¾	133⅞	162½
53	138⅞	166⅞		
54	141¼	169½	139	168¾
55	143⅞	172⅞		
56	146½	175¾	144¼	175
57	149⅞	178⅞		
58	151¾	182	149½	181¼
59	154⅞	185⅞		
60	157	188¾	154¾	187½
61	159⅞	191		
62			157¼	191

CO = Clear Opening

FBW = Finished Blind Width

FBW—CO = Stack

## General Information

### Vane Stacking Chart: One Touch® Control (Magnum™ and DuraLite™): Fabric and Vinyl Vertical Blinds


Magnum		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6⅞	10
4	9	13⅞
5	11¼	16¼
6	14½	19⅞
7	17¼	22½
8	20⅞	25⅞
9	22¾	28⅞
10	25⅞	31¾
11	28⅞	34⅞
12	31⅞	38
13	33⅞	41⅞
14	36⅞	44¼
15	39½	47⅞
16	42¼	50½
17	45	53½
18	47¾	56⅞
19	50⅞	59¾
20	53⅞	62⅞
21	56⅞	66
22	58⅞	69⅞
23	62	72⅞
24	64¾	75¼
25	67½	78⅞
26	70⅞	81½
27	73	84⅞
28	75⅞	87¾
29	78⅞	90⅞
30	81⅞	94
31	84¼	97⅞
32	87	100⅞
33	89¾	103¼
34	92½	106⅞
35	95⅞	109½
36	98	112⅞
37	100⅞	115¼
38	103⅞	118⅞
39	106⅞	122
40	109⅞	125
41	111⅞	128⅞
42	114¼	131¼
43	117½	134⅞
44	120¼	137½
45	123⅞	140⅞
46	125¼	144
47	128⅞	147⅞
48	131¼	150¼
49	134⅞	153⅞
50	136¼	156

DuraLite		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6¼	10⅞
4	8⅞	13¼
5	11½	16⅞
6	14⅞	19½
7	16¾	22⅞
8	19⅞	25¼
9	22	28⅞
10	24¾	32
11	27⅞	35⅞
12	30	38¼
13	32⅞	41⅞
14	35¼	44½
15	37⅞	47⅞
16	40½	50⅞
17	43⅞	53⅞
18	45¾	57
19	48⅞	60⅞
20	51	63¼
21	53⅞	66⅞
22	56¼	69½
23	59¼	72⅞
24	61⅞	75¼
25	64½	78⅞
26	67⅞	82
27	69¾	85⅞
28	72⅞	88¼
29	75	91⅞
30	77⅞	94½
31	80¼	97⅞
32	82⅞	100¼
33	85½	103⅞
34	88⅞	107
35	90¾	110⅞
36	93⅞	113¼
37	96⅞	116⅞
38	98¾	119½
39	101⅞	122⅞
40	104	125¼
41	106⅞	128⅞
42	109¼	132
43	111⅞	135⅞
44	114½	138¼
45	117⅞	141⅞
46	119¼	144


CO = Clear Opening      FBW = Finished Blind Width      FBW—CO = Stack

# General Information

## Sheer Enchantment® Vertical Blinds Product Detail



Inside Headrail View



Features	Benefits
Easy Install Fabric	Install fabric after headrail installation; to clean, no need to take down entire blind
Skirt Only Option	Change fabric style or color when changing room décor
Washable Fabric	Remove fabric from blind to machine wash
Color Coordinated Thread	For finished appearance

## General Information

### Magnum™ G-98 Headrail Product Detail

#### Thin Profile Carrier System

- Narrow carrier width provides reduced vane stack
- Self-aligning carriers for trouble-free operation

#### Color Coordinated End Caps

- Provide a clean, finished look

#### Vane Weights

- Available on fabric vanes only
- Allow fabric to hang straight

#### Aluminum Headrail

- Will not rust
- Perfect for high-humidity applications

#### Traverse Cord

#### Rotation Chain with Tassels

#### Cord Safety Guide


#### Cord Tension Pulley

- Provides added safety and peace of mind


#### Bottom Clip and Chain (optional for fabric vanes)

- Stabilizes vanes in a moving air environment (i.e. screen door, heat register)


Inside Headrail View



Interior View



Exterior View



Features	Benefits
Heavy-Duty Anodized Aluminum Headrail	Will not rust; ideal for high humidity applications
Thin Profile Carriers	Reduced stack
Self-Aligning Carriers	Trouble-free operation
Fully Enclosed Drive and Flush End Caps	Provides a secure fit and clean, finished appearance
Low-Friction Wheeled Carriers	Vaness traverse smoothly
One Touch® Control	Safety and convenience
Centrally Located Carrier Stems and Symmetrical Cord and Chain Control	Headrail reversible for right or left control installation
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong

**NOTE:** Wand control is standard. See control options section for details.

# General Information

## DuraLite™ G-85 Headrail Product Detail

### Nylon Carrier Linkage System

- Provides smooth traversing of vanes

### Color-Coordinated End Caps

- Provide a clean, finished look

### Vane Weights

- Available on fabric vanes only
- Allow fabric to hang straight

Steel Headrail

Traverse Cord

Rotation Chain with Tassels


Cord Safety Guide

Cord Tension Pulley


- Provides added safety and peace of mind

**Bottom Clip and Chain** (optional for fabric vanes)  
• Stabilizes vanes in a moving air environment  
(i.e. screen door, heat register)


Inside Headrail View



Interior View



Exterior View



Features	Benefits
Steel Headrail with Ivory Finish	Provides strength and durability
Wheeled Carriers	Vaness traverse smoothly and easily
Centrally Located Carrier Stems	Headrail is reversible for right or left control position
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong
Optional Stack and Control Positions	Single stack, split stack, opposite stack are available
One Touch® Control (standard)	Safety and convenience

**NOTE:** Wand control is standard. See control options section for details.

## Options Pricing

Options Pricing	
Option	Surcharge
Angled Window Blind	Add price as Magnum™ Headrail Blind, then add 50% to price of angle width and longest vane length
Bay and Corner Window	No charge
Bottom Chain and Clips (fabric)	No charge
Bottom Chain (vinyl)	No charge
Cut-Outs	No charge
Dauphine® Valance	No charge
Double Round-Corner Valance	See price charts for surcharge (no charge for Sheer Enchantment®)
Everglide® Headrail System	See price chart above
One Touch® Control (standard)	No charge (see availability in price charts)
Paired Blinds	Price as two separate blinds and add together
Projection Brackets: 4 <sup>3</sup> / <sub>8</sub> "	No charge
Replacement Headrail	See replacement headrail price chart
Replacement Angled Headrail	Add 50% to Everglide Headrail System
Round-Corner Valance	See price charts for surcharge (no charge for Sheer Enchantment)
Square-Corner Valance	No charge
Stay Clear™ Channel Panels	See surcharge in the price charts
Vane Replacement	See price charts
Wood Cornices and Valances	See cornice and valance product information guide and price list