Bali® Wood, Composite, and Faux Wood Blinds



Product Information Guide and Price List for Wood, Composite, and Faux Wood Blinds
United States
March 2019



Features

The Bali® Wood Story

With Bali Wood Blinds, you can be confident you are selecting a window treatment that is manufactured and finished with the highest commitment to quality and the environment.

- We own the facilities that produce and finish our wood blind components
- We control the quality of the manufacturing process, from green lumber through finished product
- We dry the wood slowly, molding and sanding it to strict specifications for a high quality surface
- · We carefully sort wood for color uniformity and wood characteristics in our own state-of-the-art finishing facility
- We use only high quality paints and stains applied on-site, by certified color technicians
- We use a three-step finishing process to ensure the wood's stain is consistent and beautiful for the life of your blinds
- We practice sound forestry techniques—nearly twice as much hardwood grows as is harvested in the U.S.
- We preserve natural resources—wood-fired boilers consume recycled wood sawdust and shavings to generate the heat needed to dry our lumber


Bali Wood Characteristics

Wood used to manufacture Bali Wood Blinds has many natural characteristics that make it truly unique. The following are all natural characteristics of wood, and we do not consider them to be defects:

- Grain—The direction, size, and appearance of wood fibers vary greatly depending on where the wood is cut from within the tree
- Tiger Striping—Occurs when a tree develops wavy grain, due to genetics, soil content, or other natural scenarios
- Burl-Formed from an irregular growth on the outer edge of the tree
- Bird's Eye—Small area on the surface of the board where fibers are contorted to form circular figures that resemble birds' eyes
- Pin Knots-Vary in size, shape, structure, and color
- Mineral Marks—Dark or discolored areas caused by minerals which the tree extracts from the water or soil; can be either a streak or a stain, usually blackish blue
- Lodge/Rustic—Material contains markings that are more extreme than in standard products; the number and degree of marking will vary throughout the blind

Please be assured that these markings in no way affect the durability or the structural integrity of the blind.

Natural variations in color and grain are inherent in the beauty of wood. These variations are within established industry guidelines and should be expected. In addition, blinds may stain slightly darker or lighter than the swatches shown in the sampling.



Features

Northern Heights™ Wood Blinds

- Stained and painted blinds crafted from North American hardwoods
- · Finish highlights the natural characteristics of wood
- 1", 2", and 2%" slat sizes available
- Sandblast is not available on keystones
- Cordless lift option; not available on 1"
- NoHoles™ option available for maximum privacy; not available on 1" or with cordless lift
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier; standard on 2" and 2%" cordless lift wood blinds
- Rectangular bottomrail; standard on 1", 2", and 2¾" cord lift wood blinds
- Decorative cloth tape option; not available with 1" or NoHoles
- Decorative tassel selection

Composite Blinds

- Moisture-resistant multiple polymer composite slats
- 2" and 21/2" slat sizes available
- · Cordless lift option
- NoHoles option available for maximum privacy; not available with cordless lift
- Trapezoid bottomrail for superior closure
- Decorative cloth tape option; not available with NoHoles


Premium Faux Wood and Faux Wood Blinds

- Solid or woodgrain moisture-resistant engineered polymer slats
- 2" and 2½" slat sizes available in both premium faux wood and faux wood
- · Cordless lift option

- NoHoles option available for maximum privacy; not available with cordless lift
- Trapezoid bottomrail for superior closure; available on premium faux wood blinds only
- · Rectangular bottomrail; available on faux wood blinds only
- Decorative cloth tape option; not available with NoHoles

Size Considerations

Cord Lift



Size Considerations

Cord Lift

Depth Requirements for Inside Mount					
		Partially recessed headrail in window casing/molding		Fully recessed headrail in window casing/molding	
Blind Type	Headrail Dimensions (inches)	Minimum Depth Mount (inches)	Cord Tilt (inches)	(without valance)* Wand Tilt (inches)	
Northern Heights™ 1" Wood	1 x 1½	3/4	N/A	1%	
Northern Heights 2" Wood	1% x 21/4	3/4	2⁵⁄₃	3%	
Northern Heights 2%" Wood^	15% x 21/4	3/4	25⁄8	3%	
2" Composite	15% x 21/4	3/4	25%	3%	
2½" Composite^	15% x 21/4	3/4	2%	3%	
2" Premium Faux Wood 2" Faux Wood	15% x 21/4	3/4	2%	3%	
2½" Premium Faux Wood^ 2½" Faux Wood^	15/8 x 21/4	3/4	2⁵⁄₀	3%	

^{*}For measurements of fully recessed headrails with a valance, see valance options.

[^]Additional clearance may be required for larger slat sizes.

Size Considerations

Cordless Lift

Cordiess Lift										
			Cordless	Lift Blinds	4			lless Lift B	Blinds ne Headra	il
		Wi	dth	Hei	ght		Width			ght
Styles	Price Group	Min (exact) (inches)	Max (inches)	Min (inches)	Max (inches)	Min Panel (exact) (inches)	Max Panel (inches)	Max Blind (inches)	Min Blind (inches)	Max Blind (inches)
Northern Heights™ Wood Blinds										
Northern Heights 2" Wood Blinds	В	12	84	12	86	12	84	120	12	86
Northern Heights 2" Distressed and Rustic Wood Blinds	D	12	84	12	86	12	84	120	12	86
Northern Heights 2%" Wood Blinds	С	12	84	12	86	12	84	120	12	86
Composite Blinds										
2" Composite Blinds	F	12	66	12	72	12	66	120	12	72
2½" Composite Blinds	G	12	66	12	72	12	66	120	12	72
Premium Faux Wood and Faux Woo	d Blind	s								
2" Premium Faux Wood Blinds	Н	12	63	12	72	12	63	120	12	72
2" Faux Wood Blinds	J	12	63	12	72	12	63	120	12	72
2½" Premium Faux Wood Blinds	I	12	63	12	72	12	63	120	12	72
2½" Faux Wood Blinds	K	12	63	12	72	12	63	120	12	72

Depth Requirements for Inside M	lount			
		Partially recessed headrail in window casing/ molding	Flush wit	
Blind Type	Headrail Dimensions	Minimum Depth Mount	Cord Tilt	walance)* Wand Tilt
Northern Heights 2" and 2%" Wood Blinds	(inches)	(inches)	(inches)	(inches)
2" and 21/2" Composite Blinds 2" and 21/2" Premium Faux Wood and Faux Wood Blinds	2 x 21/4	3/4	2%	2¾

^{*}For measurements of fully recessed headrails with a valance, see valance options.

Blind Options (for surcharges and pricing refer to pricing section)

Blind Options	Northern Heights™ 1" Wood	Northern Heights 2" Wood	Northern Heights 2%" Wood	2" and 2½" Composite	2" Premium Faux Wood and 2" Faux Wood	2½" Premium Faux Wood and 2½" Faux Wood	Details
Bay and Corner Windows	•	•	•	•	•	•	See the "Options" section for measuring and ordering information
Cloth Tapes		•\$	•\$	•\$	•\$	•\$	See price charts for surcharge
Control Locations							
• Tilt Left, Lift Right (standard)	•	•	•	•	•	•	
• Tilt Right, Lift Left	•	•	•	•	•	•	Must be requested at time of order
All Controls Right/ All Controls Left	•	•	•	•			
Cord Tilt		•	•	•	•	•	Color coordinated
Cordless Lift		•\$	•\$	•\$	•\$	•\$	See price charts for surcharge
Cut-Outs ¹	•\$	•\$	•\$	•\$	•\$	•\$	See the "Options" section
Decorative Tassels	•\$	•\$	•\$				See the "Options" section
Easy Grip Bottomrail		•\$\$	● \$\$				
Hold Down Brackets	•	•	•	•	•	•	Must be requested at time of order
Multiple Blinds on One Headrail: 2 or 3 on 1 to left of solid line*	•\$	•\$	•\$	•\$	•\$	•\$	See the "Options" section
NoHoles™ ¹		•\$	•\$	•\$	•\$	•\$	See price charts for surcharge
Projection Brackets • 2¾" and 4¾" Projection Brackets	•	•	•	•	•	•	Projection brackets not available for inside mount; must be requested at time of order; shims are standard on 2%" and 2½" blinds
• ¾16" Shims	•+	•	•	•	•	•	(outside mount)
Ring Pull	•	•	•	•	•	•	
Ring Tilt	•	•		•^	•		
Sky Pole ¹ • 6 foot pole • 9 foot pole	•\$	•\$	•\$	•\$	•\$	•\$	Available with ring tilt/ring pull only; must be requested at time of order
Wand Tilt	•	•	•	•	•	•	Color coordinated
Wood Cornices	•\$	•\$	•\$	•\$	•\$	•\$	See cornices and valances product information guide and price list

^{*}See solid line on appropriate price grid.

¹Not available with cordless lift option.

^{+3%&}quot; projection block available.

^{\$}Option available with surcharge.

^{\$\$}Option available with surcharge for cord lift; no charge for cordless lift.

[^]Not available with 21/2" composite.


Cordless Lift



- For surcharge, see price charts
- Available on wood, composite, and faux wood blinds (not available on 1" wood)
- Cordless lift blinds offer a safer alternative for homes with children and pets
- Tilt options available: Wand tilt eliminates dangling cords and is the safest option (maximum wand length is 48"); cord tilt is also available
- Easy to use: to lower blind, pull down; to raise, simply guide the blind into the desired location by gently lifting the bottomrail
- Not available with NoHoles[™] or cut-outs
- Premium traditional, modern, or eloquence valances recommended with cordless lift blinds for better headrail coverage

	Wood	Composite	Faux Wood
Minimum Width (inches)	12	12	12
Maximum Single Blind Width (inches)	84	66	63
Maximum Multiple Blinds on One Headrail (inches)	120	120	120
Minimum Height (inches)	12	12	12
Maximum Height (inches)	86	72	72
Maximum Square Footage (square feet)	50	29	31½

Multiple Blinds on One Headrail



- Surcharge: blinds to the left of the solid line on the price charts
- . No charge: blinds to the right of the solid line on the price charts
- Two or more blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, some blinds must be manufactured as two or three blinds on one headrail

Multiple Blinds	Control Cord Locations	Gap (inches)
Cord Lift		
Two-on-One Headrail	Left panel: Left lift only and tilt left or tilt right* Right panel: Right lift only and tilt left or tilt right*	¹¼ (¹½ on NoHoles™)
Cordless Lift		
Two-on-One Headrail	Left panel (tilt left) Right panel (tilt right)	1/4
Three-on-One Headrail	Left panel (tilt left) Right panel (tilt right) Center panel (tilt left)	1/4

 $^{^*2}$ " and $2\frac{1}{2}$ " premium faux wood and faux wood cannot have same side controls.

NOTE: Optional control locations may be requested.

Measuring

- 1. Measure overall width of the area to be covered. If space permits, an overlap of 1½" per side is recommended for outside mounts.
- 2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of 1/4" between blinds for operating clearance.
- 3. Total width of all blinds, plus clearance(s), must equal overall width.
- 4. Measure height as follows:
 - a. For windows, use standard inside or outside measuring procedures.
 - b. For patio doors, measure height within 3/4" of floor, either from ceiling or a point at least 61/2" above the door frame. Check slat count table to see if blind will completely clear the doorway.


Ordering

- 1. Indicate whether two or three blinds are to be mounted on one headrail.
- 2. Specify total width of headrail.
- 3. Indicate each panel width separately, specify left blind first, continuing to the right.
- 4. Specify control positions.
- 5. Add appropriate surcharge, if to the left of the solid line on the price chart.


NoHoles™



- · For surcharge, see price charts
- The design of the NoHoles option eliminates route holes, providing maximum privacy and the best available light control
- Cleaning is simplified by sliding the NoHoles slats out and wiping clean, or keeping the slats in place and vacuuming using a soft brush attachment
- Not available on 1" wood blinds, blinds with cloth tapes, or blinds with cordless lift
- Best suited for inside mount applications due to the slight shifting of slats during operation



Cut-Out Blinds



- · For surcharge, see options pricing
- Maximum cut-out is 1" before route hole or NoHoles notch (corner and side cut-outs only)
- Cut-outs are measured with the slats tilted in the closed position for maximum clearance
- The cut-out height may be larger than requested due to slat placement
- Measure height from the bottom of the window up to the desired location
- · Not available with cordless lift and wood vertical blinds

NOTE: Standard lead time does not apply for this feature. Additional manufacturing time is required.

Control Lengths for Cords and Wands

Finished Blind Height (inches)	Wand Length* (inches)	Cord Control Length (inches)
up to 36	12	
361/16 to 60	20	
60½ to 70	30	
70½ to 80	40	⅓ of blind height
80½ to 90	48	
901/16 to 100	60	
1001/16 to 120	72	


*Wands over 48" long are a clear plastic.


NOTE: Above control lengths may not fit your control needs based on window location or operator. Special length cords and wands may be requested at the time of ordering.


Bay and Corner Windows


- Made as individual blinds to fit in bay or corner windows
- Each blind is on an individual headrail and has its own control
- Indicate each blind with bypass or butt; bypass is the blind mounted into the corner; butt is the blind butted up to the other blind; must provide blind location (left and right blind)
- Control locations can be on the right or left side of each blind; placing controls opposite the corner is recommended
- Depending on the angle, some corner blinds cannot be raised to the same height

Measuring Information










- Manufacturer will take appropriate deductions for proper fit
- No additional charge
- Valances will be mitered in the corner for finished look
- Cornices and wood verticals are not available on bay or corner windows
- Slat alignment cannot be guaranteed on side by side blinds
- If you do not want manufacturer to take deductions DO NOT order as bay or corner

NOTE: Standard lead time does not apply for this feature. Additional manufacturing time is required.



Corner Window

Measure:

Width of each window from corner to the point you would like to cover.

Three-Sided Bay Window

Measure:

A and C: Width of side windows from the corners to the point you

would like the blind to cover.

B: Width of the center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Four-Sided Bay Window

Measure:

A and D: Width of side windows from the corners to the point you

would like the blind to cover.

B and C: Width of each window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).

Five-Sided Bay Window

Measure:

A and E: Width of side windows from the corners to the point you

would like the blind to cover.

B, C, and D: Width of each center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).

Angle D-E: Angle between windows (D) and (E).

NOTE: Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above, trace onto paper and fax to customer service.

Cloth Tapes



- For surcharge, see price charts
- Decorative option to add to wood, composite, or faux wood blinds
- Decorative tapes will have pattern visible to room side only
- Not available with 1" wood or NoHoles™ option
- See chart below for availability of colors

Color Name	Color Number	Backer Tape Color	Northern Heights™ 2" Wood 2" Composite 2" Premium Faux Wood 2" Faux Wood	Northern Heights 2%" Wood 2½" Composite 2½" Premium Faux Wood 2½" Faux Wood
1" Solid Tapes			Cloth Tapes (available as marked)	
Beige	1011		•	
Black	1033		•	
Cocoa	1297		•	
Duck White	1136		•	
Toffee	1296		•	
White Smoke	1617		•	
1½" Solid Tape	es			
Aztec Amber	2177		•	•
Beige	2011		•	•
Black	2033		•	•
Chocolate	2353		•	•
Cocoa	2297		•	•
Dark Grey	2857		•	•
Duck White	2136		•	•
Golden Honey	2176		•	•
Light Grey	2861		•	•
Moss	2500		•	•
Navy	2369		•	•
Shadow Grey	2178		•	•
Taupe	2659		•	•
Toffee	2296		•	•
White	2005		•	•
White Smoke	2617		•	•
1½" Decorativ	e Tapes			
Arctic Sky	S164	Duck White	•	
Belgian Cream	Q164	Duck White	•	
Coastal Fog	C159	Duck White	•	
Creamy Taupe	D147	Duck White	•	
Dew Alabaster	N112	Duck White	•	
Faireweather Blue	D155	Duck White	•	
Fresh Sage	B160	Duck White	•	
Medallion Flax	F541	Light Beige	•	
Medallion Taupe	F659	Taupe	•	
Medallion Toffee	F296	Black	•	
Modern Taupe	C157	Duck White	•	
Natural Linen	S166	Taupe	•	
Neutral Intrigue	B161	Duck White	•	
Palm Beach	P179	White Smoke	•	
Variegated Taupe	Q659	Taupe	•	

Decorative Tassels (wood blinds only)

For surcharge, see options pricing.



Standard Tassel

1" wood tassel stained or painted to coordinate with your wood blinds.



Brass Tassel

1" antique brass tassel ideal for medium and dark stains and paints.



Nickel Tassel

1" nickel tassel ideal for light stains and paints.



Flared Tassel

2¼" long, genuine hardwood tassel stained or painted to coordinate with your wood blinds.

Easy Grip Bottomrail

For surcharge, see options pricing.

- For superior closure, privacy, and light control
- Makes lifting and lowering cordless lift blinds easier
- Standard on 2" and 2%" cordless lift wood blinds and all distressed and rustic wood blinds
- Optional on 2" and 2%" cord lift wood blinds



Valance Options

			Continuous hth*			
Valance Type	Blind Type	Inside Mount No Returns (inches)	Inside Mount with Returns (inches)	Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
	1" Wood	1001/4	98%	Wand tilt	21/16	23/8
				Cord tilt	21//8	31/4
	2" Wood	1001/4	003/	Wand tilt	31/16	37//8
	2 Wood	10074	98%	Cordless wand tilt	3%	3¾
				Cordless cord tilt	2¾	31/16
				Cord tilt	3¾	41/16
	2%" Wood	1001/4	98%	Wand tilt	3¾	41/16
	278 WOOd	10074	9678	Cordless wand tilt	31/16	315/16
				Cordless cord tilt	31/16	315/16
3" Standard Valance	Wood Verticals	1001/4	98%	N/A	5½	5 ¹³ / ₁₆
				Cord tilt	27//8	31/4
	2" Composite^	1065/8	105%	Wand tilt	31/16	37//8
	2 Composite	10078		Cordless wand tilt	3%	3¾
				Cordless cord tilt	2¾	31/16
Valance Returns	2½" Composite^	1065⁄8	105%	Cord tilt	315/16	41/4
1/2" to 1": glued 11/16" to 45/6": optional glued				Wand tilt	315/16	41/4
411/1e" and greater: not glued		10078		Cordless wand tilt	3¾	41/8
				Cordless cord tilt	3¾	41/8
	2" Premium Faux Wood^ 2" Faux Wood^	1065//8	105%	Cord tilt	21//8	31/4
				Wand tilt	3%16	31//8
				Cordless wand tilt	3%	3¾
				Cordless cord tilt	2¾	31/16
		106%	105%	Cord tilt	315/16	41/4
	2½" Premium Faux Wood [^]			Wand tilt	315/16	41/4
	2½" Faux Wood^			Cordless wand tilt	3¾	41/8
				Cordless cord tilt	3¾	41//8
				Cord tilt	21//8	3%
	2" Composite^	106%	105%	Wand tilt	31/16	41/16
	2 00	10070	1.00%	Cordless wand tilt	3%	37//8
31/4" Eloquence Valance				Cordless cord tilt	2¾	3¾6
				Cord tilt	315/16	47/16
Valance Returns ½" to 1": glued 1½" to 4½": optional glued	2½" Composite [^]	106%	105%	Wand tilt	315/16	47/16
				Cordless wand tilt	3¾	41/4
				Cordless cord tilt	3¾	41/4
				Cord tilt	27/8	3%
	2" Premium Faux Wood^	106%	105%	Wand tilt	3%16	41/16
	2" Faux Wood [^]			Cordless wand tilt	3%	37/8
1½6" to 4½": optional glued 4½6" and greater: not glued				Cordless cord tilt	2¾	33/16
The and greater. Het glued				Cord tilt	315/16	47/16
	2½" Premium Faux Wood [^] 2½" Faux Wood [^]	1065⁄8	105%	Wand tilt	315/16	47/16
	Z/2 I aux vvoou			Cordless wand tilt	3¾	41/4
	1		I	Cordless cord tilt	3¾	41/4

^{*}Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300%".

[^]Keystones not available.

NOTE: For replacement valances see cornices and valances product information guide and price list.

Valance Options

			Continuous hth*			
Valance Type	Blind Type	Inside Mount No Returns (inches)	Inside Mount with Returns (inches)	Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
	1" Wood	1001/4	98%	Wand tilt	21/16	23/8
3½" Modern Valance				Cord tilt	21/8	31/4
	2" Wood	1001/	98%	Wand tilt	31/16	37//8
	2 Wood	1001/4	96%	Cordless wand tilt	3%	3¾
				Cordless cord tilt	23/4	31/16
				Cord tilt	3¾	41/16
Valance Returns	02/ \ \ \ \ \	1001/	003/	Wand tilt	3¾	41/16
½" to 1": glued 1½" to 4%": optional glued	2¾" Wood	1001/4	98%	Cordless wand tilt	31/16	315/16
1 ½16" to 4%": optional glued 4½16" and greater: not glued				Cordless cord tilt	31/16	315/16
	Wood Verticals	1001/4	98%	N/A	5½	513/16
	1" Wood	1001/4	98%	Wand tilt	21/16	211/16
		1001/4	98%	Cord tilt	21/8	31/2
SUI B : T III IVI	2" Wood			Wand tilt	31/16	43/16
3½" Premium Traditional Valance				Cordless wand tilt	3%	4
				Cordless cord tilt	2¾	3%
		1001/4	98%	Cord tilt	21/8	3½
	2" Distressed Wood^			Wand tilt	3%16	43/16
				Cordless wand tilt	3%	4
W				Cordless cord tilt	2¾	3%
Valance Returns ½" to 1": glued			002/	Cord tilt	3¾	43/8
11/16" to 45%": optional glued 411/16" and greater: not glued	2%" Wood	1001/4		Wand tilt	3¾	43/8
4 7/16 and greater. Hot glued	2% WOOd	10074	98%	Cordless wand tilt	3%16	43/16
				Cordless cord tilt	31/16	43/16
	Wood Verticals	1001/4	98%	N/A	5½	61/8
	1" Wood	1001/4	98%	Wand tilt	21/16	213/16
4½" Eloquence Valance				Cord tilt	21/8	35/8
	2" Wood	1001/4	98%	Wand tilt	3%16	4 ⁵ ⁄ ₁₆
	2 WOOU	10074	9078	Cordless wand tilt	3%	41//8
				Cordless cord tilt	2¾	3½
				Cord tilt	3¾	41/2
Valance Returns	2%" Wood	1001/	0.03/	Wand tilt	3¾	41/2
½" to 1": glued	2% WOOd	1001/4	98%	Cordless wand tilt	3%16	45/16
1½6" to 4⅙": optional glued 4½6" and greater: not glued				Cordless cord tilt	31/16	45/16
	Wood Verticals	1001/4	98%	N/A	5½	61/4

^{*}Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300%".

NOTE: For replacement valances see cornices and valances product information guide and price list.

[^]Keystones not available.

How to Measure for Valance Returns


Window depths vary considerably depending on the age and style of the window. **Always** measure the window depth, regardless of the type of window treatment the client is considering. Knowing the depth when the order is placed can help prevent costly errors.

To calculate the return width, use this formula:

[standard return width] minus [client window depth] = special return width to order for inside mount blind

REMEMBER:

- Smallest return width is ½" (inside measurement), maximum return width is 8"
- Returns ½" to 1" (inside measurement) will be glued; returns 1½" to 4½" (inside measurement) have the option of being glued
- The width of a return and the width of a valance are measured on the inside (back side) of the valance, not the
 outside (face) of the valance (see diagram at right)
- Standard return size for 2%" blinds—subtract 3/16" prior to determining special return width
- $\bullet~$ Standard return size for 2½" blinds—subtract %" prior to determining special return width



A: Inside Measurement
B: Outside Measurement


How to Measure and Order Valances

If a valance is ordered, it is supplied in one of the following styles, depending on how your blind will be mounted. For a more custom look, the valance and returns may be special ordered to your measurements.

NOTE: Valances with returns are measured and cut from the INSIDE of the miter to ensure the most accurate fit when installed over the headrail or window frame.


Blinds ordered as an OUTSIDE MOUNT with requested returns will be supplied with returns sized to cover the end of the blind back to the mounting surface. If projection brackets are requested when the blind is ordered, longer returns will be sent automatically. Outside mount blinds are available without returns upon request.

NOTE: Minimum return width is ½", maximum return width is 8".



Inside Mount Partial Reces

Mounting Bracket



A: Inside Measurement B: Outside Measurement

Additional Ordering Information:

Please state at the time of order if the valance and return measurements are for the EXACT size required so that no additions
or deductions are made

Mounting Bracket


- Different return sizes can be ordered for the same valance; always provide LEFT return INSIDE measurement first when ordering
- Valance projection is different if the blind has a wand tilt or cord tilt; please refer to the previous specifications chart for more information

Window

- Returns ½" to 1" (inside measurement) will be glued; returns 1½" to 4½" (inside measurement) have the option of being glued; returns 4½" (inside measurement) and greater will not be glued
- Bay and corner blinds—must specify return width on inside mount at time of order
- Single side returns are available—opposite end will be cut straight

Valance Keystones

- Decorative keystones are required on wood valances that require splicing
- Keystones will be equally spaced unless special splice locations are requested at time of order
- Optional keystones can be ordered with single piece valances, or in addition to required keystones at the time of order only
 - Minimum width with a keystone: 12"
 - Maximum number of keystones: 3
- Keystones will be stained or painted to match the valance ordered as standard; optional different color selection available
- Keystones not available on distressed wood, in sandblast finish, composite, or faux wood valances
- Keystones cannot be ordered for existing valances, attachment will not work
- All inside mount applications will have a slight light gap at the top of valance when installed




Splicing Requirements

			No Returns			eturns nensions)
Profile	Number of Sections	Number of Keystones	Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
3" Standard Wood Valance	1	0	8	1001/4	8	98%
3½" Modern Wood Valance 3½" Premium Traditional Wood Valance	2	1	1005/16	200½	987/16	198⅓
4½" Eloquence Wood Valance	3	2	200%	300¾	19811/16	2987/8


Outside Mount

 Wood valances requiring a splice will include a keystone (see chart above for details)




Inside Mount

• Wood valances 1001/4" or wider will require a keystone



How to Measure a Special Splice Location

A keystone is supplied for valance widths that require a splice. Keystones will be equally spaced unless a special splice location is requested at time of order. The placement of the splice will be calculated by the factory using an **INSIDE** measurement from the mitered corner to the location specified on the order.



Each splice location should be recorded starting from the $\mbox{\bf LEFT}$ $\mbox{\bf BACKSIDE}$ corner.

These formulas are used to calculate BACKSIDE valance measurements.

Inside Mount with No Returns	Ordered width -1/16"
Inside Mount with Returns	Ordered width +1/4"
Outside Mount with No Returns	Ordered width +1/2"
Outside Mount with Returns	Ordered width +3/4"

Example: Overall valance width = 80" backside measurement First splice from left = 30" backside measurement Second splice from left = 50" backside measurement

For surcharge, see options pricing.

NOTE: All measurements need to be from BACKSIDE.

Slat Count Table: 1" Wood Blinds

	1" Woo	d Blinds		1" Wood Blinds			1" Woo	d Blinds
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)
11	12	3¾	55	481/16		99	8513/16	
12	12	41/16	56	49%		100	86%	167/8
13	1215/16		57	501/4		101	87½	
14	1313/16		58	51 ½16		102	88%	
15	14%		59	51 ¹⁵ ⁄ ₁₆		103	89¾16	
16	15½		60	52¾	11	104	901/16	
17	16%		61	53%		105	907/8	
18	17¾6		62	547/16		106	91¾	
19	181/16		63	555/16		107	921/16	
20	18%	51/4	64	56 ¾6		108	937/16	
21	19¾		65	57		109	941/4	
22	20%16		66	57%		110	951//	18¼
23	217/16		67	5811/16		111	9515/16	
24	221/4		68	59%		112	9613/16	
25	231//8		69	60%		113	9711/16	
26	24		70	611/4	12½	114	98½	
27	24 ¹³ / ₁₆		71	621/16		115	99%	
28	2511/16		72	6215/16		116	1003/16	
29	26½		73	6313/16		117	1011/16	
30	27%	611/16	74	64%		118	101%	
31	28¾16		75	65½		119	102¾	
32	291/16		76	665/16		120	103%	19¾
33	297/8		77	67¾6		121	1047/16	
34	30¾		78	68		122	1055/16	
35	31%		79	687/8		123	1061//8	
36	327/16		80	6911/16	1315/16	124	107	
37	335/16		81	70%6		125	10713/16	
38	341//8		82	71%		126	10811/16	
39	35		83	721/4		127	109½	
40	35 ¹³ / ₁₆	81/8	84	731//8		128	110%	
41	3611/16		85	7315/16		129	1111/4	
42	37½		86	7413/16		130	1121/16	213/16
43	38%		87	75%		131	11215/16	
44	39¾6		88	76½		132	113¾	
45	401/16		89	775/16		133	114%	
46	4015/16		90	78¾6	15%	134	1157/16	
47	41¾		91	79		135	1165⁄16	
48	425/8		92	79%		136	1171//	
49	437/16		93	80¾		137	118	
50	445/16	9%16	94	81%		138	11813/16	
51	451//8		95	827/16		139	11911/16	
52	46		96	831/4		140	120½	22%
53	46¹³⁄₁6		97	841//8				
54	4711/16		98	8415/16				

NOTE: Finished height includes headrail and bottomrail.

Bali | 21 March 2019

Slat Count Table: 2" Wood Blinds

		d Blinds Holes™		d Blinds dless Lift			d Blinds oHoles		d Blinds dless Lift
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
7	12	43/8	12	47/8	39	67%		681/16	
8	1313/16		145/16		40	691/4	95%	69¾	101//8
9	15%6		161/16		41	71		71½	
10	175/16	47/8	17 ¹³ ⁄ ₁₆	5%	42	72¾		731/4	
11	191/16		19%		43	747/16		7415/16	
12	20¾		211/4		44	76¾6		76¹¹⁄₁ ₆	
13	22½		23		45	7715/16		787/16	
14	241/4		24¾		46	7911/16		80¾16	
15	2515/16		267/16		47	81%		81%	
16	2711/16		28¾6		48	831//		83%	117/16
17	297/16		2915/16		49	847/8		85%	
18	31¾6		3111/16		50	86%	1111/4	86	
19	327/8		33%		51	885/16			
20	34%	6½	351/8	7	52	901/16			
21	36%		367/8		53	9113/16			
22	381/16		381/16		54	93½			
23	3913/16		405/16		55	951/4			
24	41 %16		421/16		56	97			
25	435/16		4313/16		57	9811/16			
26	45		45½		58	1007/16			
27	46¾		471/4		59	1023/16			
28	48½		49		60	103%	1213/16		
29	50¾6		5011/16		61	105%			
30	51 ¹⁵ ⁄16	81/16	52¾6	8%16	62	107%			
31	5311/16		54¾6		63	1091//8			
32	557/16		55 ¹⁵ ⁄16		64	11013/16			
33	571/8		57%		65	1121/16			
34	587/8		59%		66	1145/16			
35	60%		611/8		67	116			
36	625/16		6213/16		68	117¾			
37	641/16		64%		69	119½	141/4		
38	65 ¹³ / ₁₆		665/16		70	120			

NOTE: Finished height includes headrail and bottomrail.

Slat Count Table: 2%" Wood Blinds

	2%" Woo and No			od Blinds dless Lift			od Blinds oHoles		od Blinds dless Lift
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
6			12	4 ¹⁵ / ₁₆	32	671//8		67¾	
7	12	4¾	145%		33	69¹⁄₄		69⅓	
8	161/16		16¾		34	71%		72	
9	18¾6		18⅓		35	73½		74½	
10	205/16	4 ⁷ / ₈	21	5%6	36	75%		761/4	
11	227/16		231//8		37	77¾		78%	
12	24%		251/4		38	797/8		80½	
13	2611/16		27¾		39	82		825/8	
14	2813/16		29½		40	841/8	95/8	84¾	105/16
15	3015/16		31⅓		41	861/4		86	
16	331/8		33¾		42	88%			
17	351/4		35⅓		43	90½			
18	37%		38		44	92%			
19	39½		40½		45	94¾			
20	41%	6½	421/4	7 1/8	46	967//8			
21	43¾		44%		47	99			
22	457/8		46½		48	1011//			
23	48		48%		49	1031/4			
24	50½		50¾		50	105%	1111/4		
25	521/4		521/8		51	107½			
26	54%		55		52	109%			
27	56½		57½		53	111¾			
28	58⅓		591/4		54	1137/8			
29	60¾		61%		55	116			
30	62 ⁷ / ₈	81/16	63½	8¾	56	1181//8	12¾6		
31	65		65⅓		57	120			

NOTE: Finished height includes headrail and bottomrail.

Slat Count Table: 2" Composite, Premium Faux Wood, and Faux Wood Blinds

	2" Composite Blinds and NoHoles™		Blinds and Wood Blinds and		Premiu Wood, a Wood Bl	2" Composite, Premium Faux Wood, and Faux Wood Blinds with Cordless Lift		2" Composite Blinds and NoHoles		2" Premium Faux Wood and Faux Wood Blinds and NoHoles		2" Composite, Premium Faux Wood, and Faux Wood Blinds with Cordless Lift	
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Number of Slats		Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
5	12	41/4	12	41/4	12	4%16	37	67%		67%		665/16	
6	1313/16		13 ¹³ ⁄ ₁₆		12%		38	691/4		691/4		681/16	
7	151/16		151/16		145/16		39	71		71		69¾	
8	175/16		17 5⁄ ₁₆		161/16		40	72¾	913/16	72¾	913/16	71½	101//8
9	191/16		191/16		17 ¹³ / ₁₆		41	747/16		747/16		72	
10	20¾	51/16	20¾	51/16	19%	5%	42	76¾6		76¾16			
11	22½		22½		211/4		43	77¹5⁄₁6		77¹5⁄₁6			
12	241/4		241/4		23		44	7911/16		7911/16			
13	2515/16		25 ¹⁵ ⁄ ₁₆		24¾		45	81%		81%			
14	2711/16		2711/16		267/16		46	831/8		831/8			
15	297/16		297/16		28¾16		47	847/8		84%			
16	31¾6		31¾6		2915/16		48	86%		86%			
17	321//8		32¾		3111/16		49	885/16		885/16			
18	34%		345/8		33%		50	901/16	11%	901/16	11%		
19	36%		36¾		351/8		51	91 ¹³ / ₁₆		9113/16			
20	381/16	65%	381/16	65/8	36¾	7	52	93½		93½			
21	39¹¾16		3913/16		381/16		53	951/4		95¼			
22	41%16		41%		405/16		54	97		97			
23	435/16		435/16		421/16		55	9811/16		9811/16			
24	45		45		4313/16		56	1007/16		1007/16			
25	46¾		46¾		45½		57	102¾16		102¾6			
26	48½		48½		471/4		58	103%		103%			
27	50¾16		50¾6		49		59	105%		105%			
28	51 ¹⁵ ⁄ ₁₆		51 ¹⁵ ⁄ ₁₆		5011/16		60	107%	13	107%	13		
29	53 ¹ 1⁄ ₁₆		5311/16		527/16		61	1091//8		1091//8			
30	55¾6	81/4	557/16	81/4	54¾16	8%16	62	11013/16		11013/16			
31	571//8		571//8		55 ¹⁵ ⁄ ₁₆		63	1121/16		1121/16			
32	58%		58%		57%		64	114 5⁄16		1145/16			
33	60%		60%		59%		65	116		116			
34	625/16		625/16		611//8		66	117¾		117¾			
35	641/16		641/16		6213/16		67	119½		119½			
36	65 ¹³ / ₁₆		65¹¾16		64%		68	1211/4	141/4	1211/4	141/4		

NOTE: Finished height includes headrail and bottomrail.

Slat Count Table: 21/2" Composite, Premium Faux Wood, and Faux Wood Blinds

	Blind	mposite s and oles™	2½" Premium Faux Wood and Faux Wood Blinds and NoHoles		Premiu Wood, a Wood	mposite, m Faux nd Faux Blinds dless Lift
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
5	12	41/4	12	41/4	12	43/4
6	16¾6		163/16		14%	
7	185/16		185/16		16¾	
8	201/16		201/16		181//8	
9	221/16		221/16		21	
10	2411/16	51/16	2411/16	51/16	231//8	5%
11	2613/16		2613/16		251/4	
12	2815/16		2815/16		27%	
13	311/16		311/16		29½	
14	33¾6		33¾6		31%	
15	355/16		355/16		33¾	
16	371/16		371/16		35%	
17	391/16		39%16		38	
18	41 ¹¹ / ₁₆		41 ¹¹ / ₁₆		401//8	
19	437//8		437/8		421/4	
20	46	6%	46	6%	44%	71//8
21	481//8		481//8		46½	
22	501/4		501/4		48%	
23	52%		52%		50¾	
24	54½		54½		521/8	
25	56%		56%		55	
26	58¾		58¾		571//8	
27	607/8		607/8		591/4	
28	63		63		61%	
29	651//8		651//8		63½	
30	67¼	81/4	67¼	81/4	65%	8¾

	Blind	mposite s and oles			Premiu Wood, a Wood	nposite, m Faux nd Faux Blinds dless Lift
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
31	69%		69%		67¾	
32	71½		71½		697/8	
33	73%		73%		72	
34	75¾		75¾			
35	771/8		771/8			
36	80		80			
37	821/8		821/8			
38	841/4		841/4			
39	86%		86%			
40	88½	913/16	88½	913/16		
41	90%		90%			
42	92¾		92¾			
43	947//8		947/8			
44	97		97			
45	991//8		991//8			
46	1011/4		1011/4			
47	103%		103%			
48	105½		105½			
49	107%		107%			
50	109¾	11%	109¾	11%		
51	11111//8		111%			
52	114		114			
53	1161//		1161//			
54	118¼		118¼			
55	120%	12¾6	120%	12¾6		

NOTE: Finished height includes headrail and bottomrail.

Bali | 25 March 2019

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount—½"; outside mount—no deduction).

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

Northern Heights™ 1" Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
7 to 8 ¹⁵ / ₁₆	13/4	2	2	0
9 to 13¾	31/4	2	2	0
1313/16 to 203/4	4	2	2	0
20 ¹³ / ₁₆ to 35	6	2	2	0
351/16 to 58	6	3	2	1 over 48" FBW
58½ to 81	6	4	4	2 over 78" FBW
811/16 to 96	6	5	4	2

For Same Side Controls

1313/16 to 203/4	47//8	As stated above
20 ¹³ / ₁₆ to 96	6	As stated above

NOTES:

- 1. Maximum spacing between ladders is 23".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.

Northern Heights 2" and 2%" Wood Blinds

For Standard or Reverse Controls

	Finished Blind Width (inches)		# of		NoHoles™ # of Cords	# of Center Brackets
	7 to 815/16	1%	2	2	4	0
	9 to 1115/16	23/8	2	2	4	0
	12 to 24	4	2	2	4	0
	241/16 to 36	6	2	2	4	0
	361/16 to 60	6	3	2	3	1 over 48" FBW
ı	601/16 to 84	6	4	4	4	2 over 72" FBW
ı	841/16 to 96	6	5	4	4	2

For Same Side Controls

161/16 to 96	6	As stated above

NOTES:

- 1. Maximum spacing between ladders is 24".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 4. 7" to 815/16" not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

Northern Heights 2" and 2%" Wood Blinds with Cordless Lift

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 24	4	2	2	0
241/16 to 361/2	61/2	2	2	0
36% to 50	6½	3	2	1 over 48" FBW
501/16 to 60	61/2	3	3	1
60½ to 84	6½	4	4	2 over 72" FBW

NOTES

- 1. Maximum spacing between ladders is 231/2".
- 2. Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 84". Wider blinds must be multiple blinds on one headrail.
- 4. Cloth tape ladder quantity is the same as number of ladders listed above.

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount—½"; outside mount—no deduction).

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

2" and 21/2" Composite Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders		NoHoles™ # of Cords	# of Center Brackets
7 to 8 ¹⁵ / ₁₆	1%	2	2	4	0
9 to 11 ¹⁵ / ₁₆	23/8	2	2	4	0
12 to 22	4	2	2	4	0
221/16 to 38	5	3	2	3	0
381/16 to 52	5	4	4	4	1 over 48" FBW
521/16 to 66	5	5	3	4	1
66½ to 80	5	6	4	4	2 over 72" FBW
801/16 to 94	5	7	4	5	2
94½ to 96	5	8	4	6	2

For Same Side Controls

Finished Blind Width (inches)		# of		NoHoles # of Cords	# of Center Brackets
161/16 to 26	6	2	2	4	0
261/16 to 40	6	3	2	3	0
401/16 to 54	6	4	4	4	1 over 48" FBW
541/16 to 68	6	5	3	4	1
681/16 to 80	6	6	4	4	2 over 72" FBW
801/16 to 94	6	7	4	5	2
94½ to 96	6	8	4	6	2

NOTES:

- 1. Maximum spacing between ladders is 14".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 4. 7" to 815/16" not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

2" and 2½" Composite Blinds with Cordless Lift

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 22	4	2	2	0
221/16 to 38	5	3	3	0
381/16 to 52	5	4	4	1 over 48" FBW
521/16 to 66	5	5	5	1

NOTES:

- 1. Maximum spacing between ladders is 14".
- 2. Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 66". Wider blinds must be multiple blinds on one headrail.
- 4. Cloth tape ladder quantity is the same as number of ladders listed above.

2" and 2½" Premium Faux Wood and Faux Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders		NoHoles # of Cords	# of Center Brackets
7 to 8 ¹⁵ / ₁₆	1%	2	2	4	0
9 to 11 ¹⁵ / ₁₆	23/8	2	2	4	0
12 to 19	4	2	2	4	0
191/16 to 30	4	3	2	3	0
301/16 to 41	4	4	4	4	0
411/16 to 52	4	5	3	4	1 over 48" FBW
521/16 to 63	4	6	4	4	1
631/16 to 74	4	7	4	5	1
74½ to 85	4	8	4	6	2
85½ to 96	4	9	4	5	2

NOTES:

- 1. Maximum spacing between ladders is 11".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 4. 7" to 815/16" not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

2" and 2½" Premium Faux Wood and Faux Wood Blinds with Cordless Lift

For Standard or Reverse Controls


or orangara or riororoo controlo								
Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets				
12 to 19	4	2	2	0				
191/16 to 30	4	3	2	0				
301/16 to 41	4	4	4	0				
411/16 to 52	4	5	3	1 over 48" FBW				
521/16 to 63	4	6	6	1				

NOTES

- 1. Maximum spacing between ladders is 11".
- 2. Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 63". Wider blinds must be multiple blinds on one headrail.
- Cloth tape ladder quantity is the same as number of ladders listed above.

Northern Heights™ 1", 2", and 2% "Wood Blinds Product Detail

2" and 2%" Blinds 1" Blind




Hold Down Brackets (optional)


· Secure blind to door, wall, or window sill

NoHoles™

Available with 2" and 2%"




Slat Comparison





- Available on 2" and 2%"

Cord Management Options




Cordless Lift Blinds Product Detail: Wood, Composite, and Faux Wood





Trapezoid Bottomrail

 Standard on 2" and 2½" composite and premium faux wood



Rectangular Bottomrail


 Standard on 2" and 2½" faux wood



Pair cordless lift with wand tilt for a blind that eliminates operating cords and is safer for homes with children and pets, or pair it with cord tilt for fast, simple control.


To lower blind, simply pull down on the bottomrail. To raise the blind, simply guide the blind into the desired location by gently lifting the bottomrail.

Not available with sky pole option.




2" and 21/2" Composite Blinds Product Detail


2" Slat Shown




NoHoles™

• Available with 2" and 21/2"






Cord Management Options




2" and 21/2" Premium Faux Wood and Faux Wood Blinds Product Detail


2" Slat Shown




NoHoles™

• Available with 2" and 21/2"





Cord Management Options



Options Pricing

Options Pricing

Option	Surcharge
Bay and Corner Window	No charge
Cloth Tapes	See price charts for surcharge
Cord Management Cleats	Clear: standard Cord winder: \$6 Solid brass cleat: \$8 Antique brass cleat: \$3
Cordless Lift	See price charts for surcharge
Cut-Outs (not available with cordless lift or wood verticals)	\$22
Decorative Tassels	Antique brass: \$15 per blind panel Nickel: \$15 per blind panel Flared: \$15 per blind panel
Easy Grip Bottomrail (wood blinds only)	\$11 per blind (standard on cordless lift)
Hold Down Brackets	No charge
Multiple Blinds on One Headrail	Right of the solid line on the price charts: no charge Left of the solid line on the price charts: \$35
NoHoles™ (not available with cordless lift)	See price charts for surcharge
Projection Brackets (2¾" and 4¾")	No charge (outside mount only)
Shims (3/16")	Standard on all outside mount 2%" and 21/2" slat blinds
Sky Poles	3 to 6½ feet: \$17 5 to 9½ feet: \$28
Valance Keystones	\$18 each when requested without a splice
Wood Cornices and Valances	See cornices and valances product information guide and price list
Wood Vertical Vanes Only	\$9 per linear foot

Wood Vertical Blinds: Replacement Headrail Pricing

Headrail System

Width up to (inches)	27	39	52	66	78	96	108	120	132	144
Headrail	\$57	75	94	113	126	150	179	179	215	215

NOTE: Installation hardware included. Valance not included; must be ordered separately.



Bali is a brand of Springs Window Fashions, the Best Experience Company



Bali and the Bali logo are registered trademarks of Springs Window Fashions, LLC.

(03/19) 19-11140|S18-9692