

LEVOLOR®



Custom Cellular Shades

Reference Guide

March 2025

For more info visit LEVOLOR.com

TABLE OF CONTENTS

Product Overview

• Pattern Information	2
• Fabric and Rail Color Charts	3-7
• Stack Chart	8
• Side Channels	8

Product Configuration Specifications

• Cordless Lift	9-11
• Continuous Cord Loop	12-13
• InMotion™ Motorization	14-19
• InMotion™ Wand Motorization	20-21
• Vertical Application	22-23
• Classic Skylight & Skylight with InMotion™	24-25
• Arches	26
• Product Components - Continuous Cord Loop	27-28
• Product Components - Cordless	29-30
• Product Components - 1-1/4" Cordless Bottom Up	31-32
• Product Components - 1-1/4" Cordless Top Down/Bottom Up	33-34
• Product Components - InMotion™ Motorization Bottom Up	35-36
• Product Components - 1-1/4" InMotion™ Motorization Bottom Up	37-38
• Product Components - InMotion™ Wand Motorization	39-40
• Product Components - Vertical Application	41-42
• Product Components - Skylight	43-44
• Product Components - Skylight InMotion™ Motorization	45-46

The following information, listed below, is available online at LEVOLOR.com

- | | |
|----------------------------------|----------------------|
| • Terms and Conditions | • Order Processing |
| • Freight | • Claims and Returns |
| • Warning and Safety Information | • Warranty |

PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name		# of Cells	Care Code	GREENGUARD Certification	Light Control	Hardware Restrictions	Hardware Options
Classic - 3/4" Light Filtering	CLC1	Single	1, 2 & 3		B	Arches, Skylight	• Continuous Cord Loop System • Continuous Cord Loop Top-Down/Bottom-Up • Cordless Lift System • Day/Night • Top-Down/Bottom-Up • Two-On-One Headrail • Cordless Three-On-One • Vertical Application • Skylight • Arches • InMotion™ Wand • InMotion™ Motorization - Bottom Up - Top-Down/Bottom-Up - Day/Night - Skylight
Classic - 3/4" Blackout	CLC3	Single	1, 2 & 3		C	Arches, Skylight	
Dappled - 3/4" Light Filtering	DPL1	Single	1, 2 & 3		B	Arches, Skylight	
Designer Colors - 3/4" Light Filtering	LDC1	Single	1, 2 & 3		B	Arches, Skylight	
Designer Colors - 3/4" Blackout	LDC3	Single	1, 2 & 3		C	Arches, Skylight	
Designer Colors - 1/2" Light Filtering	LDC2	Double	1, 2 & 3		B	Day/Night, Arches, Skylight	
Designer Colors - 1/2" Blackout	LDC4	Double	1, 2 & 3		C	Day/Night, Arches, Skylight	
Abaca Linen - 3/4" Light Filtering	ABL1	Single	1, 2 & 3		B	Arches	
Cambrica - 3/4" Light Filtering	CBC1	Single	1, 2 & 3	Yes	B	-	
Cambrica - 3/4" Blackout	CBC3	Single	1, 2 & 3	Yes	C	-	
Crosshatch - 3/4" Light Filtering	CHC1	Single	1, 2 & 3	Yes	B	-	
Crosshatch - 3/4" Blackout	CHC3	Single	1, 2 & 3	Yes	C	-	
SheerCell™ - 3/4" Sheer	SHC1	Single	1, 2 & 3	Yes	A	-	
Silkweave - 3/4" Light Filtering	SLK1	Single	1, 2 & 3	Yes	B	-	
Silkweave - 3/4" Blackout	SLK3	Single	1, 2 & 3	Yes	C	-	
Crosshatch - 1/2" Light Filtering	CHC2	Double	1, 2 & 3	Yes	B	Day/Night, Vertical App	
Silkweave - 1/2" Light Filtering	SLK2	Double	1, 2 & 3	Yes	B	Day/Night, Vertical App	
Abaca Linen - 1-1/4" Light Filtering	ABL7	Single	1, 2 & 3		B	Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight	
Cambrica - 1-1/4" Light Filtering	CBC7	Single	1, 2 & 3	Yes	B	Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight	
Cambrica - 1-1/4" Blackout	CBC9	Single	1, 2 & 3	Yes	C	Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight	
Crosshatch - 1-1/4" Light Filtering	CHC7	Single	1, 2 & 3	Yes	B	Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight	
Crosshatch - 1-1/4" Blackout	CHC9	Single	1, 2 & 3	Yes	C	Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight	
Silkweave - 1-1/4" Light Filtering	SLK7	Single	1, 2 & 3	Yes	B	Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight	
Silkweave - 1-1/4" Blackout	SLK9	Single	1, 2 & 3	Yes	C	Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight	
Abaca Linen - 2" Light Filtering	ABL8	Single	1, 2 & 3		B	Day/Night, Arches, InMotion™ Wand, Skylight	
Care Method 1 Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Cellular Shade surfaces which are lightly soiled. Care Method 2 Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Cellular Shade surfaces which need spot cleaning. Care Method 3 Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Cellular Shade surfaces which are heavily soiled.							
A. Diffuses Light Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening. B. Light Filtering Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category. C. Blackout Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.							

HARDWARE COLORS

Cellular Hardware Color Coordination Guide

Coordinating hardware colors are pre-selected based on fabric color. The color samples below represent headrail, bottom rail, end cap, and tassel colors.

The Fabric Index chart on the following page identifies which hardware color number matches each fabric color.

018	048	083	180	187	135	206	276	401	405
450	661	685	689	748	785	810	841	849	862
878	882	954							

NOTE: The actual color of the hardware may vary from the samples in the color coordination guide.

Color lot variations may occur with fabric and/or hardware due to the process of color application. For the best color match, order all shades for a room at the same time. Pattern availability and color lot match between orders cannot be assured.

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Light Filtering and Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Classic - 3/4" Single Cell Light Filtering				
CLC1	6053	Flaxseed	206	862
CLC1	6054	Powder	661	661
CLC1	6052	Stone	401	276

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Dappled - 3/4" Single Cell Light Filtering				
DPL1	6011	Pebble Sand	206	862
DPL1	6010	Pebble Stone	401	276

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Classic - 3/4" Single Cell Blackout				
CLC3	6053	Flaxseed	206	862
CLC3	6054	Powder	661	661
CLC3	6051	Russet	083	083
CLC3	6052	Stone	401	276
CLC3	6050	Willow	862	862

CODE KEY: HEADRAIL	
STD	= Cordless Lift, Continuous Cord Loop and Motorized shades with coordinated rail.
VA	= Vertical Application shades

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Light Filtering and Blackout), 1/2" Double Cell (Light Filtering and Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Designer Colors - 3/4" Single Cell Light Filtering				
LDC1	4806	Cappuccino	841	841
LDC1	4810	Cinnamon	187	661
LDC1	4814	Cool White	661	661
LDC1	4818	Coriander	841	841
LDC1	4821	Daylight	878	661
LDC1	4807	Deep Sea	450	276
LDC1	4804	Dovetail	401	276
LDC1	4800	Flintrock	405	276
LDC1	4811	Fossil	689	810
LDC1	4819	Fresh Air	018	785
LDC1	4803	Graystone	276	276
LDC1	4822	Green Tea	135	862
LDC1	4816	Honeywheat	882	882
LDC1	4809	Magnolia	135	862
LDC1	4815	Minty	785	661
LDC1	4808	Moonlight	450	276
LDC1	4817	Nutmeg	849	810
LDC1	4805	Oyster	206	862
LDC1	4812	Pure White	661	661
LDC1	4801	Raven	048	048
LDC1	4802	Silvermist	862	862
LDC1	4820	Soft Taupe	810	810
LDC1	4813	Terracotta	187	661
LDC1	4823	Warm White	785	785

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Designer Colors - Double Cell Light Filtering				
LDC2	4806	Cappuccino	841	841
LDC2	4810	Cinnamon	187	661
LDC2	4814	Cool White	661	661
LDC2	4818	Coriander	841	841
LDC2	4821	Daylight	878	661
LDC2	4807	Deep Sea	450	276
LDC2	4804	Dovetail	401	276
LDC2	4800	Flintrock	405	276
LDC2	4811	Fossil	689	810
LDC2	4819	Fresh Air	018	785
LDC2	4803	Graystone	276	276
LDC2	4822	Green Tea	135	862
LDC2	4816	Honeywheat	882	882
LDC2	4809	Magnolia	135	862
LDC2	4815	Minty	785	661
LDC2	4808	Moonlight	450	276
LDC2	4817	Nutmeg	849	810
LDC2	4805	Oyster	206	862
LDC2	4812	Pure White	661	661
LDC2	4801	Raven	048	048
LDC2	4802	Silvermist	862	862
LDC2	4820	Soft Taupe	810	810
LDC2	4813	Terracotta	187	661
LDC2	4823	Warm White	785	785

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Designer Colors - 3/4" Single Cell Blackout				
LDC3	4806	Cappuccino	841	N/A
LDC3	4810	Cinnamon	187	
LDC3	4814	Cool White	661	
LDC3	4818	Coriander	841	
LDC3	4821	Daylight	878	
LDC3	4807	Deep Sea	450	
LDC3	4804	Dovetail	401	
LDC3	4800	Flintrock	405	
LDC3	4811	Fossil	689	
LDC3	4819	Fresh Air	018	
LDC3	4803	Graystone	276	
LDC3	4822	Green Tea	135	
LDC3	4816	Honeywheat	882	
LDC3	4809	Magnolia	135	
LDC3	4815	Minty	785	
LDC3	4808	Moonlight	450	
LDC3	4817	Nutmeg	849	
LDC3	4805	Oyster	206	
LDC3	4812	Pure White	661	
LDC3	4801	Raven	048	
LDC3	4802	Silvermist	862	
LDC3	4820	Soft Taupe	810	
LDC3	4813	Terracotta	187	
LDC3	4823	Warm White	785	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Designer Colors - Double Cell Blackout				
LDC4	4806	Cappuccino	841	N/A
LDC4	4810	Cinnamon	187	
LDC4	4814	Cool White	661	
LDC4	4818	Coriander	841	
LDC4	4821	Daylight	878	
LDC4	4807	Deep Sea	450	
LDC4	4804	Dovetail	401	
LDC4	4800	Flintrock	405	
LDC4	4811	Fossil	689	
LDC4	4819	Fresh Air	018	
LDC4	4803	Graystone	276	
LDC4	4822	Green Tea	135	
LDC4	4816	Honeywheat	882	
LDC4	4809	Magnolia	135	
LDC4	4815	Minty	785	
LDC4	4808	Moonlight	450	
LDC4	4817	Nutmeg	849	
LDC4	4805	Oyster	206	
LDC4	4812	Pure White	661	
LDC4	4801	Raven	048	
LDC4	4802	Silvermist	862	
LDC4	4820	Soft Taupe	810	
LDC4	4813	Terracotta	187	
LDC4	4823	Warm White	785	

CODE KEY: HEADRAIL

STD = Cordless Lift, Continuous Cord Loop and Motorized shades with coordinated rail.

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Light Filtering, Sheer, and Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Abaca Linen - 3/4" Single Cell Light Filtering				
ABL1	4753	Alabaster	785	785
ABL1	4754	Bone	785	785
ABL1	4752	Crisp White	661	661
ABL1	4756	Ginger Root	180	180
ABL1	4759	Irony	405	276
ABL1	4755	Mushroom	401	401
ABL1	4761	Nightsky	450	661
ABL1	4760	Obsidion	048	048
ABL1	4750	Sepia	810	810
ABL1	4757	Silverdrop	018	661
ABL1	4758	Stonewall	276	276
ABL1	!"#\$	Tapioca	862	862
Cambrica - 3/4" Single Cell Light Filtering				
CBC1	4551	Candlelight	862	862
CBC1	4550	Ivory	785	785
CBC1	4557	Light Fog	018	661
CBC1	4554	Slate	450	276
CBC1	4556	Taupe	401	401
CBC1	4553	Titanium	401	401
CBC1	4552	Tumbleweed	862	862
CBC1	4555	Whisper	785	785
Crosshatch - 3/4" Single Cell Light Filtering				
CHC1	4852	Biscotti	862	862
CHC1	4854	High Cotton	661	661
CHC1	4856	Rhodium	018	661
CHC1	4855	Shadow	405	276
CHC1	4850	Silver Fox	401	401
CHC1	4853	Steel Wool	276	276
CHC1	4851	Vanilla Bean	862	862
CHC1	4857	Work Chino	862	862
SheerCell™ - 3/4" Single Cell Sheer				
SHC1	5962	Chiffon	862	862
SHC1	5960	Frost	661	661
SHC1	5961	Pearl	862	862
Silkweave - 3/4" Single Cell Light Filtering				
SLK1	4657	Beechwood	206	862
SLK1	4653	Blue Steel	450	661
SLK1	4655	Galactic	276	276
SLK1	4651	Lucky Penny	810	810
SLK1	4652	Silver Coin	748	748
SLK1	4656	Sweet Cream	206	862
SLK1	4654	White Satin	785	785
SLK1	4650	Woodwind	180	180

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Cambrica - 3/4" Single Cell Blackout				
CBC3	4551	Candlelight	862	862
CBC3	4550	Ivory	785	785
CBC3	4557	Light Fog	018	661
CBC3	4554	Slate	450	276
CBC3	4556	Taupe	401	401
CBC3	4553	Titanium	401	401
CBC3	4552	Tumbleweed	862	862
CBC3	4555	Whisper	785	785
Crosshatch - 3/4" Single Cell Blackout				
CHC3	4852	Biscotti	862	862
CHC3	4854	High Cotton	661	661
CHC3	4856	Rhodium	018	661
CHC3	4855	Shadow	405	276
CHC3	4850	Silver Fox	401	401
CHC3	4853	Steel Wool	276	276
CHC3	4851	Vanilla Bean	862	862
CHC3	4857	Work Chino	862	862
Silkweave - 3/4" Single Cell Blackout				
SLK3	4657	Beechwood	206	862
SLK3	4653	Blue Steel	450	661
SLK3	4655	Galactic	276	276
SLK3	4651	Lucky Penny	810	810
SLK3	4652	Silver Coin	748	748
SLK3	4656	Sweet Cream	206	862
SLK3	4654	White Satin	785	785
SLK3	4650	Woodwind	180	180

CODE KEY: HEADRAIL

STD = Cordless Lift, Continuous Cord Loop and Motorized shades
with coordinated rail.

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

1/2" Double Cell, Abaca Linen - 2" Single Cell Light Filtering

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
Crosshatch - 1/2" Double Cell Light Filtering				
CHC2	4852	Biscotti	862	N/A
CHC2	4854	High Cotton	661	
CHC2	4856	Rhodium	018	
CHC2	4855	Shadow	405	
CHC2	4850	Silver Fox	401	
CHC2	4853	Steel Wool	276	
CHC2	4851	Vanilla Bean	862	
CHC2	4857	Work Chino	862	
Silkweave - 1/2" Double Cell Light Filtering				
SLK2	4657	Beechwood	206	N/A
SLK2	4653	Blue Steel	450	
SLK2	4655	Galactic	276	
SLK2	4651	Lucky Penny	810	
SLK2	4652	Silver Coin	748	
SLK2	4656	Sweet Cream	206	
SLK2	4654	White Satin	785	
SLK2	4650	Woodwind	180	

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
Abaca Linen - 2" Single Cell Light Filtering				
ABL8	4753	Alabaster	785	785
ABL8	4754	Bone	785	785
ABL8	4752	Crisp White	661	661
ABL8	4756	Ginger Root	180	180
ABL8	4759	Irony	276	276
ABL8	4755	Mushroom	401	401
ABL8	4761	Nightsky	450	661
ABL8	4760	Obsidian	048	048
ABL8	4750	Sepia	810	810
ABL8	4757	Silverdrop	018	785
ABL8	4758	Stonewall	276	276
ABL8	4751	Tapioca	862	862

CODE KEY: HEADRAIL

STD = Cordless Lift, Continuous Cord Loop and Motorized shades with coordinated rail.

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

1-1/4" Single Cell (Light Filtering and Blackout)

Code	Color #	Color Name	OPTION	VA
Abaca Linen - 1-1/4" Single Cell Light Filtering				
ABL7	4753	Alabaster	785	785
ABL7	4754	Bone	862	862
ABL7	4752	Crisp White	661	661
ABL7	4756	Ginger Root	180	180
ABL7	4759	Irony	276	276
ABL7	4755	Mushroom	401	401
ABL7	4761	Nightsky	450	661
ABL7	4760	Obsidion	048	048
ABL7	4750	Sepia	810	810
ABL7	4757	Silverdrop	018	785
ABL7	4758	Stonewall	276	276
ABL7	4751	Tapioca	862	862
Cambrica - 1-1/4" Single Cell Light Filtering				
CBC7	4551	Candlelight	862	862
CBC7	4550	Ivory	785	785
CBC7	4557	Light Fog	018	661
CBC7	4554	Slate	450	276
CBC7	4556	Taupe	401	401
CBC7	4553	Titanium	401	401
CBC7	4552	Tumbleweed	862	862
CBC7	4555	Whisper	785	785
Crosshatch - 1-1/4" Single Cell Light Filtering				
CHC7	4852	Biscotti	862	862
CHC7	4854	High Cotton	661	661
CHC7	4856	Rhodium	018	661
CHC7	4855	Shadow	405	276
CHC7	4850	Silver Fox	765	276
CHC7	4853	Steel Wool	276	276
CHC7	4851	Vanilla Bean	862	862
CHC7	4857	Work Chino	862	862
Silkweave - 1-1/4" Single Cell Light Filtering				
SLK7	4657	Beechwood	206	862
SLK7	4653	Blue Steel	450	661
SLK7	4655	Galactic	276	276
SLK7	4651	Lucky Penny	083	083
SLK7	4652	Silver Coin	748	748
SLK7	4656	Sweet Cream	206	862
SLK7	4654	White Satin	785	785
SLK7	4650	Woodwind	180	180

Code	Color #	Color Name	OPTION	VA
Cambrica - 1-1/4" Single Cell Blackout				
CBC9	4551	Candlelight	862	862
CBC9	4550	Ivory	785	785
CBC9	4557	Light Fog	018	661
CBC9	4554	Slate	450	276
CBC9	4556	Taupe	401	401
CBC9	4553	Titanium	401	401
CBC9	4552	Tumbleweed	862	862
CBC9	4555	Whisper	785	785
Crosshatch - 1-1/4" Single Cell Blackout				
CHC9	4852	Biscotti	862	862
CHC9	4854	High Cotton	661	661
CHC9	4856	Rhodium	018	661
CHC9	4855	Shadow	405	276
CHC9	4850	Silver Fox	765	276
CHC9	4853	Steel Wool	276	276
CHC9	4851	Vanilla Bean	862	862
CHC9	4857	Work Chino	862	862
Silkweave - 1-1/4" Single Cell Blackout				
SLK9	4657	Beechwood	206	862
SLK9	4653	Blue Steel	450	661
SLK9	4655	Galactic	276	276
SLK9	4651	Lucky Penny	083	083
SLK9	4652	Silver Coin	748	748
SLK9	4656	Sweet Cream	206	862
SLK9	4654	White Satin	785	785
SLK9	4650	Woodwind	180	180

CODE KEY: HEADRAIL

STD = Cordless Lift, Continuous Cord Loop and Motorized shades
with coordinated rail.

VA = Vertical Application shades

STACKING CHART

Pattern Name		48" Shade Drop	72" Shade Drop	84" Shade Drop	120" Shade Drop	144" Shade Drop
Classic - 3/4" Light Filtering	CLC1	1"	1"	1-1/4"	1-3/4"	N/A
Classic - 3/4" Blackout	CLC3	7/8"	7/8"	1-1/8"	1-5/8"	N/A
Dapped - 3/4" Light Filtering	DPL1	1"	1"	1-1/4"	1-3/4"	N/A
Designer Colors - 3/4" Light Filtering	LDC1	1"	1-1/2"	1-3/4"	2-1/2"	N/A
Designer Colors - 3/4" Blackout	LDC3	7/8"	1-1/4"	1-1/2"	1-3/4"	N/A
Designer Colors - 1/2" Double Cell Light Filtering	LDC2	1-5/8"	2-1/2"	2-5/8"	3-5/8"	N/A
Designer Colors - 1/2" Double Cell Blackout	LDC4	3/4"	1-1/4"	1-1/2"	3"	N/A
Abaca Linen - 3/4" Light Filtering	ABL1	1/2"	7/8"	1"	1-1/2"	1-3/4"
Cambrica - 3/4" Light Filtering	CBC1	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
Cambrica - 3/4" Blackout	CBC3	7/8"	7/8"	1"	1-1/4"	1-1/2"
Crosshatch - 3/4" Light Filtering	CHC1	1/2"	7/8"	1"	1-1/2"	1-3/4"
Crosshatch - 3/4" Blackout	CHC3	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
SheerCell™ - 3/4" Sheer	SHC1	1-1/4"	1-1/4"	1-1/2"	1-3/4"	2-7/8"
Silkweave - 3/4" Light Filtering	SLK1	1/2"	7/8"	1"	1-1/2"	1-3/4"
Silkweave - 3/4" Blackout	SLK3	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
Crosshatch - 1/2" Double Cell Light Filtering	CHC2	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
Silkweave - 1/2" Double Cell Light Filtering	SLK2	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
Abaca Linen - 1-1/4" Light Filtering	ABL7	5/8"	1"	1-1/8"	1-1/4"	N/A
Cambrica - 1-1/4" Light Filtering	CBC7	5/8"	1"	1-1/8"	1-1/4"	N/A
Cambrica - 1-1/4" Blackout	CBC9	3/4"	1-1/8"	1-1/4"	1-1/2"	N/A
Crosshatch - 1-1/4" Light Filtering	CHC7	5/8"	1"	1-1/8"	1-1/4"	N/A
Crosshatch - 1-1/4" Blackout	CHC9	3/4"	1-1/8"	1-1/4"	1-1/2"	N/A
Silkweave - 1-1/4" Light Filtering	SLK7	5/8"	1"	1-1/8"	1-1/4"	N/A
Silkweave - 1-1/4" Blackout	SLK9	3/4"	1-1/8"	1-1/4"	1-1/2"	N/A
Abaca Linen - 2" Light Filtering	ABL8	3/4"	1"	1-1/4"	1-1/2"	N/A


NOTE: Measurements listed are provided for reference, actual stack height may vary.

Hardware System	Rail heights to be added to the above
Cordless, Continuous Cord Loop, InMotion™	2"

PRIVACY SIDE CHANNELS

Side Channels


- Available in 5 colors: white, gray, vanilla, bronze or black
- High quality PVC light block installs in minutes
- Option offers additional privacy and room darkening
- Inside Mount Only
- Available with Cordless, InMotion™ Wand and InMotion™ operating systems
- If Privacy Side Channels are selected, a 1/2" will be deducted in addition to the 1/4" for inside mount



RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.

- Cordless cellular shades come with a clear snap-on handle. 2" Single Cell shades come with a clear textured inserted handle. Shades over 42" in width will have 2 handles.
- Cut-outs are not available on Cordless Lift shades.
- Top Down/Bottom Up shades – Zinc striker plates and magnets comes standard on shades.
Striker plate & magnet placement:
Shades under 42" Wide – one magnet on each end of the shade
Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord
Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.
Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT – SIZE STANDARDS

	Classic/Dappled Single Cell		Designer Colors Single Cell		Designer Colors Double Cell	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min. Width (net)	14"	14"	14"	14"	14"	14"
Max. Width	120	120	120	96	96	96
Max. Width – End Mount	48"	48"	48"	48"	48"	48"
Max. Width – EasyMount™	84"	84"	84"	84"	84"	84"
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	70	70	70	70	70	70

CORDLESS LIFT – SIZE STANDARDS

	All Remaining 3/4" Single and Double Cell Fabrics	All 1-1/4" Fabrics	2" Fabric
Min. Width (net)	16"	16"	16"
Max. Width	120"	120	120"
Max. Width – End Mount	48"	N/A	42"
Max. Width – EasyMount™	84"	N/A	84"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	70	60	60

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Classic/Dappled Single Cell		Designer Colors Single Cell		Designer Colors Double Cell	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min. Width (net)	16"	16"	16"	16"	16"	16"
Max. Width	120	120	96"	96	96	96
Max. Width – End Mount	48"	48"	48"	48"	48"	48"
Max. Width – EasyMount™	84"	84"	84"	84"	84"	84"
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	70	70	70	70	70	70

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	All Remaining 3/4" Single and Double Cell Fabrics	All 1-1/4" Fabrics	2" Fabric
Min. Width (net)	16"	16"	16"
Max. Width	120"	96"	120"
Max. Width – End Mount	48"	N/A	42"
Max. Width – EasyMount™	84"	N/A	84"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	70	56	60

CORDLESS LIFT DAY/NIGHT – SIZE STANDARDS

	Classic/Dappled Single Cell		Designer Colors Single Cell	
	Light Filtering	Blackout	Light Filtering	Blackout
Min. Width (net)	16"	16"	16"	16"
Max. Width	84"	84"	84"	72"
Max. Width – End Mount	36"	36"	36"	36"
Max. Width – EasyMount™	84"	84"	84"	84"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	42	42	42	42

CORDLESS LIFT DAY/NIGHT – SIZE STANDARDS

	All Remaining 3/4" Single Cell
Min. Width (net)	16"
Max. Width	84"
Max. Width – End Mount	36"
Max. Width – EasyMount™	84"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

* Cordless Lift Day/Night is not available with any 1/2" double cell, 1-1/4", or 2" fabrics

Note: Top fabric must be SheerCell™

Note: Cut-outs are not available on Cordless Lift shades.

Note: EasyMount™ not available at all Retailers

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM

CORDLESS TWO-ON-ONE – SIZE STANDARDS

	Classic/Dappled Single Cell		Designer Colors Single Cell		Designer Colors Double Cell	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min Width (per panel) (net)	14"	14"	14"	14"	14"	14"
Min Width (overall)	32"	32"	32"	32"	32"	32"
Max Width (per panel)	120"	120"	96"	96"	96"	96"
Max Width (overall)	174"	174"	174"	174"	174"	174"
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (Sq/Ft)	70	70	70	70	70	70

* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Day/Night
Note: End mount not available.

CORDLESS TWO-ON-ONE – SIZE STANDARDS

	All Remaining 3/4" Single and Double Cell Fabrics	All 1-1/4" Fabrics	2" Fabric
Min Width (per panel) (net)	16"	18"	16"
Min Width (overall)	32"	36"	32"
Max Width (per panel)	120"	96"	100"
Max Width (overall)	174"	120"	120"
Min Height	12"	12"	12"
Max Height	84"	84"	84"
Max Area (Sq/Ft)	70	60	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Day/Night
Note: End mount not available.

CORDLESS THREE-ON-ONE – SIZE STANDARDS

	Classic/Dappled Single Cell		Designer Colors Single Cell		Designer Colors Double Cell	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min Width (per panel) (net)	14"	14"	14"	14"	14"	14"
Min Width (overall)	48"	48"	48"	48"	48"	48"
Max Width (per panel)	120"	120"	96"	96"	96"	96"
Max Width (overall)	174"	174"	174"	174"	174"	174"
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (Sq/Ft)	70	70	70	70	70	70

* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Day/Night
Note: End mount not available.

CORDLESS THREE-ON-ONE – SIZE STANDARDS

	All Remaining 3/4" Single and Double Cell Fabrics	2" Fabric
Min Width (per panel)	16"	16"
Min Width (overall)	48"	48"
Max Width (per panel)	120"	120"
Max Width (overall)	174"	174"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up, Day/Night, or 1-1/4" fabrics
Note: End mount not available.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Most Fabrics	2" Fabric
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary $\pm 1/8$ "

Adjustments are taken from ordered dimensions.

Cordless Lift (1-1/4" N/A as Day/Night)

1-1/4" Fabrics

Inside (IB) Mounts	
Headrail unit	- 1/4"
Shade height	ordered height
Fabric width	- 3/8"
End (EB) Mounts	
Headrail unit	- 1/2"
Shade height	ordered height
Fabric width	- 5/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	- 1/8"
2 on 1 Headrail	
Gap between panels	-1/4"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Most Fabrics	2" Fabric
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Minimum mounting depth – EasyMount™	2-1/4"	2-1/4"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: 2" Fabric is N/A as Day/Night

NOTE: EasyMount™ available in 5 colors (white, vanilla, gray, bronze and black) to complement your trim color. Not available at all Retailers.

Use a metal tape measure for all measurements.

Cordless Lift (1-1/4" N/A as Day/Night)

1-1/4" Fabrics


Inside (IB) & End (EB) Mounts	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Minimum mounting depth – EasyMount™	N/A
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

NOTE: To accommodate the larger pleat of 1-1/4" fabrics, they use a larger rail system that requires more mounting depth.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Classic/Dappled Single Cell		Designer Colors Single Cell		Designer Colors Double Cell	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min. Width (net)*	18"	18"	18"	18"	18"	18"
Max. Width	120"	120"	144"	144"	120"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"
Min. Height	6"	6"	6"	6"	6"	6"
Max. Height*	120"	120"	120"	120"	120"	120"
Max. Area (sq. ft.)	100	100	100	100	100	100

CONTINUOUS CORD LOOP – SIZE STANDARDS

	3/4" Abaca Linen	3/4" Sheer & Remaining Light Filtering	Remaining 3/4" Blackout	Remaining Double Cell	2" Light Filtering
Min. Width (net)*	18"	18"	18"	18"	18"
Max. Width	120"	174"	144"	144"	120"
Max. Width – End Mount	48"	48"	48"	48"	42"
Min. Height	6"	6"	6"	6"	12"
Max. Height*	120"	144"	144"	144"	120"
Max. Area (sq. ft.)	100"	150	100	80	60

NOTE: ALL Silkweave fabrics => Max Width 120" / Max Height 120"

* Continuous Cord Loop is not available with 1-1/4" fabrics

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Classic/Dappled Single Cell		Designer Colors Single Cell		Designer Colors Double Cell	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min. Width (per panel)	18"	18"	18"	18"	18"	18"
Min. Width (overall)	36"	36"	36"	36"	36"	36"
Max. Width (per panel)	120"	120"	144"	144"	144"	144"
Max. Width (overall)	144"	144"	174"	174"	174"	174"
Min. Height	6"	6"	6"	6"	6"	6"
Max. Height	120"	120"	120"	120"	120"	120"
Max. Area (sq. ft.)	100	100	100	100	100	100

Note: End mount not available.

* Continuous Cord Loop is not available with 1-1/4" fabrics

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	3/4" Abaca Linen	3/4" Sheer & Remaining Light Filtering	Remaining 3/4" Blackout	Remaining Double Cell	2" Light Filtering
Min. Width (per panel)	18"	18"	18"	18"	18"
Min. Width (overall)	36"	36"	36"	36"	36"
Max. Width (per panel)	120"	120"	120"	144"	144"
Max. Width (overall)	174"	144"	144"	174"	174"
Min. Height	6"	6"	6"	6"	6"
Max. Height	120"	120"	120"	120"	120"
Max. Area (sq. ft.)	100"	100"	100"	100"	100"

Note: End mount not available.

* Continuous Cord Loop is not available with 1-1/4" fabrics

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Classic/Dappled Single Cell		Designer Colors Single Cell		Designer Colors Double Cell	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min. Width (net)*	24"	24"	24"	24"	24"	24"
Max. Width	120"	120"	144"	144"	144"	144"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"
Min. Height	8"	8"	8"	8"	8"	8"
Max. Height*	120"	120"	120"	120"	120"	120"
Max. Area (sq. ft.)	100"	100"	100"	100"	100"	100"

* Continuous Cord Loop is not available with 1-1/4"

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	3/4" Abaca Linen	3/4" Sheer & Remaining Light Filtering	Remaining 3/4" Blackout	Remaining Double Cell	2" Light Filtering
Min. Width (net)*	24"	24"	24"	24"	24"
Max. Width	120"	144"	144"	144"	120"
Max. Width – End Mount	48"	48"	48"	48"	42"
Min. Height	8"	8"	8"	8"	12"
Max. Height*	120"	144"	144"	144"	120"
Max. Area (sq. ft.)	100"	150"	100"	80"	60"

NOTE: ALL Silkweave fabrics => Max Width 120" / Max Height 120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM

FINISHED DIMENSIONS

Cellular 2" Fabric

Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/
Bottom-Up option for 2" Fabric

NOTE: Measurements may vary $\pm 1/8"$

CORD LOOP DROP

SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS - 2 ON 1

Cellular 2" Fabric

Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2-on-1 Headrail		
Gap between panels	- 1/4"	- 1/4"

MOUNTING REQUIREMENTS

Cellular 2" Fabric

Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"


NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on continuous cord loop bottom-up shades only.

Not available on 1-1/4" or 2" fabrics.

CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

INMOTION™ MOTORIZATION CONFIGURATION SPECIFICATIONS

INMOTION™ MOTORIZATION BOTTOM UP, TOP-DOWN/BOTTOM-UP, DAY/NIGHT (INTERNAL BATTERY)



- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop.

InMotion™ SIZE STANDARDS				
	Bottom-Up			Top-Down / Bottom-Up
	Cellular Fabrics	2" Fabric	1-1/4" Fabrics	
Minimum NET Width*	18-1/8"	18-1/8"	24"	30"
Maximum Width	120"	120"	120"	120"
Maximum Width – EasyMount™	84"	84"	N/A	84"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	108"	108"	108"
Maximum Height – EasyMount™	84"	84"	N/A	84"

NOTE: Max height varies by width and fabric type. Refer to chart.

End Mount not available

EasyMount™ available in 5 colors (white, vanilla, gray, bronze and black) to complement your trim color. Not available at all Retailers.

The minimum inside mount width is 19" when ordered with hold-down brackets

Control Side **RIGHT ONLY** - indicates where the Charging Port and Reset/Programing button are located

InMotion™ 2-on-1 HEADRAIL - SIZE STANDARDS			
	Bottom-Up		
	Cellular Fabrics	2" Fabric	1-1/4" Fabrics
Minimum NET Width (per panel)	20"	20"	24"
Minimum NET Width (overall)	40"	40"	48"
Maximum Width (per panel)	120"	120"	120"
Maximum Width (overall)	144"	144"	144"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type.

InMotion™ Day/Night - SIZE STANDARDS	
	Cellular
	All Available Fabrics*
	Right Side Control
Min. Width (net)	30-1/8"
Max. Width*	120"
Min. Height	18"
Max. Height	108"
Max. Area (sq. ft.)	n/a *

End Mount not available

*Not available with Double Cell, 1-1/4", and 2" fabrics

Control Side **RIGHT ONLY** - indicates where the Charging Port and Reset/Programing button are located

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular 2" Fabric

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

NOTE: Measurements may vary $\pm 1/8"$

Adjustments are taken from ordered dimensions.

1-1/4" Fabrics

Inside (IB) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular & 2" Fabric

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2 -1/8"
Minimum mounting depth – EasyMount™	2-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

NOTE: EasyMount™ not available at all Retailers

Use a metal tape measure for all measurements.

1-1/4" Fabrics

Inside (IB) Mount	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Minimum mounting depth – EasyMount™	N/A
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

NOTE: To accommodate the larger pleat of 1-1/4" fabrics, they use a larger rail system that requires more mounting depth.

SIZE STANDARDS – INMOTION™ MOTORIZATION

InMotion™ MOTORIZATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
3/4" Light Filtering						
					60 Sq Ft Max - Over 96"	
ABL1	Abaca Linen - 3/4" Light Filtering	108"	108"	108"	80"	72"
					85 Sq Ft Max - Over 96"	
CBC1	Cambrica - 3/4" Light Filtering	108"	108"	108"	108"	102"
					85 Sq Ft Max	
CLC1	Classic - 3/4" Light Filtering	108"	108"	108"	108"	102"
CHC1	Crosshatch - 3/4" Light Filtering	108"	108"	108"	108"	108"
					85 Sq Ft Max	
DPL1	Dappled - 3/4" Light Filtering	108"	108"	108"	108"	102"
LDC1	Designer Colors - 3/4" Light Filtering	108"	108"	108"	108"	108"
SLK1	Silkweave - 3/4" Light Filtering	108"	108"	108"	108"	108"
3/4" Sheer						
SHC1	SheerCell(TM) - 3/4" Sheer	108"	108"	108"	108"	108"
3/4" Blackout						
					65 Sq Ft Max - Over 96"	
CBC3	Cambrica - 3/4" Blackout	108"	108"	108"	87"	78"
					85 Sq Ft Max	
CLC3	Classic - 3/4" Blackout	108"	108"	108"	108"	102"
					60 Sq Ft Max - Over 96"	
CHC3	Crosshatch - 3/4" Blackout	108"	108"	108"	80"	72"
LDC3	Designer Colors - 3/4" Blackout	108"	108"	108"	108"	108"
SLK3	Silkweave - 3/4" Blackout	108"	108"	108"	108"	108"
Double Cell Light Filtering						
					70 Sq Ft Max - Over 96"	
CHC2	Crosshatch - 1/2" Light Filtering	108"	108"	108"	93"	84"
					45 Sq Ft Max	
LDC2	Designer Colors - 1/2" Light Filtering	90"	77"	67"	60"	54"
					65 Sq Ft Max - Over 96"	
SLK2	Silkweave - 1/2" Light Filtering	108"	108"	108"	87"	78"
Double Cell Blackout						
					45 Sq Ft Max	
LDC4	Designer Colors - 1/2" Blackout	90"	77"	67"	60"	54"
1-1/4" Light Filtering						
					60 Sq Ft Max - Over 96"	
ABL7	Abaca Linen - 1-1/4" Light Filtering	108"	108"	108"	80"	72"
					55 Sq Ft Max - Over 96"	
CBC7	Cambrica - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
CHC7	Crosshatch - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
SLK7	Silkweave - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
1-1/4" Blackout						
					50 Sq Ft Max - Over 96"	
CBC9	Cambrica - 1-1/4" Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
CHC9	Crosshatch - 1-1/4" Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
SLK9	Silkweave - 1-1/4" Blackout	108"	108"	108"	67"	60"
2" Hybrid Pleat						
					45 Sq Ft Max - Up to 96"	
					30 Sq Ft Max - Over 96"	
ABL8	Abaca Linen - 2" Light Filtering	90"	77"	67"	40"	36"

NOTES:

- 1) Minimum Panel Width for 1-1/4" is 24"
- 2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4")
- 3) 2-on-1 Maximum Width (overall) is 144"
- 4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

SIZE STANDARDS – INMOTION™ MOTORIZATION

InMotion™ MOTORIZATION MAXIMUM HEIGHTS Top- Down / Bottom-Up						
CODE	SHADE NET WIDTH TO:	30" – 72"	84"	96"	108"	120"
3/4" Light Filtering						
					60 Sq Ft Max - Over 96"	
ABL1	Abaca Linen - 3/4" Light Filtering	108"	108"	108"	80"	72"
					85 Sq Ft Max - Over 96"	
CBC1	Cambrica - 3/4" Light Filtering	108"	108"	108"	108"	102"
					85 Sq Ft Max - Over 96"	
CLC1	Classic - 3/4" Light Filtering	108"	108"	108"	108"	102"
CHC1	Crosshatch - 3/4" Light Filtering	108"	108"	108"	108"	108"
					85 Sq Ft Max - Over 96"	
DPL1	Dappled - 3/4" Light Filtering	108"	108"	108"	108"	102"
LDC1	Designer Colors - 3/4" Light Filtering	108"	108"	108"	108"	108"
SLK1	Silkweave - 3/4" Light Filtering	108"	108"	108"	108"	108"
3/4" Sheer						
SHC1	SheerCell(TM) - 3/4" Sheer	108"	108"	108"	108"	108"
3/4" Blackout						
					65 Sq Ft Max - Over 96"	
CBC3	Cambrica - 3/4" Blackout	108"	108"	108"	87"	78"
					85 Sq Ft Max - Over 96"	
CLC3	Classic - 3/4" Blackout	108"	108"	108"	108"	102"
					60 Sq Ft Max - Over 96"	
CHC3	Crosshatch - 3/4" Blackout	108"	108"	108"	80"	72"
LDC3	Designer Colors - 3/4" Blackout	108"	108"	108"	108"	108"
SLK3	Silkweave - 3/4" Blackout	108"	108"	108"	108"	108"
Double Cell Light Filtering						
					70 Sq Ft Max - Over 96"	
CHC2	Crosshatch - 1/2" Light Filtering	108"	108"	108"	93"	84"
					45 Sq Ft Max	
LDC2	Designer Colors - 1/2" Light Filtering	90"	77"	67"	60"	54"
					65 Sq Ft Max - Over 96"	
SLK2	Silkweave - 1/2" Light Filtering	108"	108"	108"	87"	78"
Double Cell Blackout						
					45 Sq Ft Max	
LDC4	Designer Colors - 1/2" Blackout	90"	77"	67"	60"	54"
1-1/4" Light Filtering						
					60 Sq Ft Max - Over 96"	
ABL7	Abaca Linen - 1-1/4" Light Filtering	108"	108"	108"	80"	72"
					55 Sq Ft Max - Over 96"	
CBC7	Cambrica - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
CHC7	Crosshatch - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
SLK7	Silkweave - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
1-1/4" Backout						
					50 Sq Ft Max - Over 96"	
CBC9	Cambrica - 1-1/4" Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
CHC9	Crosshatch - 1-1/4" Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
SLK9	Silkweave - 1-1/4" Blackout	108"	108"	108"	67"	60"
2" Hybrid Pleat						
					45 Sq Ft Max - Up to 96"	
					30 Sq Ft Max - Over 96"	
ALB8	Abaca Linen - 2" Light Filtering	90"	77"	67"	40"	36"

NOTES:

1) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

2) Minimum Width for Top-Down/Bottom-Up is 30" Right Side Control

Control Side indicates where the Charging Port and Reset/Programming button are located

SIZE STANDARDS – INMOTION™ MOTORIZATION

InMotion™ MOTORIZATION MAXIMUM HEIGHTS DAY/NIGHT Combination						
CODE	SHADE NET WIDTH TO:	30" – 72" *	84"	96"	108"	120"
3/4" Light Filtering					60 Sq Ft Max - Over 96"	
ABL1	Abaca Linen - 3/4" Light Filtering	108"	108"	108"	80"	72"
					85 Sq Ft Max - Over 96"	
CBC1	Cambrica - 3/4" Light Filtering	108"	108"	108"	108"	102"
CLC1	Classic - 3/4" Light Filtering	108"	108"	108"	108"	108"
CHC1	Crosshatch - 3/4" Light Filtering	108"	108"	108"	108"	108"
DPL1	Dappled - 3/4" Light Filtering	108"	108"	108"	108"	108"
LDC1	Designer Colors - 3/4" Light Filtering	108"	108"	108"	108"	108"
SLK1	Silkweave - 3/4" Light Filtering	108"	108"	108"	108"	108"
3/4" Sheer						
SHC1	SheerCell™ - 3/4" Sheer	108"	108"	108"	108"	108"
3/4" Blackout					65 Sq Ft Max - Over 96"	
CBC3	Cambrica - 3/4" Blackout	108"	108"	108"	87"	78"
CLC3	Classic - 3/4" Blackout	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
CHC3	Crosshatch - 3/4" Blackout	108"	108"	108"	80"	72"
LDC3	Designer Colors - 3/4" Blackout	108"	108"	108"	108"	108"
SLK3	Silkweave - 3/4" Blackout	108"	108"	108"	108"	108"
Double Cell Light Filtering					70 Sq Ft Max - Over 96"	
CHC2	Crosshatch - 1/2" Light Filtering	108"	108"	108"	93"	84"
					65 Sq Ft Max - Over 96"	
SLK2	Silkweave - 1/2" Light Filtering (max height 96")	108"	108"	108"	87"	78"

NOTES:

- 1) 1-1/4", 2", and Designer Colors Double Cell Fabrics not available with Day/Night
- 2) Fabrics may have a square foot restriction or Max Height restriction. Please review chart carefully
- 3) Minimum Width for Day/Night is 30" Right Side Control

Control Side indicates where the Charging Port and Reset/Programming button are located

NOTE: For Shades over 50" Wide, the length must be at least one half the length, plus 6"

Example: 100" Wide Shade must be at least 56" long


NOTE: Top-Fabric must be SheerCell™ - 3/4" Sheer

OVERVIEW – INMOTION™ MOTORIZATION


Motorization Overview - LEVOLOR® InMotion™

Experience motorization like never before with smart home integration and automated scheduling.

Take full control of your shades using voice command, the intuitive app, or remote.




Standard Remote
Requires 2 x AAA
batteries, included.



**Top-Down/Bottom-Up,
Day/Night
Remote**
Requires 2 x AAA
batteries, included.



Hub
Requires 5V 2A adapter, included.
Connect up to 30 shades per hub.



App
Phone sold separately

App Requirements:

- LEVOLOR Hub
- 2.4 GHz Wi-Fi Network
- Apple® iOS10.0 or newer
- Android™ 4.1 or newer

Works With:

- Amazon Alexa
- Google Home
- IFTT
- Samsung SmartThings
- Siri

- Upgrade to motorization to control shades with remote or app.
- Powered by an integrated, rechargeable lithium-ion battery.
- Recharge with included magnetic micro-USB charger.
- Control shades with the 15-channel remote (sold separately).
- Add the hub (sold separately) to sync with your Wi-Fi to enable app control and smart home integration.
- Organize shades by room.
- See real-time shade position and battery charge status.
- Store preset shade positions as scenes.
- Create routines by scheduling scenes by day of week and time of day, even proximity to sunrise or sunset.
- Adjust shades when you are away from home.
- App available to download for iOS and Android devices.
- Available on Bottom-Up, Top-Down/Bottom-Up, and Day/Night shades. Control all rails independently.

Visit LEVOLOR.com/InMotion for additional information.

NOTE: LEVOLOR® InMotion™ is not compatible with products from the previous LEVOLOR® motorization program. This includes blinds/shades that are controlled with the previous LEVOLOR app, 3-channel remote, and 6-channel remote.

Accessories Overview - LEVOLOR® InMotion™

LEVOLOR® INMOTION™ WALL SWITCH

The InMotion Wall Remote lets you achieve effortless light control with the touch of a button, mounted to a wall to avoid misplacement. A great solution for hard to reach windows or in grand rooms with various automated solutions.

- Integrates with the LEVOLOR InMotion App or simply works by itself
- Operates an unlimited number of LEVOLOR motorized window coverings
- Features a clean, modern design with easy to use controls
- Activate group control and favorite position with a touch of a button
- Control up to 15-channels from one remote
- Hide unused channels for faster channel selection and scrolling
- Locking feature to prevent accidental programming changes
- No need to cut in to wall with the wireless design
- Not available for Top-Down/Bottom-Up shades
- Dimensions: 3.4" L x 3.4" W x 0.7" D



LEVOLOR® INMOTION™ SOLAR CHARGER

Harness the power of solar energy to power your motorized blinds and shades, ensuring reliable and efficient performance. A great choice for hard to reach windows.

- One Solar Charger per shade or blind is needed
- Easy to install and the low profile design is easy to conceal
- Provides a continuous charge to internal rechargeable batteries
- Syncs with the LEVOLOR InMotion™ App to show battery level
- Not recommended on north facing windows
- Micro USB charging cable, 59" long (included)
- Can be added to any existing InMotion™ blind or shade
- Dimensions: 18.7" L x 2" W x .30" D



- Used to charge InMotion and InMotion Wand motors
- Fully charges motors in 4-6 hours
- Built in LED indicator
- The charging cable is 120" long

Convenient accessory is available all Bottom Up, Top Down/Bottom Up and Day/Night shades

- 90 degree magnetic attachment
- Useful for hard to reach or high windows where reaching the charging port may be an issue
- Includes magnetic tip and 24" long connector cable
- Additional magnetic tips may be purchased separately

INMOTION™ WAND CONFIGURATION SPECIFICATIONS

INMOTION™ WAND

OPTIONS:

- Wand colors: White, Vanilla, Gray, Bronze, Black. (Preselected based on fabric color)
- Wand lengths: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60")
- Can be ordered for right or left side placement
- One plug-in charger is required for each order



InMotion™ Wand - SIZE STANDARDS		
Single Panel		
	Cellular Fabrics	1-1/4" Fabrics
Minimum NET Width - Bottom-Up	21"	24"
Maximum Width	120"	120"
Maximum Width - EasyMount™	84"	N/A
Minimum Height	12"	12"
Maximum Height	108"	108"
Maximum Height - EasyMount™	84"	N/A

NOTE: Max height varies by width and fabric type. Refer to chart.

The minimum inside mount width is 22" or 25" (1-1/4" fabrics) when ordered with hold-down bracket

InMotion™ Wand is not available with 2" Fabrics

EasyMount™ available in 5 colors (white, vanilla, gray, bronze and black) to complement your trim color. Not available at all Retailers

PLEASE NOTE- At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

		Cellular
Inside (IB) Mounts		
Headrail unit		- 1/4"
Shade height	ordered height	
Fabric width		- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	
Shade height	ordered height	
Fabric width		- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

NOTE: InMotion™ Wand is **not available** with 2" Fabrics

Adjustments are taken from ordered dimensions.

		1-1/4" Fabrics
Inside (IB) Mounts		
Headrail unit		- 1/4"
Shade height	ordered height	
Fabric width		- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	
Shade height	ordered height	
Fabric width		- 1/8"

InMotion™ Wand - SIZE STANDARDS		
Two-on-One Headrail		
	Cellular Fabrics	1-1/4" Fabrics
Minimum NET Width - Per Panel	24-1/4"	24"
Minimum NET Width - Overall	48-1/2"	48"
Maximum Width - Per Panel	120"	120"
Maximum Width - Overall	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart.

InMotion™ Wand is not available with 2" Fabrics

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

		Cellular
Inside (IB) Mount		
Minimum mounting depth		3/4"
Minimum mounting depth, flush mount:		2-1/8"
Minimum mounting depth - EasyMount™		2-1/4"
Outside (OB) Mount		
Minimum flat vertical surface		1-1/2"

NOTE: EasyMount™ not available at all Retailers

Use a metal tape measure for all measurements.

		1-1/4" Fabrics
Inside (IB) Mount		
Minimum mounting depth		1-5/8"
Minimum mounting depth, flush mount:		3"
Outside (OB) Mount		
Minimum flat vertical surface		1-1/2"

NOTE: To accommodate the larger pleat of 1-1/4" fabrics, they use a larger rail system that requires more mounting depth.

INMOTION™ WAND SIZE STANDARDS

InMotion™ WAND MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	21" – 72"	84"	96"	108"	120"
3/4" Light Filtering						
					60 Sq Ft Max - Over 96"	
ABL1	Abaca Linen - 3/4" Light Filtering	108"	108"	108"	80"	72"
					85 Sq Ft Max - Over 96"	
CBC1	Cambrica - 3/4" Light Filtering	108"	108"	108"	108"	102"
					85 Sq Ft Max - Over 96"	
CLC1	Classic - 3/4" Light Filtering	108"	108"	108"	108"	102"
CHC1	Crosshatch - 3/4" Light Filtering	108"	108"	108"	108"	108"
					85 Sq Ft Max - Over 96"	
DPL1	Dappled - 3/4" Light Filtering	108"	108"	108"	108"	102"
LDC1	Designer Colors - 3/4" Light Filtering	108"	108"	108"	108"	108"
SLK1	Silkweave - 3/4" Light Filtering	108"	108"	108"	108"	108"
3/4" Sheer						
SHC1	SheerCell™ - 3/4" Sheer	108"	108"	108"	108"	108"
3/4" Blackout						
					65 Sq Ft Max - Over 96"	
CBC3	Bella Vista - 3/4" Blackout	108"	108"	108"	87"	78"
					85 Sq Ft Max - Over 96"	
CLC3	Classic - 3/4" Blackout	108"	108"	108"	108"	102"
					60 Sq Ft Max - Over 96"	
CHC3	Crosshatch - 3/4" Blackout	108"	108"	108"	80"	72"
LDC3	Designer Colors - 3/4" Blackout	108"	108"	108"	108"	108"
SLK3	Silkweave - 3/4" Blackout	108"	108"	108"	108"	108"
Double Cell Light Filtering						
					70 Sq Ft Max - Over 96"	
CHC2	Crosshatch - 1/2" Light Filtering	108"	108"	108"	93"	84"
					45 Sq Ft Max	
LDC2	Designer Colors - 1/2" Light Filtering	90"	77"	67"	60"	54"
					65 Sq Ft Max - Over 96"	
SLK2	Silkweave - 1/2" Light Filtering	108"	108"	108"	87"	78"
Double Cell Blackout						
					45 Sq Ft Max	
LDC4	Designer Colors - 1/2" Blackout	90"	77"	67"	60"	54"
1-1/4" Light Filtering						
					60 Sq Ft Max - Over 96"	
ABL7	Abaca Linen - 1-1/4" Light Filtering	108"	108"	108"	80"	72"
					55 Sq Ft Max - Over 96"	
CBC7	Cambrica - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
CHC7	Crosshatch - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
SLK7	Silkweave - 1-1/4" Light Filtering	108"	108"	108"	73"	66"
1-1/4" Blackout						
					50 Sq Ft Max - Over 96"	
CBC9	Cambrica - 1-1/4" Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
CHC9	Crosshatch - 1-1/4" Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
SLK9	Silkweave - 1-1/4" Blackout	108"	108"	108"	67"	60"

NOTES:


- 1) InMotion™ Wand is not available with 2" fabrics
- 2) InMotion™ Wand minimum width is 21"
- 3) 2-on-1 Minimum Panel Width 48-1/2"
- 4) 2-on-1 Maximum Width (overall) is 144"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
 - 1) Left Stack
 - 2) Right Stack
 - 3) Split Stack (center opening)
 - 4) Center Stack
 - 5) Day/Night combo



Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS

	Cellular					2"	1-1/4"
	Classic/Dappled/Designer Colors Light Filtering	Classic/Designer Colors Blackout	Sheer Fabric / Abaca Linen	All Other 3/4" Light Filtering Fabrics	All Other 3/4" Blackout Fabrics	Abaca Linen	All Light Filtering & Blackout Fabrics
Min. Width	12"	12"	12"	12"	12"	12"	12"
Max. Width Side & Center Stack	168"	168"	120"	168"	168"	120"	120"
Max. Width Split Stack	336"	336"	240"	336"	336"	240"	240"
Max. Width Day/Night	168"	168"	120"	168"	168"		120"
Min. Height	24"	24"	24"	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"	120"	120"	120"
Max Sq. ft. Side & Center Stack	120 / panel	80 / panel	100" / panel	140" / panel	120" / panel	100"	100" / panel
Max Sq. ft. Split Stack	120 / panel	80 / panel	100" / panel	140" / panel	120" / panel	100" / panel	100" / panel
Max Sq. ft. Day/Night	120 / panel	80 / panel	100" / panel	140" / panel	120" / panel	N/A	100 / panel

Vertical Application not available with Double cell fabrics

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width

NOTE: The Vertical Application headrail color is Aspen White(785). Side rails and valance are color coordinated.

For shades over 168" wide, the valance will be shipped in 2 pieces

NOTE: For Day/Night - both fabrics selected must be the same cell size, 3/4" & 3/4" or 1-1/4" & 1-1/4"

- Split stack up to 336"
- Day/Night not available for 2" Fabrics
 - Hardware color follows the fabric that stacks on the left
 - CANNOT combine two different cell sizes
 - Max width use the smaller of the two fabrics

Standard Valance Returns

3/4" Fabrics	3-1/4"
1-1/4" Fabrics	4"
2" Fabric.	4-3/8"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Cellular	2" Fabrics
Inside (IB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	ordered height	ordered height
Valance width	+ 1.25"	+ 1.25"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount *	1-1/2"	1-1/2"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Cellular	2" Fabrics
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- The Vertical Application headrail color is always Aspen White (785)

EXCLUSIONS

- All Double Cell

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount or flush mount.
- Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
*Override height location will be the center of the handle.

- Standard installation hardware (brackets) provided.
- 2" Fabric handles will be clear.


NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Fabric.

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT



This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.

- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail to cover the internal components
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:			WINDOW POSITION:		
Top	Bottom	Side	Vertical	Sloped	Horizontal

Note: Cells will have a vertical orientation when side stack is ordered.





CLASSIC SKYLIGHT – SIZE STANDARDS	
	Cellular
	All Fabrics *
Min. Width	18"
Max. Width	60"
Min. Height	6"
Max. Height	72"
Max Area (sq. ft.)	25

* Classic Skylight not available with any Classic, Dappled, Designer Colors, 1-1/4" or 2" fabrics

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	
	Cellular
	All Fabrics *
Min. Width	6"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

* Classic Skylight not available with any Classic, Dappled, Designer Colors, 1-1/4" or 2" fabrics

Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Valance width	ordered width

NOTE: All finished dimensions include side tracks.

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mounts	
Minimum mounting depth IB:	3/4" Single and 1/2" Double
Minimum mounting depth, flush mount:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	
Minimum flat vertical surface	3/4" Single and 1/2" Double
	1"

SKYLIGHT WITH INMOTION™ MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH INMOTION™ MOTORIZATION

Skylights with Motorization are different than Classic Skylight.

Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.



InMotion™ Motorization:

- Fabric stacks to the top of the window – between the moving rail and headrail



SKYLIGHT with MOTORIZATION - SIZE STANDARDS

	All Cellular Fabrics*
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

Skylight with Motorization not available with any Classic, Dappled, Designer Colors, 1-1/4" or 2" fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 1-1/4"

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight with Motorization is **not available** with 2" Fabrics, 1-1/4", Classic, or Designer Colors fabrics

Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled InMotion™ Motorization motors
- Wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Skylight with InMotion™ Motorization has the option of an external battery pack that can be installed on the back of the headrail. Consider adding 48" Extension Cable (Part #62207000) to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all.
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the top or highest point in the window.

External Battery - Mounted away from the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	3-1/2"

NOTE:

The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)

Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)

SIZE STANDARDS

	Cellular		
	3/4" Light Filtering & Sheer	3/4" Blackout	Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"


Not available with 2", 1-1/4", 3/4" Abaca, Classic, Designer Colors

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch


MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)

SIZE STANDARDS

	Cellular		
	3/4" Light Filtering & Sheer	3/4" Blackout	Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"


Not available with 2", 1-1/4", 3/4" Abaca, Classic, Designer Colors

Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch


NON-MOVABLE ELLIPTICAL ARCH

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)

SIZE STANDARDS

	Cellular		
	3/4" Light Filtering & Sheer	3/4" Blackout	Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	1/4 width (6" min)	1/4 width (6" min)	1/4 width (6" min)
Max. Height	1/2" width	1/2" width	1/2" width

Not available with 2", 1-1/4", 3/4" Abaca, Classic, Designer Colors

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.


Inside (IB) Mounts	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Inside (IB) Mount	3/4" Single, 1/2" Double
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Outside (OB) Mount	3/4" Single, 1/2" Double
Minimum flat vertical surface	1"


PRODUCT COMPONENTS – CONTINUOUS CORD LOOP



PRODUCT COMPONENTS – CONTINUOUS CORD LOOP

1. Extension Bracket
Part #KIT2013 (2PK)
Part #KIT2014 (3PK)
2. Mounting Bracket
Part #KIT-CCCLHC-2PK (2PK)
Part #KIT-CCCLHC-3PK (3PK)
3. 1/2" Spacer Block
KIT2011 (2PK)
KIT2012 (3PK)
4. Spool Cover (Part #5241301)
5. Right Hand Clutch Cover (Part #90-10-0COLOR)
Left Hand Clutch Cover (Part #90-20-0COLOR)
6. Right Hand Clutch Assembly (Part #50-0121-000)
Left Hand Clutch Assembly (Part #50-0122-000)
7. Color-Coordinated Cord Loop
8. Continuous Cord Loop Headrail
9. Drop Limiter Tube (Part #500098000)
10. Polycarb Lift Spool (Part #1019884)
11. Metal V Shaft (Part #2770004000)
12. 1/2" Spacer Block KIT2011 (2PK) KIT2012 (3PK)
13. Cradle Support (Part # 19-179)
14. Spool Cover (Part #5241301)
15. Polycarb Lift Spool (Part #1019884)
16. Lift Station Support
RH (Part # 6281301)
LH (Part # 6281303)
17. Headrail End Cap (Part #4024954-COLOR)
18. Headrail Filler Strip (Part #42500110C)
19. Filler Strip – 3/8" Rail (Part #2954000000)
Filler Strip – 3/4" Rail (Part #42500110C)
20. Universal Cord Tensioner Mounting Kit (Part #1045674)
21. Hold Down Bracket 3/4" (Part #XCS1101) 3/8" (Part #CS1101)
22. End Cap – 3/8" (Part #UEC-COLOR)
End Cap – 3/4" (Part #19-183-COLOR)
23. Shade Adjust (Part #12-128A Spool, 12-129A Base)
24. Rail Weight – 5" With Tape (Part #40-0013-000)
25. Universal Cord Tensioner (pictured) and Bearing (not pictured) - Order both together
Black (UCT Part #1042820; Bearing #1042806)
Vanilla (UCT #1042821; Bearing #1042807)
White (UCT #1042822; Bearing #1042808)
Dark Brown (UCT #1042823; Bearing #1042809)
Light Brown (UCT #1042824; Bearing #1042810)
26. LH Rear Clutch Assembly (Part #CS4317)
27. Dual Bottom Limiter (Part #500199000)

PRODUCT COMPONENTS – CORDLESS



CORDLESS TOP-DOWN/BOTTOM-UP


Striker Plate:
Zinc: Part #CS5476 (Painted rails)
White: Part #CS5476W (Fabric covered rails)

Magnet:
Zinc: Part #CS5467 (Painted rails)
Magnet Cover - White: Part #CS5467CV-W (Fabric covered rails)
Magnet Lock: Part #CS5471
Magnet Screw: Part #1021017

PRODUCT COMPONENTS – CORDLESS


1. End Mount Bracket (Part #40-0026-159)
Used with installation bracket
2. 1/2" Spacer Block
Part #KIT2011 (2PK)
Part #KIT2012 (3PK)
3. Spool Cover (Part #5241301)
4. Lift Station Support – RH (Part #6281301)
5. Headrail End Cap (Part #4024954-COLOR)
6. Cordless Headrail
7. Polycarb Lift Spool (Part #1019884)
8. Lift Motor
Blue (Part #1009471)
White (Part #1009472)
Gray (Part #1009470)
9. Installation Bracket
Part #KIT-CCCLHC-2PK (2PK)
Part #KIT-CCCLHC-3PK (3PK)
10. Extension Bracket
Part #KIT2013 (2PK)
Part #KIT2014 (3PK)
11. Lift Rod V Shaft (Part #50-00-69-000)
12. Spool Cover (Part #5241301)
13. 1/2" Spacer Block
Part #KIT2011 (2PK)
Part #KIT2012 (3PK)
14. Lift Station Support – LH (Part #6281303)
15. Cradle Support (Part #19-179)
16. Headrail Filler Strip (Part #42500110C)
17. 3/8" Rail (Part #UR-COLOR-16)
3/4" Rail (Part #XUR-COLOR-16)
18. Filler Strip
3/8" Rail (Part #2954000000)
3/4" Rail (Part #42500110C)
19. Bottomrail End Cap
3/8" (Part #UEC-COLOR)
3/4" (Part #19-183-COLOR)
20. Hold Down Bracket
3/4" (Part #XCS1101)
3/8" (Part #CS1101)
21. Shade Adjust
Spool (Part #12-128A)
Base (Part #12-129A)
22. Clear handle plug (Part #09-209A-000)
23. Cordless Handle
Color (Part #09-199B-COLOR)
Clear (Part #09-199B-000)
24. Light Block Option Dimensions and 1-1/4"
(Cordless and Motorized IB only) (Part #RCBLBB)
25. Rail Weight – 5" With Tape (Part #40-0013-000)

PRODUCT COMPONENTS – 1 1/4" CORDLESS BOTTOM UP



PRODUCT COMPONENTS – 1 1/4” CORDLESS BOTTOM UP


1. Headrail (CC) RAIL;HDR;HC;1.25in;
CC = Coordination Color
2. Bottom rail (CC) RAIL;BTM;HC;1.25in;
CC = Coordination Color
3. COMMON HR LIFT SPOOL SUPPORT (Part #2780033000)
4. SPOOL;HONEYCOMB;COMMON HR ASA;DARK GRAY (Part#1019884)
5. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
6. Headrail end cap (CC) EC;HC;1.25in;HDR;
CC = Coordination Color
7. Bottom rail end cap (CC) EC;HC;1.25in;BTM;
CC = Coordination Color
8. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
9. Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
10. CORD;CC090002;NA;WHITE;00110;CRDLS .09MM (Part #1851771)
11. SIMPLEX WHITE MOTOR ASSEMBLY-NEW WING (Part #1009472)
SIMPLEX BLUE MOTOR ASSEMBLY-NEW WING (Part #1009471)
SIMPLEX TAN MOTOR NO BRAKE-NEW WING (Part #1009473)
SIMPLEX MOTOR BROWN NO BRAKE (Part #500200000)
12. FILLER STRIP 2.41IN ALUMINUM (Part #2971311000)
13. Fabric
14. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)
15. KIT SM CASS BKT 2PK (Part #KIT-RS-010R)
KIT SM CASS BKT 3PK (Part #KIT-RS-011R)
16. HC CL Handle Universal- (Part #09-199B-XXX (CC))
CC = Coordination Color
17. Not Shown (Optional):
Light Blocking Brush 200yd spool (Part #RCBLBB)
Spacer Block 2-Pack (Part #KIT2011)
Spacer Block 3-Pack (Part #KIT2012)
4 IN BREAK AWAY BRACKET WHITE 10-0706 (Part #40-0026-159)



PRODUCT COMPONENTS – 1 1/4" CORDLESS TOP DOWN/BOTTOM UP

1. Headrail (CC) RAIL;HDR;HC;1.25in;
CC = Coordination Color
2. Bottom rail (CC) RAIL;BTM;HC;1.25in;
CC = Coordination Color
3. COMMON HR LIFT SPOOL SUPPORT (Part #2780033000)
4. SPOOL;HONEYCOMB;COMMON HR ASA;DARK GRAY (Part #1019884)
5. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
6. Headrail end cap (CC) EC;HC;1.25in;HDR;
CC = Coordination Color
7. Bottom rail end cap (CC) EC;HC;1.25in;BTM;
CC = Coordination Color
8. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
9. Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
10. CORD;CC090002;NA;WHITE;00110;CRDLS .09MM (Part #1851771)
11. SIMPLEX WHITE MOTOR ASSEMBLY-NEW WING (Part #1009472)
SIMPLEX BLUE MOTOR ASSEMBLY-NEW WING (Part #1009471)
SIMPLEX TAN MOTOR NO BRAKE-NEW WING (Part #1009473)
SIMPLEX MOTOR BROWN NO BRAKE (Part #500200000)
12. FILLER STRIP 2.41IN ALUMINUM (Part #2971311000)
13. Fabric
14. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)
15. KIT SM CASS BKT 2PK (Part #KIT-RS-010R)
KIT SM CASS BKT 3PK (Part #KIT-RS-011R)
16. HC CL Handle Universal- (Part #09-199B-XXX (CC))
CC = Coordination Color
17. INSERT;HC;1.25in;LGHT GSKT;16ft EXTR (Part #1022119)
18. LIFTLOCK TDBU 1.5IN X .925IN X .059IN P (Part #1022973)
19. MOTIONLOCK HANDLE ASSEMBLY 3/8IN SCREWS (Part #1021017)
20. LIFTLOCK TDBU .560IN X .125IN MAGNET (Part #6191403)
21. CAP;MAGNET;HC;1.25in;White (Part #1016334)
22. Not Shown (Optional):
Light Blocking Brush 200yd spool (Part #RCBLBB)
Spacer Block 2-Pack (Part #KIT2011)
Spacer Block 3-Pack (Part #KIT2012)
4 IN BREAK AWAY BRACKET WHITE 10-0706 (Part #40-0026-159)


PRODUCT COMPONENTS – INMOTION™ MOTORIZATION BOTTOM UP



PRODUCT COMPONENTS – INMOTION™ MOTORIZATION BOTTOM UP

1. HR SMTH MOD 2.10 UNIV HCCLCC (Part #90-80-0xxx)
2. RAIL STD CMTX 3/4 (Part #XURxxx16)
RAIL STD CMTX 3/8 (Part #URxxx16)
3. Clamshell Lift Station Support Single RH (Part #6281301)
4. SPOOL;HONEYCOMB;COMMON HR ASA;DARK GRAY (Part #1019884)
5. Clamshell Lift Station Cover (Part #CS4052)
6. CRADLE SUPPORT (Part #19-179)
7. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
8. Fabric
9. HDRL END CAP UNIV RAIL (Part #4024954xxx)
10. END CAP 3/4 CMTX REV16 (Part #19-183-XXX)
END CAP 3/8 CMTX (Part #UECXXX)
11. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
12. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)
13. FILLER STRIP Duet Appls Acclm 3/4in AL (Part #42500110C)
Aluminium filler strip 1 1/2 inch 1KFT RL (Part #1091830150)
FILLER STRIP HC Pltd 3/8in ALUMINUM ** (Part #2954000000)
14. CORD .9 MM (Part #1851771)
15. KIT CC/CL HC INSTL BRKT WHITE 2 PK (Part #KIT-CCCLHC-2PK)
KIT CC/CL HC INSTL BRKT WHITE 3 PK (Part #KIT-CCCLHC-3PK)
16. Cable tie mounting base (Part #CS5201)
17. LOCKING COLLAR ASSY - NGPR (METAL) (Part #2920750000)
18. MOTOR;INMOTION™ MOTORIZATION;CELL;SingleDr;0.6Nm;50r
(Part #62006000)
Includes motor and shaft adapters
19. InMotion™ Motorization BU 15 Channel Remote Control
(Part #1026655)
InMotion™ Motorization TDBU 16 Channel Remote Control (Part
#1026656)
20. BATPK;INMOTION™ MOTORIZATION;5v2.6AhLi-ion;Rechrgeable
(Part #62203000)
21. CHARGER;INMOTION™ MOTORIZATION;Solar Panel;2.0;USB Mtr
(Part #62201000)
22. KIT;CHARGER;5V;WALL;USB;WHITE (Part #1027720)
- 23.
24. CNTRL;INMOTION™ MOTORIZATION;Gateway;WiFiHub;AltaExc
(Part #62102C00)
25. CABLE;EXT;CHARGE;MICRO-USB;48IN (Part #1013115)
26. Internal Battery Motor (Part #62009000)
Internal Battery (Part #62203100)
Not Shown (Optional)
CABLE;EXT;CHARGE;MICRO-USB;8IN (Part #1013119) Spacer
Block 2-Pack (Part #KIT2011)
Spacer Block 3-Pack (Part #KIT2012)
CONN;Tip;INMOTION™ MOTORIZATION;Magnetic;USB
(Part #62206200)
KIT;INMOTION™ MOTORIZATION;Magnetic;Connect;Tip
(Part #1026665)
KIT;INMOTION™ MOTORIZATION;Magnetic;90deg;Connect;Tip
(Part #1027769)


PRODUCT COMPONENTS – 1 1/4" INMOTION™ MOTORIZATION BOTTOM UP



PRODUCT COMPONENTS – 1 1/4" INMOTION™ MOTORIZATION BOTTOM UP

1. Headrail (CC) RAIL;HDR;HC;1.25in;
CC = Coordination Color
2. Bottom rail (CC) RAIL;BTM;HC;1.25in;
CC = Coordination Color
3. COMMON HR LIFT SPOOL SUPPORT (Part #2780033000)
4. SPOOL HOUSING LH (Part #2965980000)
5. SPOOL;HONEYCOMB;COMMON HR ASA;DARK GRAY (Part #1019884)
6. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
7. Headrail end cap (CC) EC;HC;1.25in;HDR;
CC = Coordination Color
8. Bottom rail end cap (CC) EC;HC;1.25in;BTM;
CC = Coordination Color
9. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
10. Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
11. CORD;CC090002;NA;WHITE;00110;CRDLS .09MM (Part #1851771)
12. FILLER STRIP 2.41IN ALUMINUM (Part #2971311000)
13. Fabric
14. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)
15. KIT SM CASS BKT 2PK (Part #KIT-RS-010R)
KIT SM CASS BKT 3PK (Part #KIT-RS-011R)
16. LOCKING COLLAR ASSY - NGPR (METAL) (Part #2920750000)
17. MOTOR;INMOTION™ MOTORIZATION;CELL;SingleDr;0.6Nm;50r
(Part #62006000)
Includes motor and shaft adapters
18. BATPK;INMOTION™ MOTORIZATION;5v2.6AhLi-ion;Rechrgeable
(Part #62203000)
20. CABLE;EXT;CHARGE;MICRO-USB;8IN (Part #62206700)
21. CABLE;EXT;CHARGE;MICRO-USB;48IN (Part #62206800)
22. CHARGER;INMOTION™ MOTORIZATION;Solar Panel;2.0;USB Mtr
(Part #62201000)
23. KIT;CHARGER;5V;WALL;USB;WHITE (Part #1027720)
24. InMotion™ Motorization 15 Channel Remote Control (Part #1026655)
25. CNTRL;INMOTION™ MOTORIZATION;Gateway;WiFiHub;AltaExc
(Part #62102C00)
26. STOP;MOTOR;HC;1.25in;HDR (Part #1020445)
27. TAPE;FOAM;.05inx1.5in;Blue (Part #1017594)
28. Not Shown (Optional):
Light Blocking Brush 200yd spool (Part #RCBLBB)
Spacer Block 2-Pack (Part #KIT2011)
Spacer Block 3-Pack (Part #KIT2012)
4 IN BREAK AWAY BRACKET WHITE 10-0706 (Part #40-0026-159)


PRODUCT COMPONENTS – INMOTION™ WAND MOTORIZATION



PRODUCT COMPONENTS – INMOTION™ WAND MOTORIZATION

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Headrail 2. 3/8" Rail (Part #UR-COLOR-16)
3/4" Rail (Part #XUR-COLOR-16) 3. Common HR Lift Spool Support (Part #278003300) 4. Polycarb Lift Spool (Part #1019884) 5. Spool Housing LH (Part #2965980000) 6. SPOOL SUPPORT COVER (Part # CS4052) 7. LIFT ROD V-SHAFT (Part #2770004000) 8. Fabric 9. HDRL END CAP UNIV RAIL (Part #4024954xxx) 10. END CAP 3/4 (Part #19-183-XXX)
END CAP 3/8 (Part #UECXXX) 11. Shade Adjust
Base (PCN 12-129A)
Spool (PCN 12-128A) 12. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000) 13. Filler Strip
3/8" Rail (Part #2954000000)
3/4" Rail (Part #42500110C) 14. Cord (Part #1851771) 15. LOCKING COLLAR ASSY - NGPR (METAL) (Part #2920750000) 16. ADAPT;VRod;HC;SPARE (Part #1034492) 17. ADAPT;INMOTION™ WAND
MOTORIZATION;BTE;Cell;SmoothHR (Part #1034496) 18. MOTOR (Part #1034490) 19. BATTERY (Part #1034491) 20. EC;Receiver;InMotion™ Wand Motorization;RH (Part #1034428)
EC;Receiver;InMotion™ Wand Motorization;LH (Part #1034429) 21. Pendant
White
1FT (Part # 1034303)
2FT (Part # 1034304)
3FT (Part # 1034305)
4FT (Part # 1034306)
5FT (Part # 1034307)
6FT (Part # 1040190)
Vanilla
1FT (Part # 1034408)
2FT (Part # 1034409)
3FT (Part # 1034410)
4FT (Part # 1034411)
5FT (Part # 1034412)
6FT (Part # 1040191)
Gray
1FT (Part # 1034413)
2FT (Part # 1034414)
3FT (Part # 1034415)
4FT (Part # 1034416)
5FT (Part # 1034417)
6FT (Part # 1040192)
Bronze
1FT (Part # 1034403)
2FT (Part # 1034404)
3FT (Part # 1034405)
4FT (Part # 1034406)
5FT (Part # 1034407)
6FT (Part # 1040193) | <div style="margin-left: 40px;"> Black
 1FT (Part # 1034308)
 2FT (Part # 1034309)
 3FT (Part # 1034400)
 4FT (Part # 1034401)
 5FT (Part # 1034402)
 6FT (Part # 1040194) </div> <ol style="list-style-type: none"> 22. STOP;MOTOR;HC;1.25in;HDR (Part #1020445) 23. TAPE;FOAM;.05inx1.5in;Blue (Part #1017594) 24. END CAP CLTCH RH UNIV RAIL (Part #90-10-0XXX)
END CAP CLTCH LH UNIV RAIL (Part #90-20-0XXX) |
|---|---|


PRODUCT COMPONENTS – VERTICAL APPLICATION



PRODUCT COMPONENTS – VERTICAL APPLICATION

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Headrail 2. Manual End Plate (Part #2991380000) 3. End Plate Screws (#8 x 3/4" Pan Head) (Part #2999019000) 4. Cord Tensioner (Part #2991281000) 5. Headrail Light Block Strip (Part #2780229002) 6. Rail Carrier (Front Rail, Black) (Part # 2991259000) 7. Rail Carrier (Rear Rail, Clear) (Part #2991260000) 8. Fabric Carrier (Part #2991237000) 9. Fabric Reinforcer (Part #2991238000) 10. Stationary Rail Bracket Assembly
LH (Part #2991323000)
RH (Part #2991324000) 11. Moving Rail Bracket Assembly
LH (used with left fabric stacks) (Part #2991227000)
RH (used with right fabric stacks) (Part #2991228000) 12. Vertical Rail End Cap
3/4" (Part #2991226000)
1-1/4" Rail (Part #2991225000) 13. Cord Guide Pin (Part #12991523000) 14. Vertical Rail 15. Handle Kit with Screws
KIT2584 – Aspen White (785)
KIT2670 – Silverado (276)
KIT2589 – White Tiara (661)
KIT2592 – Gardenia White (862)
KIT2594 – Honey Bisque (882)
KIT2591 – Dark Blonde (841)
KIT2586 – Camel (082)
KIT2587 – Cocoa (083)
KIT2585 – Mushroom (810)
24-119 – 2" Fabric (Clear) 16. Vertical Rail Light Block Strip (Part # 2991319-COLOR) 17. Set Screw (4-40 x 1/4") (Part #2999137000) 18. Filler Strip
3/4" (Part #1000002)
1-1/4" (Part #2971311000) 19. Fabric 20. Cord Guide (Part #2991290000) 21. Cord (Part #1003020) 22. Valance Corner End Caps
Black (Part #1031831)
Camel (Part #1031837)
Cocoa (Part #1035257)
Silverado (Part #1031674)
White Tiara (Part #1031671)
Aspen White (Part #1031675)
Mushroom (Part #1031830)
Dark Blonde (Part #1031677)
Gardenia White (Part #1031672)
Honey Bisque (Part #1031678) 23. Valance 24. Cord Wrapper (Part #2991379000) | <ol style="list-style-type: none"> 25. Foam Stop (IB Shades Only) (Part #2991497000) 26. Cord Washer (Part #2930130000) 27. Installation Bracket
2 Pack (Part #KIT2764)
3 Pack (Part #KIT2765) 28. Spacer Blocks
2 Pack (Part #KIT2511)
3 Pack (Part #KIT2512) 29. Extension Bracket Kit
2 Pack (Part #KIT2013)
3 Pack (Part #KIT2014) 30. Stationary Rail Bracket Screw Kit (Part #KIT2757) 31. Valance Splice Kit (Part #KIT2730) 32. 1-1/4" Valance Clip
2 Pack (Part #KIT2596)
3 Pack (Part #KIT2618)
4 Pack (Part #KIT2713) 33. 3/4" Valance Clip
2 Pack (Part #KIT2595)
3 Pack (Part #KIT2617)
4 Pack (Part #KIT2712) 34. Stationary Rail Bracket (Part #KIT2490) <p>Not shown
Rail Magnet (Part #2993979000)
Rail Magnet Holder (Part #2991240000)</p> |
|---|---|


PRODUCT COMPONENTS – SKYLIGHT



PRODUCT COMPONENTS – SKYLIGHT

1. Standard Installation Bracket 3/8" Part #KIT-38HC-STD (2PK)
2. Standard Installation Bracket 3/4" Part #KIT-34HC-STD (2PK)
3. Aspen White Aluminum Rail
3/4" (Part #72-21-0785)
3/8" (Part #71-21-0785)
4. Washer (Part #2980043000)
5. Headrail End Cap
3/4" (Part #2970020785)
3/8" (Part #2950020785)
6. Cord Guide
3/8" (Part #2950100000)
3/4" (Part #2970300000)
7. Filler Strip
3/8" (Part #2954000000)
3/4" (Part #42500110C)
8. Specialty Side Track (Part #2980042785)
3/8" (Part #2980041785)
3/4" (Part #2980042785)
9. Specialty End Cap
3/8" (Part #2980045000)
3/4" (Part #2980040000)
10. Cord Clamping Screw (Part #2980044000)
11. Cord Clamping Washer (Part #2980043000)
12. Bottomrail End Cap
3/8" (Part #2950020785)
3/4" (Part #2970020785)
13. Specialty Spring (Part #2980035000)
14. Optional Extension Pole Extends 5' to 10' (Part #400036-81511)
15. Handle (Part #2980048785)
Handle Screw (Part #2980049785)
16. Fabric Gasket
17. 1.2 MM Cord (Part #5009085959)

PRODUCT COMPONENTS – SKYLIGHT INMOTION™ MOTORIZATION



PRODUCT COMPONENTS – SKYLIGHT INMOTION™ MOTORIZATION

1. HR SMTH MOD 2.10 UNIV HCCLCC White Tiara (Part #90-80-0661)
2. RAIL STD CMTX 3/4 White Tiara (Part #XUR66116)
3. Cellular Fabric
4. FILLER STRIP Duet Appls Acclm 3/4in AL (Part #42500110C)
5. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
6. Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
7. EYELET HC Pltd (Part #2980037000)
8. CORD .9 MM (Part #1851771)
9. END CAP 3/4 CMTX MOD LL WHITE TIARA (Part #19-183-661)
10. HDRL END CAP UNIV RAIL White Tiara (Part #4024954661)
11. COMMON HR LIFT SPOOL SUPPORT (Part #2780033000)
12. SPOOL HOUSING LH (Part #2965980000)
13. SPOOL SUPPORT COVER CORDLESS ULTRA IV (Part #CS4052)
14. SPOOL;CELLULAR;COMMON HR ASA;DARK GRAY (Part #1019884)
15. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
16. .350"H KERF MOUNT FOAM FILLED SEAL WHITE (Part #CS650W)
17. SIMPLEX MOTOR BROWN NO BRAKE (Part #500200000)
18. TRACK RETAINER BRIGHT WHITE 8 FT (Part #CS2400BW)
19. MOTOR;INMOTION™ MOTORIZATION;CELL;SingleDr;0.6Nm;50r (Part #62006000)
(Note: Motor includes mount and shaft adapters)
20. BATPK;INMOTION™ MOTORIZATION;5v2.6AhLi-ion;Rechrgeable (Part #62203000)
21. 6-32 5/16W 1/8H NYLON INSERT HEX LOCK (Part #CS5471)
22. FLAT WASHER 18-8 STAINLESS STEEL (Part #CS5473)
23. 6-32 7/16 FLAT HD PHILIPS MACHINE SCREW (Part #CS5474)
24. 3/8 DIA. ROUND MAGNET FOR TOP RAIL (Part #CS5467)
25. Magnet Center Striker Plate TDBU Zinc PI (Part #CS5476)
26. CABLE TIE MOUNTING BASE (Part #CS5201)
27. Solar Panel (Part #62201000)
28. Plug In Charger Kit (Part #1027720)
29. InMotion™ Motorization 15 Channel Remote Control (Part #1026655)
30. Installation Bracket
(Part #KIT-CCCLHC-2PK (2PK))
(Part #KIT-CCCLHC-3PK (3PK))