

WOODLAND BLINDS, L.P.

FEATURES, SPECIFICATIONS, BASIC ORDER INFORMATION CUSTOM HORIZONTAL BLINDS

Wood Blinds

Features

All wood blinds are made from 100% kiln dried selected hardwood

18 Colors in smooth stain or paint finishes for 1" and 2" premium North American Hardwood blinds

9 Colors in smooth flat stain or paint finishes for 2.5" premium Basswood ShutterBlinds. ShutterBlinds are available with either routed or routeless construction.

Ends of slats are finished to maximize beauty and durability

Wood valance, bottomrail, cord tassels, and bottomrail plugs are stained or painted to match slats

Valance attached to blind with magnets that are invisible from the front of the valance and screwed to the back of the valance.

Side returns on valances are miter cut and glued

Cotton cloth tape is available in 17 standard twill colors and 17 premium decorative colors for 2" blinds

Steel headrails are color coordinated to the wood slats

All mounting hardware is included (hold downs, spacer blocks and extension brackets when specified)

We deduct 0.5" from the ordered width of inside mount blinds (IB); no deduction for outside mount blinds (OB)

Limited Lifetime Warranty.

Free ground freight (up to 84" width) to the primary destination within the continental US. Blinds with headrails over 84" will be subject to an additional freight charge of \$50 for the 1st oversized blind per order and \$35 for each additional oversized blind. Other conditions may also apply to shipments to Alaska, Hawaii, and outside the continental US

Specifications

Slats:	1" slat shall be 1.068" wide +/- 0.15", with a thickness of .120" +/- .05" 2" slat shall be 2.0" wide +/- 0.15", with a thickness of .120" +/- .05" 2.5" flat slat shall be 2.5" wide +/- 0.15", with a thickness of .120" +/- 0.5"
Valance:	1" valance shall be 1.375" wide, glued returns shall be 2.25" long 3" valance shall be 3" wide, glued returns shall be 2.875" long on 2" blinds and 3.25" long on 2.5" blinds
Finishes:	Smooth painted or stained.
Headrail:	Headrail is cut the same size as slats 1" headrail shall be 1" x 1.5" x .024" thickness 2" standard headrail shall be 2" x 2.25" x .018" thickness (used with 2" & 2.5" slats) Treated with iron phosphate to resist corrosion and formed into a u-shaped profile with rolled edges, then primed with an acrylic finish, the final coat is a polyester baked enamel finish
Mechanisms:	All mechanisms are enclosed in the headrail
Tilt Rod:	Solid steel with a corrosion-resistant finish
Cord Tilter:	(Standard for 2" blinds, specify on order; not available for 1" blinds) drum type with polyester cord locked in the drum; the mechanism shall be a helical gear driven by a worm enclosed housing
Wand Tilter:	(Optional on 2" blinds, specify on order, not available 2.5" blinds) is a clutch-type mechanism consisting of a die-cast helical gear driven by a one piece die-cast worm gear in a polymer housing
Wand:	Color coordinated to match slats available up to 60" in white colors or 48" in stain colors, clear lucite wands available in 54" and 72" Wood wands supplied on all stained finishes. PVC wands supplied on all white painted finish.
Cord Lock:	Steel with zinc coating. The locking device shall be crash proof.
End Lock:	Steel with zinc coating
Tape Drums:	Heavy duty nylon plastic
Ladders:	String ladders (standard) are 100% polyester braided yarn, coordinating with slat color Cloth tapes (optional for 2" blinds) are woven with high strength polyester for white only, other colors are of spun rayon webbing and single-ladder construction.
Lift Cord:	Lift cords are of polyester Ladder, tapes, and cord designed to meet or exceed commercial item specification No. 1029-86

A Note about Wood Blinds: Our wood blinds are a true wood product, made from 100% kiln dried hardwood. There will be variations in color, grain, and texture, all characteristics of wood. These variations will be especially visible in blinds of light color. The variations are normal and natural, and are considered acceptable quality.

Woodland Blinds, L.P.

6120 Griggs Road, Houston, TX 77023
Phone (713) 640-2885 Fax (888) 833-2950

Wood Specification Sheet

Color Coordination Chart Wood Blinds		
Slats	Headrail	Ladder & Cord
100 Bright White	205 White Satin	100 White
101 Pure White	205 White Satin	100 White
102 Bone	205 White Satin	100 White
103 Antique White	205 White Satin	100 White
105 Alabaster	112 Alabaster	107 Alabaster
106 Bleached	31 Fawn	304 Sand
107 Natural	31 Fawn	320 Camel
108 Light Oak	31 Fawn	333 Oak
109 Sugar Maple	31 Fawn	333 Oak
110 Golden Oak	62 Char. Brown	529 Apricot
111 Pecan	62 Char. Brown	320 Camel
112 Cherry	62 Char. Brown	355 Brownstone
113 Walnut	62 Char. Brown	370 Cocoa
114 Cactus	233 Black Satin	588 Pine
115 Grey	233 Black Satin	330 Dove Grey
116 Black	233 Black Satin	895 Pitch Black
117 Mahogany	62 Char. Brown	370 Cocoa

Wands, Tassels, & Plugs will match the wood color.

Routeless, Rollease, and Motorized blinds may have different colors for Ladders & Cords.

Cloth Tape & Ladder Chart 1", 2" Routed, 2" Routeless, & 2.5" Flat Slat Routed Wood					
Net Blind Size	End Route Positions	Controls	# of Ladders	# of Tapes	# of Cords (Routes)
8" - 13.375"	3"	Center Tilt only, No Lift	2	2	2
13.5" - 20"	4.5"	Opposite Side only	2	2	2
20.125" - 30"	6"	L/R, R/L, L/L, R/R	2	2	2
30.125" - 36"	6"	L/R, R/L, L/L, R/R	3	2	2
36.125" - 48"	6"	L/R, R/L, L/L, R/R	3	3	2
48.125" - 60"	6"	L/R, R/L, L/L, R/R	4	4	2
60.125" - 66"	6"	L/R, R/L, L/L, R/R	4	4	4
66.125" - 96"	6"	L/R, R/L, L/L, R/R	5	5	4

Maximum space between ladders is 18".

Ladder Chart 2-1/2" Wood ShutterBlinds (Routeless Only)				
Net Blind Size	Outside Ladder (notch distance from end of slat)	Controls	# of Ladders	# of Cords
8" - 13.375"	3"	Center Tilt only, No Lift	2	4
13.5" - 20"	4.5"	Opposite Side only	2	4
20.125" - 30"	6"	L/R, R/L, L/L, R/R	2	4
30.125" - 48"	6"	L/R, R/L, L/L, R/R	3	3
48.125" - 66"	6"	L/R, R/L, L/L, R/R	4	4
66.125" - 96"	6"	L/R, R/L, L/L, R/R	5	4

Maximum space between ladders is 18".

Wide Cloth Tape & Rollease not available on Shutterblinds

WOODLAND BLINDS, L.P.

FEATURES, SPECIFICATIONS, BASIC ORDER INFORMATION CUSTOM HORIZONTAL BLINDS

KingWood "B"/ WINDSONG, Trends

Features

All Synthetic blinds are made from PVC.

13 color finishes for KingWood "B"(smooth) and WINDSONG (textured)

7 wood-tone finishes for Trends.

KingWood "B"/WINDSONG and Trends are certified as flame retardant.

Valance, bottomrail, cord tassels, and bottomrail plugs match slat finish.

Valance attached to blind with magnets that are invisible from the front of the valance and screwed to the back of the valance.

Side returns on valances are miter cut and glued.

Cotton cloth tape is available in 17 standard twill colors and 17 premium decorative colors (not available for 2.5" Plantation

ShutterBlinds and not recommended for KingWood "B"/WINDSONG or Trends).

Steel headrails are color coordinated to the slats.

All mounting hardware is included (hold downs, spacer blocks and extension brackets when specified).

We deduct 0.5" from the ordered width of inside mount blinds (IB); no deduction for outside mount blinds (OB).

Limited Lifetime Warranty

Free ground freight to the primary destination within the continental US. Blinds with headrails over 84" will be subject to an additional freight charge of \$50 for the 1st oversized blind per order and \$35 for each additional oversized blind. Other conditions may also apply to shipments to Alaska, Hawaii, and outside the continental US

Specifications

Slats:	2" slats shall be 2.0" wide +/- 0.15", with a thickness of .120" +/- 0.15" 2.5" slats shall be 2.5" wide +/- 0.15", with a center thickness of .250" +/- 0.15" & an edge thickness of .120" +/- .15".
Bottomrail:	KingWood "B"/WINDSONG have a flat 2" bottomrail. Trends has a 2" trapezoid bottomrail.
Valance:	KingWood "B"/WINDSONG valances shall be 3" wide, returns shall be 3.125" long Trends valances shall be 3.25" wide, returns shall be 3.125" long
Finishes:	All surfaces are PVC with UV protection
Headrail:	Headrail is cut the same width as slats Standard headrail shall be 2" x 2.25" x 0.18" thickness (used on 2" & 2.5" slats) Treated with iron phosphate to resist corrosion and formed into a u-shaped profile with rolled edges, then primed with an acrylic finish, the final coat is a polyester baked enamel finish
Mechanisms:	All mechanisms are enclosed in the headrail
Tilt Rod:	Solid steel with a corrosion-resistant finish
Cord Tilter:	Drum type with polyester cord locked in the drum; the mechanism shall be a helical gear driven by a worm enclosed housing
Wand Tilter:	Available up to 35 sq. ft. - Clutch-type mechanism consisting of a die-cast helical gear driven by a one piece die-cast worm gear in a polymer housing
Wand:	Color coordinated to match slats available up to 60" in white colors and 48" in stain colors, clear lucite wands available in 54" and 72" Stained wands are wood. White wands are PVC.
Cord Lock:	Steel with zinc coating. The locking device shall be crash proof
End Lock:	Steel with zinc coating
Tape Drums:	Heavy duty nylon plastic
Ladders:	String ladders are 100% polyester braided yarn, coordinating with slat color Cloth tapes (optional) are woven with high strength polyester for white only, other colors are of spun rayon webbing and single-ladder construction. Cloth tape not recommended on KingWood B/Windsong blinds.
Lift Cord:	Lift cords are of polyester Ladders, tapes, and cord designed to meet or exceed commercial item specification No. 1029-86

Woodland Blinds, L.P.

6120 Griggs Road, Houston, TX 77023
Phone (713) 640-2885 Fax (888) 833-2950

KingWood Specification Sheet

Color Coordination Chart - KingWood, WINDSONG, & Trends			
Slats	Headrail	Ladder & Cord	Wands, Tassels & Plugs
4110 Snow White	205 White Satin	100 White	101 Pure White
4111 Pearl White	205 White Satin	100 White	103 Antique White
4112 White	112 Alabaster	107 Alabaster	105 Alabaster
4113 Oyster White	112 Alabaster	107 Alabaster	105 Alabaster
4310 Windsong Snow	205 White Satin	100 White	101 Pure White
4311 Windsong Pearl	205 White Satin	100 White	103 Antique White
4312 Windsong Brite	205 White Satin	100 White	101 Pure White
4313 Windsong Oyster	112 Alabaster	107 Alabaster	105 Alabaster
4321 Windsong Pecan	062 Charcoal Brown	320 Camel	111 Pecan
4322 Windsong Cherry	062 Charcoal Brown	529 Apricot	112 Cherry
4325 Windsong Natural	031 Fawn	333 Oak	108 Light Oak
4327 Windsong Birch	031 Fawn	320 Camel	107 Natural
4329 Windsong Maple	062 Charcoal Brown	320 Camel	111 Pecan
4250 Trends Bamboo	031 Fawn	320 Camel	107 Natural
4251 Trends Natural	031 Fawn	320 Camel	107 Natural
4252 Trends Maple	031 Fawn	333 Oak	109 Sugar Maple
4253 Trends Pecan	062 Charcoal Brown	259 Apricot	108 Light Oak
4254 Trends Oak	062 Charcoal Brown	259 Apricot	110 Golden Oak
4256 Trends Chestnut	062 Charcoal Brown	370 Cocoa	113 Walnut
4257 Trends Mahogany	062 Charcoal Brown	370 Cocoa	117 Mahogany

Routeless, Rollease, and Motorized blinds may have different colors for Ladders & Cords.

Cloth Tape Chart - All 2" Blinds			
KingWood Series "B", WINDSONG & Trends			
Net Blind Size	Controls	Outside Tape	# Tapes
8" - 13.375"	Center tilt, No Lift	3.5"	2
13.5" - 20"	LR (Std), RL	4.5"	2
20.125" - 24"	LR (Std), RL, LL, or RR	5.5"	2
24.125" - 37"	LR (Std), RL, LL, or RR	5.5"	3
37.125" - 50"	LR (Std), RL, LL, or RR	5.5"	4
50.125" - 63"	LR (Std), RL, LL, or RR	5.5"	5
63.125" - 76"	LR (Std), RL, LL, or RR	5.5"	6
76.125" - 89"	LR (Std), RL, LL, or RR	5.5"	7
89.125" - 96"	LR (Std), RL, LL, or RR	5.5"	8

Maximum Ladder Spacing for String Ladders - 11"

Maximum Ladder Spacing for Cloth Tape - 13"

Blinds 13.375" and less will have Center Tilt, No Lift

*** Please note that end-route positions vary on 2" blinds with string ladders depending on control positions

Ladder Chart				
2-1/2" KingWood "B" ShutterBlinds				
Net Blind Size	Outside Ladder/ Notch	Control Positions Available	# of Ladders/ Notches	# of Cords
8" - 13.375"	3"	Center Tilt, No Lift	2	4
13.5" - 20"	4.5"	LR or RL	2	4
20.125" - 30"	6"	LR, RL, LL, or RR	2	4
30.125" - 48"	6"	LR, RL, LL, or RR	3	3
48.125" - 66"	6"	LR, RL, LL, or RR	4	4
66.125" - 96"	6"	LR, RL, LL, or RR	5	4

Maximum space between ladders is 18".

Wide Cloth Tape & Rollease not available on ShutterBlinds

Ladder Chart - Separated Controls Only (LR or RL)				
KingWood Series "B", WINDSONG & Trends				
Net Blind Size 4.5" End-Routes	Outside Ladder/ Notch	Control Positions Available	# of Ladders/ Notches	# of Cords (Routes)
13.5" - 20"	4.5"	LR or RL	2	2
20.125" - 31"	4.5"	LR or RL	3	2
31.125" - 42"	4.5"	LR or RL	4	2
42.125" - 53"	4.5"	LR or RL	5	4
53.125" - 64"	4.5"	LR or RL	6	4
64.125" - 75"	4.5"	LR or RL	7	4
75.125" - 86"	4.5"	LR or RL	8	4
86.125" - 96"	4.5"	LR or RL	9	4

Ladder Chart - Same Side Controls Only (LL or RR)				
KingWood Series "B", WINDSONG & Trends				
Net Blind Size 5.5" End-Routes	Outside Ladder/ Notch	Control Positions Available	# of Ladders/ Notches	# of Cords (Routes)
20.125" - 22"	5.5"	LL or RR	2	2
22.125" - 33"	5.5"	LL or RR	3	2
33.125" - 44"	5.5"	LL or RR	4	2
44.125" - 55"	5.5"	LL or RR	5	4
55.125" - 66"	5.5"	LL or RR	6	4
66.125" - 77"	5.5"	LL or RR	7	4
77.125" - 88"	5.5"	LL or RR	8	4
88.125" - 96"	5.5"	LL or RR	9	4

Ladder Chart - All Blinds				
KingWood Series "B", WINDSONG & Trends				
Net Blind Size	Outside Ladder/ Notch	Control Positions Available	# of Ladders/ Notches	# of Cords (Routes)
8" - 13.375"	3.5"	Center Tilt, No Lift	2	2
13.5" - 20"	4.5"	Opposite Side	2	2

WOODLAND BLINDS, L.P.

QUICK REFERENCE SPEC CHART

(All refer to net sizes; 1/2" deduction from ordered width on inside mount blinds)

	1"	2.5"	2"	2"	2"
	WOOD BLINDS	SHUTTERBLINDS	WOOD BLINDS	KINGWOOD B / WINDSONG	TRENDS
Size Limitations					
Minimum Width	8"	8"	8"	8"	8"
Maximum Width (one blind)	96"	96"	96"	96"	96"
Multiple Blinds	120"	120"	120"	120"	120"
Minimum Length	10"	10"	10"	10"	10"
Maximum Length	126"	120"	126"	126"	126"
Tilt Options (must specify)					
Cord Tilter	Not Available	Standard	Standard	Standard	Standard
Wand Tilter	Standard	Not Available	Optional	Optional	Optional
Wand Length	12", 20", 24", 30", 36", 48", *60" (*white only).		Clear Lucite Wand Lengths 54", 72"		
Control Positions by Blind Width (Net Size; 0.5" deduction from ordered width on inside mount blinds) (standard control positions: Tilt on the left, Lift on the right). Blinds 10" & smaller in width must have wand tilter. Blinds made with net width less than 9.5" are subject to a \$15 surcharge and are not covered by our warranty.					
Center Tilt Only	8" - 13.375"	8" - 13.375"	8" - 13.375"	8" - 13.375"	8" - 13.375"
Opposite Side Only (Standard or Reverse)	13.5" - 20"	13.5" - 20"	13.5" - 20"	13.5" - 20"	13.5" - 20"
Made as Specified	20.125" & Over	20.125" & Over	20.125" & Over	20.125" & Over	20.125" & Over
Matching Valance	Standard	3" Sculpted	3" Sculpted	3" Sculpted	3.25" Sculpted
Bottomrail	2" Flat	2" Flat	2" Flat	2" Flat	2" Trapezoid
Braided Ladder	Standard	Standard	Standard	Standard	Standard
Wide Cloth Tape (Must Specify)	Not Recommended				
Standard twill colors	N/A	N/A	15% Charge	20% Charge	20% Charge
Premium decorative colors	N/A	N/A	30% Charge	30% Charge	30% Charge
Honeycomb Cellular Shades		Woven Wood Shades		Clutch Roller Shades	
Minimum Width - 12"		Minimum Width - 12"		Minimum Width - 6"	
Maximum Width (one shade) - 96"		Maximum Width (one shade) - 96"		Maximum Width - Up to 168", varies by length	
2on1 Headrail - 120"		Maximum width for 2on1/3on1 shades - 120"		Maximum width for 2on1/3on1 shades - N/A	
Maximum Length - 144"		Minimum Length - 12"		Minimum Length - 10"	
		Maximum Length - 192"		Maximum Length - 192"	
Wide Cloth Tape Colors Available on 2" Blinds - Selling Kit contains labeled cuttings of each tape.					
Standard Twill Colors (See card attached to back of selector for color coordinating)					
White	Duck White	Fawn	Beige	Grey	
Mulberry	Dark Green	Red	Royal Blue	Chocolate	
Black	Alice Blue	Pink	Pastel Green	Canary	
Cappuccino	Russet				
Premium Decorative Colors					
Crochet White	Crochet Cream	Crochet Blush	Crochet Celadon	Crochet Blue	
Finesse White	Finesse Natural	Tempo Buff	Tempo Cream	Bead Sand	
Bead Blue	Cable Biscuit	Cable Fawn	Basketweave Spruce	Basketweave Straw	
Edge Bindings Available on most Woven Wood Shades - Hand sample contains labeled cuttings of each binding					
Duck	Beige	Moss	Wheat	Pecan	
Cocoa	Bordeaux	Black			
Stacking Formulas					
1" Blinds	Add 1.75" for headrail and bottomrail, plus 2" for each 12" of blind length				
2" Blinds	Add 3" for headrail and bottomrail, plus 1" for each 12" of blind length				
2-1/2" Blinds	Add 3" for headrail and bottomrail, plus 1.375" for each 12" of blind length				
Cellular Shades	Add 2" for headrail and bottomrail, plus 0.25" for each 10" of shade length				
Woven Wood Shades:	Add 4" for headrail plus 1" for every 12" of shade length.				